



Continental Access Price List April, 2010

ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Continental Access
355 Bayview Avenue
Amityville, NY 11701 USA

Tel: (631) 842-9400
Fax: (631) 842-9135
Website: www.cicaccess.com
E-Mail: cic@cicaccess.com



**NAPCO
SECURITY
GROUP**

Table of Contents

| <u>Tab No.</u> | <u>Section Description</u> |
|----------------|---|
| 3 | CardAccess Software and Options |
| 4 | CA3000 Recommended Computer Specifications |
| 5 | Software Comparison and Feature list of CA3000 |
| 6 | Bundled & Redundant Systems (CA3000 SW plus PC/Server) |
| 7 | Controllers and Controller Options and Accessories |
| 8 | Kits (Readers/Fobs and Cards packaged for shipping with Controllers) |
| 9 | Badging Software Options and Packages w/CA3000 SW |
| 10 | Badging Printers and Accessories |
| 11 | System Wall Clocks |
| 12 | Time and Attendance Software |
| 13 | Visitor Management Software |
| 14 | PIV/TWIC Enrollment Software and Accessories |
| 15 | HID Proximity Readers and Cards |
| 16 | HID iClass Readers and Cards |
| 17 | HID Global Smart ID Readers and Cards |
| 18 | Indala (HID Global) Readers and Cards |
| 19 | XceedID Readers and Cards |
| 20 | Farpointe Readers and Cards |
| 21 | Biometric Readers (Bioscrypt, IR Hand Geo, HID, SmartTouch, ...) |
| 22 | Privaris Biometric Devices |
| 23 | Additional Readers and Cards (incl Weigand, Mag, Kypds and Biometric) |
| 24 | Long Range Vehicle Readers and Tags |
| 25 | Wyreless Readers and Communications Products |
| 26 | Communication Devices (Ethernet, Fiber, Modems ...) |
| 27 | Windy City Smartwire |
| 28 | DVRs/NVRs - Pelco DS NVS |
| 29 | DVRs/NVRs - Pelco DS NVR |
| 30 | DVRs/NVRs - Pelco DS RealVue |
| 31 | DVRs/NVRs - Pelco DS Enterprise |
| 32 | DVRs/NVRs - Pelco DS 1000 |
| 33 | DVRs/NVRs - Pelco DS XPress |
| 34 | DVRs/NVRs - Pelco DS Desktop |
| 35 | DVRs/NVRs - Pelco DVXi |
| 36 | DVRs/NVRs - Pelco DVX500 |
| 37 | DVRs/NVRs - Pelco DVXe |
| 38 | Salient CompleteView DVR/NVR Software |
| 39 | Salient RM1000 and RM1100 DVRs/NVRs |
| 40 | Salient RM2500 and 2800 DVRs/NVRs |
| 41 | AXIS IP Cameras |
| 42 | Sony IP Cameras |
| 43 | Vitek Cameras, DVRs and Accessories |
| 44 | Magnetic Locks and Exit Buttons |
| 45 | Magnetic Contacts - Gold Series |
| 46 | Power Supplies - Platinum Series |
| 47 | Standard Warranty |
| 48 | Extended Software Warranty |
| 49 | Extended Controller Warranty |

ACCESS CONTROL SOFTWARE

Authorized
Dealer Discount
Applies

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--------------------|-------------------|
| CardAccess® 3000 Windows-Based Software | | |

New - Panel Limited Software Licenses

| | | |
|----------|--|-------|
| CP12701S | CA3000 v2.7 Software License for one Continental Panel only and one GUI Workstation (on or off the Server). This is only available as a software license, not in a USB Hardware Key. All standard software features are available, but some can be panel dependent. No optional or Integration based features are available in this license. This license can be upgraded to a Traditional (Multi-Panel) License without any change of software. | \$165 |
| CP42701S | CA3000 v2.7 Software License for up to four Continental Panels and One GUI Workstation (on or off the Server). This is only available as a software license, not in a USB Hardware Key. All standard software features are available, but some can be panel dependent. No optional or Integration based features are available in this license. This license can be upgraded to a Traditional (Multi-Panel) License without any change of software. | \$415 |

Traditional Software/Hardware Licenses

| | | |
|-----------------|--|-----------|
| Part Number | where: | |
| Formula | Vr = software version (23 = v2.3; 25 = v2.5; 26 = v2.6; 27 = v2.7; 30 = v3.0 ...) | |
| CA3VrNuK | Nu = Number of Workstations (01 = 1 user; | \$790 |
| | 05 = 5 users; | \$1,195 |
| | 10 = 10 users; | \$5,500 |
| | 25 = 25 users; | \$17,500 |
| | 50 = 50 users; | \$40,000 |
| | A0 = 100 users; | \$70,000 |
| | B0 = 150 users; | \$100,000 |
| | C0 = 200 users; | \$130,000 |

K = Security Key Type (S = Software Key and U = USB Hardware Key)

* The Software Security Key is available starting in software version v2.5 *

Common configurations are listed below - all combinations are available unless the feature is only available starting in a noted software version.

| | | |
|----------|--|----------|
| CA32701U | CA3000 v2.7 Single User Software. Includes CardAccess® 3000 file server software and SQL Express Database with a USB security key. | \$790 |
| CA32705S | CA3000 v2.7 Software, supporting up to 5 Users. Includes CardAccess 3000 file server software and MSDE Database (MS SQL 2000/2005 recommended for larger databases and higher performance) with a software security key. | \$1,195 |
| CA32710S | CA3000 v2.7 Software, supporting up to 10 Users. Includes CardAccess 3000 file server software (MS SQL 2000/2005 required - not included with CA3000) with a software security key. | \$5,500 |
| CA32725S | CA3000 v2.7 Software, supporting up to 25 Users. Includes CardAccess 3000 file server software (MS SQL 2000/2005 required - not included with CA3000) with a software security key. | \$17,085 |

- Notes:** 1) CA3000 v2.6 and greater installs SQL (2005) Express or runs on full SQL 2005.
 2) CA3000 v2.52 supports both SQL 2000 and SQL 2005.
 3) CA3000 v2.51 and greater supports the Accelerator board options.
 4) CA3000 v2.52 and v2.51 both use standard v2.5 licenses and options.

** Contact Sales Rep for 50-150 Workstation Quotes**

Also See Extended CA3000 Software Warranty

ACCESS CONTROL SOFTWARE

Authorized
Dealer Discount
Applies

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|---|---|
| ADDITIONAL CA3000 SOFTWARE OPTIONS | | |
| Part Number Formula CA3VrNuK (as above, plus) DvCAITv | where: Dv = Number of DVR/NVR Servers (00 = none; 11 = 1 DVR/NVR Server; 12 = 2 - 4 DVR/NVR Servers; 13 = 5 - 9 DVR/NVR Servers; 14 = 10 - 24 DVR/NVR Servers; 15 = 25 - 49 DVR/NVR Servers; 16 = 50 - 99 DVR/NVR Servers; 17 = 100 - 149 DVR/NVR Servers; C = Number of Secondary (Remote) Communication Servers (0 = none; 1 = 1 Secondary Communication Server; 2 = 2 Secondary Communication Servers; 3 = 3 Secondary Communication Servers; 4 = 4 Secondary Communication Servers; 5 = 5 Secondary Communication Servers; 6 = 6 Secondary Communication Servers; 7 = 7 Secondary Communication Servers) contact Continental sales for quotes for more than 7 Secondary Communication Servers A = Number of NAPCO Alarm Integration Servers (0 = none; 1 = 1 NAPCO Alarm Integration Server; 2 = up to 4 NAPCO Alarm Integration Servers; 3 = up to 9 NAPCO Alarm Integration Servers; 4 = up to 24 NAPCO Alarm Integration Servers; 5 = up to 49 NAPCO Alarm Integration Servers) * NAPCO Alarm Integration is for GEM-P3200, GEM-P9600, and GEM-X255 Alarm Panels Only * ** Each Integration Server can communicate with 1 NAPCO Panel per PC Comm Port or with Multiple NAPCO Panels utilizing a NAPCO NetLink (NL-Mod) per NAPCO Panel ** I = CA InterAccess API Interface (0 = not enabled; 1 = enabled) **** CA API is available starting in software version v2.5 **** Tv = CA Time Keeper & CA Visit Integration (0 = none; 1= CA Time Keeper Integration; 2= CA Visit Integration) | Add \$0 Add \$1,667 Add \$3,333 Add \$5,000 Add \$6,000 Add \$7,000 Add \$8,000 Add \$9,000 Add \$0 Add \$5,000 Add \$10,000 Add \$15,000 Add \$20,000 Add \$25,000 Add \$30,000 Add \$35,000 Add \$0 Add \$250 Add \$500 Add \$700 Add \$850 Add \$950 Add \$0 Add \$2,000 Add \$0 Add \$1,000 Add \$1,000 |
| *** Note that the Integration prices above do not include the Per Seat Software for those options - See Time & Attendance and Visitor Management pricing sections for User/Per Seat Prices and Related Software and Accessories *** | | |
| Common configurations are listed below - all combinations are available unless a feature is only available starting in a noted software version. | | |
| CA32705U110000 | 5 user (USB key) CA3000 v2.7 base software with 1 DVR/NVR Server. | |
| CA32705S002000 | 5 user (Software key) CA3000 v2.7 base software with 2 Secondary Com Servers. | |
| CA32710S000210 | 10 user (Software key) CA3000 v2.7 base software with up to 4 Napco Alarm Integration Servers and the CA InterAccess API. | |
| CA32725S150001 | 25 user (Software key) CA3000 v2.7 base software with 5 DVR/NVR Servers and CA TimeKeeper integration. | |
| CA32705S000002 | 5 user (Software key) CA3000 v2.7 base software with CA Visit component. | |
| CA32710S172412 | 10 user (Software key) CA3000 v2.7 base software with 7 DVR/NVR Servers, 2 Secondary Com Servers, 4 Napco Alarm Integration Servers, the CA InterAccess API, and CA Visit | |

** Contact Sales Rep for 50-150 Workstation Quotes**

See the sections at the end of this list for Extended CA3000 Software Warranty

CA3000 v2.7 Server/Host PC Recommendations

| | Server (1-4 Workstations) | Server (5-19 Workstations) | Server (20-49 Workstations) |
|-------------------------|---|--|---|
| Processor | Pentium Dual Core, 2.6GHz (min) | Xeon Quad Core 2.0GHz (min) | 2 x Xeon Quad Core 2.0GHz (min) |
| Ram | 2.0 GB Min | 4.0 GB Min | 8 GB Min |
| Hard Drive | 250 GB | 500 GB | Raid 5 - 3 drives minimum |
| USB Ports | 2 Min | 2 Min | 2 Min |
| Serial Ports | Optional - 1 expandable to 64 | Optional - 1 expandable to 128 | Optional - 1 expandable to 128 |
| Parallel Ports | 1 | 1 | 1 |
| Mouse | PS2 or USB | PS2 or USB | PS2 or USB |
| Monitor | 17" SVGA (1024x768) | 17" min | 17" min |
| CD/DVDROM | 48x/16x | 48x/16x | 48x/16x |
| CDRW/DVDR | 24x/8x | 24x/8x | 24x/8x |
| Sound | Optional but Stand-Alone recommended | Optional | Optional |
| Network Card | 100/1000 Mb NIC Ethernet | 100/1000 Mb NIC Ethernet | 100/1000 Mb NIC Ethernet |
| Operating System | Win XP Pro w/SP3, Win 7 Pro 32 bit (configured in Win XP Compatibility Mode), Win 2003 32 bit, or Win 2008 32 bit (contact Continental for 64 bit environments) | Win XP Pro w/SP3, Win 7 Pro 32 bit (configured in Win XP Compatibility Mode), Win 2003 32 bit, or Win 2008 32 bit (contact Continental for 64 bit environments) | Win 2003 32 bit or Win 2008 32 bit (contact Continental for 64 bit environments) |
| Database | MSSQL 2005 Express or MSSQL Server 2005 for higher performance | MSSQL Server 2005 recommended | MSSQL Server 2005 |
| Backup | Tape / CD / DVD / Network | Tape / CD / DVD / Network | Tape / CD / DVD / Network |
| System Size | This is the recommended PC server specification for a system with up to four workstations. It can be used for a stand-alone system, a workstation or a CA3000 Server. For high transaction environments some specifications may change. | This is the recommended PC specification for a CA3000 Server supporting up to nineteen workstations. For high transaction environments some specifications may change. | This is the recommended PC specification for a CA3000 Server supporting more than nineteen workstations. For high transaction environments some specifications may change. For larger systems please consult with Continental Access. |
| Notes: | (1) If using SQLEXPRESS, the database size should not exceed 4GB. (2) Disk drive usage is dependent on the number of transactions kept in backup. (3) Additional RAM will improve performance (4) It is best to perform badging and other integration functions on a workstation, not the server. (5) Virtual Environments are supported. If loading CA3000 in a Virtual Environment, please request a software license (not USB HW License). Ethernet panel connectivity is also highly recommended in Virtual Environments. | | |

*** Other than a small Stand-Alone system, Continental Access does not recommend running Photo-badging, DVR/NVR Integration, Napco Integration, Scripting, or Dynamic Maps from a Host machine. Please refer to our Workstation Recommendation below for these specifications. ***

CA3000 v2.7 Workstation PC Recommendations

| | Workstation-Event Viewing Only | Workstation-Event Viewing + any one Integration feature (Badging, DVR/NVR, Napco, Scripting, or Dynamic Maps) | Workstation-Event Viewing + any two Integration features (Badging, DVR/NVR, Napco, Scripting, or Dynamic Maps) |
|-------------------------|--|---|--|
| Processor | Pentium Core2 Duo, 2.2GHz min | Pentium Core2 Duo, 2.6MHz min | Dual Pentium Core2 Duo, Pentium Quad Core or Pentium Xeon |
| Ram | 1 GB Min | 2 GB Min | 3 GB Min |
| Hard Drive | 80 GB min | 160 GB min | 250 GB min |
| USB Ports | 2 | 4 | 4 |
| Serial Ports | N/A | N/A | N/A |
| Parallel Ports | 1 | 1 | 1 |
| Mouse | PS2 or USB | PS2 or USB | PS2 or USB |
| Monitor | 17" (1024 x 768) min | 17" (1024 x 768) min | 17" (1024 x 768) min |
| CD/DVDROM | 48x/16x | 48x/16x | 48x/16x |
| CDRW/DVDR | 24x/4x Optional | 24x/4x Optional | 24x/4x Optional |
| Sound | Recommended | Recommended | Recommended |
| Network Card | 100 NIC Ethernet minimum | 100/1000 NIC Ethernet | 100/1000 NIC Ethernet |
| Operating System | Win XP Pro w/SP3, Win 2003 32 bit (contact Continental for 64 bit environments) | Win XP Pro w/SP3, Win 2003 32 bit, or Win 2008 32 bit (contact Continental for 64 bit environments) | Win XP Pro w/SP3, Win 2003 32 bit, or Win 2008 32 bit (contact Continental for 64 bit environments) |
| Database | N/A | N/A | N/A |
| Backup | N/A | N/A | N/A |
| Notes: | For large corporations, hospitals or colleges, a frame video capture card and high-end digital camera is recommended on a badging station. Depending on the amount of photo's needed to be taken per-day on a Badging station; or for other functions the number of DVRs/NVRs or Napco Panels Integrated; or the number of Scripts or Dynamic Maps running additional RAM may be required. | | |

CardAccess3000 V2.X Feature Comparison

| | <u>CA3000 V2.0</u> | <u>CA3000 V2.3</u> | <u>CA3000 V2.5</u> | <u>CA3000 V2.6</u> | <u>CA3000 V2.7</u> |
|---|---|---|---|--|--|
| Maximum Number of Controllers | 250 (500 w/ Dialup) | 750 (1500 w/ Dialup) | 2000 (4000 w/ Dialup) | 2000 (4000 w/ Dialup) | Unlimited |
| Readers (depends on controllers) | 2000 (4000 w/ Dialup) | 6000 (12000 w/ Dialup) | 16000 (32000 w/ Dialup) | 16000 (32000 w/ Dialup) | Unlimited |
| Operating System (Server) | Windows 2000, Server or Adv Server and Win XP Pro | Windows 2000, Server or Adv Server, XP Pro and Win 2003 | Windows 2000, Server or Adv Server, XP Pro and Win 2003 | XP Pro and Win 2003 | XP Pro, Win Server 2003 or Win Server 2008 |
| Database | Microsoft SQL2000 / MSDE | Microsoft SQL 2000 / MSDE | MS SQL2000/MSDE or SQL2005 (V2.52) | Microsoft SQL2005 / SQLEXPRESS | MS SQL2005 or SQL Express |
| Upgradeable | Yes | Yes | Yes | Yes - uninstall SQL2000 | Yes, uninstall SQL2000 if before v2.6 |
| Workstation Capacity* | 50 | 100 | 150 | 200 | 500 |
| Support for Dial-up | Yes | Yes | Yes | Yes | Yes |
| Video Badging ** | Yes | Yes | Yes | Yes | Yes |
| Mapping/Floorplans | Yes | Yes | Yes (V2.51 - Interactive) | Yes (Interactive) | Yes (Enhanced Interactive) |
| CCTV Interface-remote control | Yes | Yes | Yes | Yes | Yes |
| Supports LAN Controllers | Yes | Yes | Yes | Yes | Yes |
| Security Key Required | Yes (HW only) | Yes (HW or SW) | Yes (HW or SW) | Yes (HW or SW) | Yes (HW or SW) |
| Database Partitioning | Yes | Yes | Yes | Yes | Yes |
| Elevator Control * | Yes | Yes | Yes | Yes | Yes |
| CCTV DVR Integration ** | Yes (Pelco/Integral only) | Yes (Salient and Pelco/Integral) | Yes (CA1000, Pelco & Salient) | Yes (CA1000 and Embedded CAView, Salient and Pelco/Integral) | Yes (CA1000 and Embedded CAView, Salient, Pelco/Integral, Pelco, and |
| Napco Gemini Alarm Integration ** | Yes (Serial only) | Yes (TCP/IP or Serial) | Yes (TCP/IP or Serial) | Yes (TCP/IP or Serial) | Yes (TCP/IP or Serial) |
| Link Scripting | Yes | Yes | Yes | Yes | Yes |
| Expanded Access Group | No | Yes | Yes | Yes | Yes |
| High-speed panel communication * | No | Yes | Yes | Yes | Yes |
| Additional Communication Servers** | No | Yes (2, 3 Total) | Yes (7, 8 Total) | Yes (7, 8 Total) | Yes (unlimited) |
| Support for SuperTwo Panel | No | Yes | Yes | Yes | Yes |
| Expanded Import/Export Features | No | Yes | Yes | Yes | Yes |
| 5 Unique Holiday Calendars * | No (1 calendar only) | No (1 calendar only) | Yes | Yes | Yes |
| Right-to-Left Language Support | No (Left-to-Right only) | No (Left-to-Right only) | Yes | Yes | Yes |
| Multi-Area APB | No (Single Area only) | No (Single Area only) | Yes | Yes | Yes |
| Threat Level Management* | No | No | Yes | Yes | Yes (enhanced) |
| Hot Server Backup Software** | No | No | Yes | Yes | Yes |
| Visitor Management Integration** | No | No | Yes | Yes | Yes |
| Time & Attendance Integration ** | No | No | Yes | Yes | Yes |

CardAccess3000 V2.X Feature Comparison



| | <u>CA3000 V2.0</u> | <u>CA3000 V2.3</u> | <u>CA3000 V2.5</u> | <u>CA3000 V2.6</u> | <u>CA3000 V2.7</u> |
|---------------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Interaccess API** | No | No | Yes | Yes | Yes |
| Email/Pager Notification | No | No | Yes | Yes | Yes |

CardAccess3000 V2.X Feature Comparison

| | <u>CA3000 V2.0</u> | <u>CA3000 V2.3</u> | <u>CA3000 V2.5</u> | <u>CA3000 V2.6</u> | <u>CA3000 V2.7</u> |
|--|------------------------|------------------------|---------------------------|--------------------|--------------------------|
| Category Counters * | No | No | Yes | Yes | Yes |
| Activity Links * | No | No | Yes | Yes | Yes (enhanced - Global) |
| Auto Muster Reports | No | No | Yes | Yes | Yes |
| Accelerator Panel Support * | No | No | Yes (V2.51) | Yes | Yes |
| FIPS 201 Support * | No | No | Yes (V2.52 - 75 Bit Mode) | Yes (75 Bit Mode) | Yes (full FASC-N fields) |
| Web Client | No | No | No | Yes | Yes (enhanced) |
| Cross Time-Zone Support | No | No | No | Yes | Yes (enhanced) |
| Archive DB as a Service | No (GUI Based Archive) | No (GUI Based Archive) | No (GUI Based Archive) | Yes | Yes |
| Napco Central Station Alarm Reporting | No | No | No | No | Yes |
| First In / Last Out Lockdown* | No | No | No | No | Yes |
| Area Lockdown* | No | No | No | No | Yes |

* Hardware dependant

** Upgrade option

Note: See the "New Features" list is in the Readme file for expanded and more detailed information.

BUNDLED, REDUNDANT & FAULT TOLERANT SYSTEMS

Note that system hardware components may change with availability. The descriptions below approximate the level of hardware in the bundled offerings and components of equal or greater functionality may be substituted. If an exact or adjusted hardware quote is needed, please contact Continental and we will provide an updated quote with current available hardware.

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-------------------------------|---|-------------------|
| Bundled Systems | | |
| <i>PC and CA3000 Software</i> | | |
| CA3SRV1 | Single User System. Includes CardAccess® 3000 software and SQL2005 Express Database. Typical system features (config can change based on availability): Case Aluminum, Mid Tower with 460W PS, Intel Motherboard CPU Pentium Core2 Duo, 3.2GHz, 1066MHz RAM 2 x 1GB DDR2 667MHz HDD 2 x WD SATA 136GB 7200rpm Optical Sony CDRW/DVD combo inc LAN 2 x Integrated 10/100/1000 inc Input Keytronics, BK, PS/2 Monitor 17" Viewsonic LCD O/S MS Server 2003/2008 Std. | \$6,525.00 |
| CA3SRV5 | 5 User System. Includes CardAccess® 3000 software and SQL 2005 Express Database. Typical system features (config can change based on availability): Case Aluminum, Full Tower with 460W PS, Motherboard Intel S3210SHLX Series CPU Pentium Xeon, 1333MHz, 3.0GHz RAM 4GB DDR2 667MHz HDD 2 x 146GB 7200rpm Drives- HITACHI Controller SCSI Controller RAID 1- ADAPTEC Trays 3 Bay Hot Swap Tray Optical Sony CDRW/DVD combo inc LAN 2 x Integrated 10/100/1000 inc Input Keytronics, BK, PS/2 Monitor 17" Viewsonic LCD O/S MS Server 2003/2008 Std. | \$9,870.00 |
| CA3SRV10 | 10 User System. Includes CardAccess® 3000 file server software and SQL 2005 Database. Typical system features (config can change based on availability): Case Aluminum, Full Tower Redundant Power 460W, Motherboard Intel S5000 Series CPU 2 x Xeon, 3.0GHz. 1333MHz RAM 6GB DDR2 667Mhz ECC Fully Buffered HDD 2 x 146GB SAS 15K- Fujitsu Tray SAS/SATA Hot-Swap Tray Optical Sony CDRW/DVD combo Inc LAN 2 x Integrated 10/100/1000 Inc Input Keytronics, BK, PS/2 Monitor 17" Viewsonic LCD O/S MS Server 2003/2008 Std. | \$15,392.00 |

BUNDLED, REDUNDANT & FAULT TOLERANT SYSTEMS



Note that system hardware components may change with availability. The descriptions below approximate the level of hardware in the bundled offerings and components of equal or greater functionality may be substituted. If an exact or adjusted hardware quote is needed, please contact Continental and we will provide an updated quote with current available hardware.

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|---|--|
| CA3SRV25 | Support 25 or more users. Includes CardAccess® 3000 software and MS SQL 2005. <i>Continental for PC Configuration Specific Quote*</i> <i>below for additional SQL Workstation License pricing**</i> | \$24,960.00 <i>*contact</i> <i>**See</i> |
| CI-SQL-SEAT | Additional SQL Workstation License - One license per workstation is required. | \$600.00 |
| CA3WKS | Card Access® 3000 workstations, PC only - Typical system features (config can change based on availability): Case Black, Mid Tower with 350W PS Motherboard Intel DQ35JO CPU Pentium Core2 Duo, 1066MHz, 2.6GHz RAM 2 x 512MB DDR2 667MHz HDD 1 x WD SATA 160GB 7200rpm Optical Sony CDRW/DVD combo Inc LAN 1 x Integrated 10/100/1000 Inc Input Keytronics, BK, PS/2 Monitor 17" Viewsonic LCD O/S MS XP Professional Edition OEM | \$3,335.00 |
| Redundant & Fault Tolerant Systems <i>PC(s), NEC Software, and CA3000 Software</i> | | |
| CIC-NECEXCL-L | Dual PC Bundled System (as above) each with Windows Server 2003 and dual-ethernet connections and w/ NEC ExpressCluster LAN Software, for Redundant System requirements. | <i>starting at:</i> \$30,000.00 |
| CIC-NECEXCL-W | Dual PC Bundled System (as above) each with Windows Server 2003 and dual-ethernet connections and w/ NEC ExpressCluster WAN Software, for Disaster Recovery requirements. | <i>starting at:</i> \$35,000.00 |
| CIC-NECEX5800 | NEC Express5800 Fault Tolerant Server - 5800/320Fd [Quad Core Xeon 5450 Processors 3.0 GHz (Up to two logical / 4 physical), up to 24GB DDR2-667 RAM, 6 Hot Swap SAS 15Krpm drives (3 per module)] or 5800/R320a [Quad Core Xeon 5570 Processors 2.93 GHz (Up to two logical / 4 physical), up to 96GB DDR3-1033 RAM, 8 Hot Swap SAS 15Krpm drives (3 per module)] Dual 1000Mb Ethernet, Windows Server OS. | <i>starting at:</i> \$43,000.00 |

CONTROLLERS

[Table of Contents \(return\)](#)

**PRODUCTS LISTED BELOW ARE 110VAC.
MOST PRODUCTS ARE ALSO AVAILABLE IN 220VAC.**

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|-------------------|
| CICP1800T | <p>TURBO SUPERTERM</p> <p>Eight (8) reader Access Control processing panel (for use with CA3000) with up to 20,000 card capacity, 24 supervised alarm inputs, tamper alarm, and 17 relay outputs. Unit shipped complete in a steel enclosure including a 7AH battery standby for memory and system operation. <i>Note: The Turbo Superterm advanced features will only function when running with CA3000 Software v2.0 and higher; with all other CardAccess windows-based software products, a standard Superterm should be used.</i> UL294 and CUL Listed.</p> | \$3,565.00 |
| |  | |
| CICP1800TEXP | <p>TURBO SUPERTERM W/ EXPANDED POWER</p> <p>TURBO SUPERTERM with expanded power supply. Required if more than one relay expander board (CICP1800RB) is to be used.</p> | \$3,900.00 |
| CICP1800PCB | TURBO SUPERTERM PC BOARD | \$3,175.00 |
| CICP1400ULT | <p>TURBO SUPERTERM FOUR</p> <p>(HALF POPULATED TURBO SUPERTERM) Four (4) reader Access Control processing panel with 20,000 card capacity 12 supervised alarm inputs, tamper alarm, 9 relay outputs. Unit shipped complete in a painted steel enclosure including 7 AH battery standby for system operation. UL294 and CUL Listed.</p> | \$2,730.00 |
| CICP1400ULTPCB | TURBO SUPERTERM FOUR PC BOARD | \$2,340.00 |
| CICP1800 | <p>SUPERTERM</p> <p>Eight (8) reader Access Control processing panel with up to 20,000 card capacity, 24 supervised alarm inputs, tamper alarm, and 17 relay outputs. Unit shipped complete in a steel enclosure including 7AH battery standby for memory and system operation. UL294 and CUL Listed.</p> | \$3,565.00 |
| |  | |
| CICP1800EXP | <p>SUPERTERM W/ EXPANDED POWER</p> <p>Superterm with expanded power supply. Required if more than one relay expander board (CICP1800RB) is to be used.</p> | \$3,900.00 |
| CICP1800PCB | SUPERTERM PC BOARD | \$3,175.00 |

CONTROLLERS

[Table of Contents \(return\)](#)

**PRODUCTS LISTED BELOW ARE 110VAC.
MOST PRODUCTS ARE ALSO AVAILABLE IN 220VAC.**

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|---|-------------------|
| CICP1400UL | SUPERTERM FOUR Four (4) reader Access Control processing panel with 20,000 card capacity 12 supervised alarm inputs, tamper alarm, 9 relay outputs. Unit shipped complete in a painted steel enclosure including 7 AH battery standby for system operation. UL294 and CUL Listed. | \$2,650.00 |
| CICP1400ULPCB | SUPERTERM FOUR PC BOARD | \$2,340.00 |
| SUPERTERM / TURBO SUPERTERM OPTIONS | | |
| CICP1800MB2 | SUPERTERM MEMORY BOARD - 2MB (up to 140,000 cardholders) | \$1,200.00 |
| CICP1800MB2X2 | TURBO/SUPERTERM MEMORY BOARD - 2MB (up to 140,000 cardholders); two (2) of these units may be installed on a Turbo Superterm. One of these units may also be installed on a standard Superterm. | \$1,000.00 |
| CICP1800RB | RELAY EXPANDER BOARD - 16 output relays, 8 alarm inputs | \$920.00 |
| CICP1600AB | ALARM EXPANDER BOARD (SUPERVISED) - 16 alarm inputs UL Listed | \$920.00 |
| CICPEXPWS | EXPANDED POWER SUPPLY for Superterm or Turbo Superterm Only - (if more than one relay expander board is to be used, or if powering multiple 12VDC readers from the controller) This option may be field installed. | \$386.00 |

CONTROLLERS

[Table of Contents \(return\)](#)

PRODUCTS LISTED BELOW ARE 110VAC.
MOST PRODUCTS ARE ALSO AVAILABLE IN 220VAC.

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| ACCELERATOR BOARD & OPTIONS (for the Superterm and TurboSuperterm Only) | | |
| CICP18ACCB | <p>ACCELERATOR BOARD</p> <p>Access Control processing board (for Superterm and TurboSuperterm panels only and for use with CA3000 software) has 4MB of onboard memory, supporting up to 200,000 card capacity (expandable up to 20MB supporting over 1 Million Cards), and a powerful 52MHz 32bit RISC Processor. This board replaces the Processor on the Superterm or TurboSuperterm and uses all of the existing relays, inputs, hardware and cabling of the Superterm or TurboSuperterm.</p> | \$1,100.00 |
| CICP18MEM8MB | <p>8MB MEMORY EXPANSION STICK (for Accelerator board only- up to 400,000 card capacity per stick (2 memory sticks max per Accelerator - 20MB total max supports over 1 Million Cards).</p> | \$600.00 |
| CICP18ACCNETBD | <p>ACCELERATOR NETWORK INTERFACE BOARD - Optional on-board adapter allows for communication over TCP/IP.</p> | \$150.00 |
| CICP18ACCEIABD | <p>ACCELERATOR HIGH SPEED SERIAL INTERFACE BOARD - Optional on-board adapter allows for high speed RS-232 communications (up to 921.6K Baud).</p> | \$100.00 |

CONTROLLERS

[Table of Contents \(return\)](#)

**PRODUCTS LISTED BELOW ARE 110VAC.
MOST PRODUCTS ARE ALSO AVAILABLE IN 220VAC.**

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|-------------------|
| CICP1300 | <p>SUPER TWO</p> <p>Two (2) reader Access Control processing panel (<i>for use with CA3000 V 2.0.25 and above</i>) with up to 20,000 card capacity (125,000 w/ Expanded memory), 8 EOL supervised alarm inputs, tamper, 5 Relay outputs. Support for on-board LAN adapter, 57,600 baud rate, 6 Access Groups per card-holder and Compressed Data Mode. Unit shipped complete in a lockable steel enclosure including battery standby for memory and system operation UL294 and CUL Listed.</p> | \$915.00 |
| CICP1300BD | SUPER TWO PC BOARD | \$650.00 |
| | SUPER TWO OPTIONS | |
| CICP1300MB2 | 2MB MEMORY EXPANSION BOARD FOR SUPER TWO - up to 125,000 card capacity. | \$600.00 |
| CICP1300NETBD | NETWORK INTERFACE BOARD FOR SUPER TWO - Optional on-board adapter allows for communication over TCP/IP. | \$150.00 |
| CICP1300XYBD | X-Y MATRIX INTERFACE BOARD (<i>not required for keypad with weigand output</i>). | \$80.00 |
| CICP1300IOCOMBO | Enclosure with lock, Power Supply/Charger and 1 CICP1300IOBD (16 supervised alarm inputs, 16 relay outputs). This unit can support 1 additional CICP1300IOBD in the enclosure and a third CICP1300IOBD in a separate CICP1300ENCL enclosure, for a maximum of 48 supervised alarm inputs and 48 relay outputs. | \$900.00 |
| CICP1300IOBD | SUPERVISED ALARM RELAY BOARD - 16 supervised alarm inputs, 16 relay outputs (<i>to be used with CICP1300IOCOMBO or CICP1300IOENCL</i>) with short data/power cable - each CICP1300 supports up to 3 IO boards and each enclosure can hold up to 2 boards. | \$600.00 |
| CICP1300IOENCL | Enclosure with lock and long data/power cable (no additional power supply needed) to support a third CICP1300IOBD for a Super Two. | \$200.00 |

CONTROLLERS

[Table of Contents \(return\)](#)

PRODUCTS LISTED BELOW ARE 110VAC.
MOST PRODUCTS ARE ALSO AVAILABLE IN 220VAC.

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|----------------------|--|-------------------|
| LEGACY PANELS | | |
| CICP1100 | MICROTERM Stand alone single or two door Access Control processing panel with up to 1,000 card capacity. Includes 2 alarm inputs, tamper alarm, 3 relay outputs. Unit shipped in an enclosure. UL294 Listed. | \$860.00 |
| CICP1100PCB | MICROTERM PC BOARD | \$680.00 |
| CICP1100BAT-2 | BATTERY STANDBY FOR MICROTERM - Input 120 VAC, Output 12 VDC To temporarily power the Microterm only, in the event of a power failure | \$298.00 |
| CICP1200 | MINITERM Two (2) reader Access Control processing panel with up to 3,000 card capacity, 8 EOL Class A Supervised alarm inputs, tamper alarm, 5 relay outputs. Unit shipped complete in a lockable steel enclosure including battery standby for memory and system operation. UL294 Listed. | \$1,500.00 |
| CICP1200PCB | MINITERM PC BOARD | \$1,200.00 |
| CICP1400 | SMARTERM Four (4) reader Access Control processing panel. With card capacity up to 2,500. Includes 16 alarm inputs, tamper alarm, and 9 relay outputs. Unit shipped complete in a lockable steel enclosure including battery standby for memory and system operation. | \$3,450.00 |
| CICP1400PCB | SMARTERM PC BOARD | \$2,750.00 |
| CICP1400MB256-1 | MEMORY BOARD - 256K (up to 10,000 cardholders) | \$825.00 |
| CICP1400MB2-1 | MEMORY BOARD-2MB (up to 50,000 cardholders) | \$1,200.00 |
| CICP1400RB | RELAY EXPANDER BOARD - 16 output relays, 8 alarm inputs. | \$919.00 |
| CICP1400AB | ALARM EXPANDER BOARD (SUPERVISED) - 16 alarm inputs | \$919.00 |

*** Also see the section on Extended Controller Warranty Pricing ***

CONTROLLERS

[Table of Contents \(return\)](#)

**PRODUCTS LISTED BELOW ARE 110VAC.
MOST PRODUCTS ARE ALSO AVAILABLE IN 220VAC.**

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|-------------------------------------|-------------------|
| FIRMWARE UPGRADES AND CONVERSION CHIPS | | |
| UM5124-SUP | Superterm Firmware (Latest Version) | \$160.00 |
| UM5120-SMA | Smarterm Firmware (Latest Version) | \$160.00 |
| UM5121-MIN | Miniterm Firmware (Latest Version) | \$160.00 |
| UM5123-MIC | Microterm Firmware (Latest Version) | \$160.00 |

When upgrading your software to CA3000 versions 2.3 and above, please consult the factory for the most up-to-date firmware version.

PANEL PACKAGE KITS

[Table of Contents](#)
[\(return\)](#)

Software, Readers and Cards

Panel Package Kits, do NOT include a Controller panel and can only be ordered with an appropriate TurboSuperterm or SuperTwo Controller panel, as listed in the Controller section of this guide.

All KITS include:

- 1 - CA32705U000100 CA3000 Five User Software w/ Napco Integration
- 1- CI-ZU0282 Polling Cable
- plus the readers and cards or fobs listed below

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| KITS for use with SuperTwo Panels | | |
| CA-2PACK-I | HID iCLASS PACKAGE for use with SUPERTWO 2 - CICR10 iClass Readers 50 - CICC2080 iClass Clamshell Contactless Smart Card | \$655.00 |
| CA-2PACK-H | HID 125MHz (Prox) PACKAGE for use with SUPERTWO 2 - CICR2364P Proxpoint Readers 50 - CICC2321P HID ProxCard II's | \$655.00 |
| CA-2PACK-HF | HID 125MHz FOB PACKAGE for use with SUPERTWO 2 - CICR2364P Proxpoint Readers 20 - CICC2327P HID Keyfobs | \$655.00 |
| CA-2PACK-X | XceedID 13.56MHz PACKAGE for use with SUPERTWO 2 - CICRXF1060 Mini-Mullion 13.56MHz Readers 50 - CICXC9440 XceedID ISO-X Clamshell Contactless Smart Card | \$655.00 |
| CA-PROXPACK-2 | XceedID 125MHz (Prox) PACKAGE for use with SUPERTWO 2 - CICRX1050 Mini-Mullion Prox Readers 50 - CICCX2321P XceedID 125KHz Prox Clamshell Card | \$655.00 |
| CA-PRINTPACK-2 | XceedID PRINT PACKAGE for use with SUPERTWO 2 - CICRX1050 Mini-Mullion Prox Readers 50 - CICCX2326P XceedID Direct Print Prox Card | \$655.00 |
| CA-2PACK-MAX | Farpointe MAXSECURE PACKAGE for use with SUPERTWO 2 - CICRP300 Mullion Mount MaxSecure Readers (b/w) 50 - CICCPSI-4 Direct Print MaxSecure Cards | \$655.00 |
| CA-2PACK-MAXF | Farpointe MaxSecure FOB PACKAGE for use with SUPERTWO 2 - CICRP300 Mullion Mount MaxSecure Readers (b/w) 20 - CICCPSK-3 Farpointe MaxSecure Keyfob (key ring tag) | \$655.00 |

PANEL PACKAGE KITS

[Table of Contents](#)
[\(return\)](#)

Software, Readers and Cards

Panel Package Kits, do NOT include a Controller panel and can only be ordered with an appropriate TurboSuperterm or SuperTwo Controller panel, as listed in the Controller section of this guide.

All KITS include:

- 1 - CA32705U000100 CA3000 Five User Software w/ Napco Integration
- 1- CI-ZU0282 Polling Cable
- plus the readers and cards or fobs listed below

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| KITS for use with TurboSuperterm Panels | | |
| CA-8PACK-I | HID iCLASS PACKAGE for use with TURBOSUPERTERM 8 - CICR10 <i>iClass Readers</i> 100 - CICC2080 <i>iClass Clamshell Contactless Smart Card</i> | \$1,260.00 |
| CA-8PACK-H | HID 125MHz (Prox) PACKAGE for use with TURBOSUPERTERM 8 - CICR2364P <i>Proxpoint Readers</i> 100 - CICC2321P <i>HID ProxCard II's</i> | \$1,260.00 |
| CA-8PACK-X | XceedID 13.56MHz PACKAGE for use with TURBOSUPERTERM 8 - CICRXF1060 <i>Mini-Mullion 13.56MHz Readers</i> 100 - CICXC9440 <i>XceedID ISO-X Clamshell Contactless Smart Card</i> | \$1,260.00 |
| CA-PROXPACK-8 | XceedID 125MHz (Prox) PACKAGE for use with TURBOSUPERTERM 8 - CICRX1050 <i>Mini-Mullion Prox Readers</i> 100 - CICCX2321P <i>XceedID 125KHz Prox Clamshell Card</i> | \$1,260.00 |
| CA-PRINTPACK-8 | XceedID PRINT PACKAGE for use with TURBOSUPERTERM 8 - CICRX1050 <i>Mini-Mullion Prox Readers</i> 100 - CICCX2326P <i>XceedID Direct Print Prox Card</i> | \$1,260.00 |
| CA-8PACK-MAX | Farpointe MAXSECURE PACKAGE for use with TURBOSUPERTERM 8 - CICRP300 <i>Mullion Mount MaxSecure Readers (b/w)</i> 100 - CICCPSI-4 <i>Direct Print MaxSecure Cards</i> | \$1,260.00 |
| CA-8PACK-MAXF | Farpointe MaxSecure FOB PACKAGE for use with TURBOSUPERTERM 8 - CICRP300 <i>Mullion Mount MaxSecure Readers (b/w)</i> 40 - CICCPSK-3 <i>Farpointe MaxSecure Keyfob (key ring tag)</i> | \$1,260.00 |

BADGING3000 - INTEGRATED VIDEO BADGING

For CA3000 Software - Versions 2.1 and later

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|------------------------|--|-------------------|
| EPISOFT - license only | Badging3000 - EPI Designer and RunTime Software Licenses - Requires 1 set per badging workstation - TO INTEGRATE WITH CA3000 V2.1 AND ABOVE | \$1,250.00 |
| EPILETE | Badging3000 - Episuite Lite Stand-alone software | \$1,200.00 |
| EPICANON | Plug-in for Canon digital camera (not compatible with all Canon models) - for integrated badging only | \$500.00 |
| EPICANON-SA | Plug-in for Canon digital camera (not compatible with all Canon models) - for Stand Alone EPILETE only | \$833.33 |
| CICEBPDCP-1 | Badging3000/CA30005U Package (A) - Still Digital CA3000 software+ Badging Software & Eltron Hardware - Less PC: *CA3000 5 user software package with dongle - CA30005U *Badging3000 -EPISOFT *CICDC- Still Digital Camera with software, stand/tripod & power cord *CICGP330i Eltron Printer and 1 Printer Ribbon Note: EPICANON is required to capture directly into CA3000 | \$5,725.00 |
| CICEBPDCP-2 | Same as above with CICGP330iME Printer/Encoder | \$6,315.00 |
| CICEBPDCP-3 | Same as above with CICGP420i Printer | \$7,025.00 |
| CICEBPDCP-4 | Same as above with CICGP420iME Printer/Encoder | \$7,620.00 |
| CICEBPDCP-5 | Same as above with CICGP520i Printer | \$10,580.00 |
| CICEBPDCP-6 | Same as above with CICGP520iME Printer/Encoder | \$14,640.00 |
| CICEBPFCP-1 | Badging3000/CA30005U Package (B) – Direct Capture CA3000 software + Badging Software & Eltron Hardware Less PC: *CA3000 5 user software package with dongle - CA30005U * Badging3000 - EPISOFT Badging Software for use with CA3000 V.2.1 and higher *EPICANON - Cannon Plug-in *CICDC-Digital Camera with softare, stand/tripod & power cord * CICGP330i Eltron Printer and 1 Printer Ribbon | \$6,225.00 |
| CICEBPFCP-2 | Same as above with CICGP330iME Printer/Mag Encoder | \$6,815.00 |
| CICEBPFCP-3 | Same as above with CICGP420i Printer | \$7,525.00 |
| CICEBPFCP-4 | Same as above with CICGP420ME Printer/Mag Encoder | \$8,125.00 |
| CICEBPFCP-5 | Same as above with CICGP520i Printer | \$11,080.00 |
| CICEBPFCP-6 | Same as above with CICGP520iME Printer/Mag Encoder | \$11,670.00 |

BADGING3000 - INTEGRATED VIDEO BADGING

For CA3000 Software - Versions 2.1 and later

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|-------------------|
| CICEFBPDCP-1 | Badging3000/CA30005U Package (C) - Still Digital CA3000 software+ Badging Software & Fargo Hardware - Less PC: *CA3000 5 user software package with dongle - CA30005U *Badging3000 -EPISOFT *CICDC- Still Digital Camera with software, stand/tripod & power cord *CICGF54100 Fargo Printer and 1 Printer Ribbon Note: EPICANON is required to capture directly into CA3000 | \$5,630.00 |
| CICEFBPDCP-2 | Same as above with CICGF54101 Printer/Encoder | \$6,318.33 |
| CICEFBPDCP-3 | Same as above with CICGF54102 Dual-Sided Printer | \$6,780.00 |
| CICEFBPDCP-4 | Same as above with CICGF54103 Dual-Sided Printer/Encoder | \$7,468.33 |
| CICEFBPFCP-1 | Badging3000/CA30005U Package (D) – Direct Capture CA3000 software + Badging Software & Fargo Hardware Less PC: *CA3000 5 user software package with dongle - CA30005U * Badging3000 - EPISOFT Badging Software for use with CA3000 V.2.1 and higher *EPICANON - Cannon Plug-in *CICDC-Digital Camera with softare, stand/tripod & power cord * CICGF54100 Fargo Printer and 1 Printer Ribbon | \$6,130.00 |
| CICEFBPFCP-2 | Same as above with CICGF54101 Printer/Encoder | \$6,818.33 |
| CICEFBPFCP-3 | Same as above with CICGF54102 Dual-Sided Printer | \$7,280.00 |
| CICEFBPFCP-4 | Same as above with CICGF54103 Dual-Sided Printer/Encoder | \$7,968.33 |

For use with CA495 or older versions of CA3000 Software (V2.0.25 and below)

| | | |
|-----------|---|------------|
| CICGSIVBS | Badging Software with one Security Key for use with CA495 or CA3000 software only. Software will support: · Magnetic Stripe Encoding (Only if Dye Sublimation printer has this encoder option) · Bar Code Printing · Zoom, Crop, Hue, Color Contrast Control with CICGCC/T Camera · For use with CardAccess 495 or 3000 v2.0.25 and below Software Only | \$1,970.00 |
|-----------|---|------------|

BADGING PRINTERS & ACCESSORIES

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| ELTRON DYE SUBLIMATION DIRECT COLOR CARD PRINTERS | | |
| CICGP330i | P330i Dye Sublimation Color Card Printer (single-sided printing) | \$3,425.00 |
| CICEP330iME | P330iME Dye Sublimation Color Card Printer w/Magstripe Encoder (single-sided printing) | \$4,015.00 |
| CICGP420i | P420i Dye Sublimation Color Card Printer (dual-sided printing) | \$4,725.00 |
| CICGP420iME | P420iME w/Magstripe Encoder Dye Sublimation Color Card Printer (dual-sided printing) | \$4,725.00 |
| CICGP520i | P520i High Speed Dye Sublimation Color Card Printer (dual-sided printing) | \$8,280.00 |
| CICGP520iME | P520iCE High Speed Dye Sublimation Color Card Printer w/Magstripe Encoder (dual-sided printing). | \$8,870.00 |
| <p>NOTE: Requires both a color ribbon and a clear overlay ribbon, one of each is included with printer at time of shipping.</p> | | |
| ELTRON PRINTER RIBBONS | | |
| CICGRIBi | 5 panel ribbon with overlay prints up to 200 single sided or 100 dual sided cards | \$135.00 |
| CICGRIB-520i | 6 panel ribbon with overlay prints up to 170 single sided or 100 dual sided cards for use with Eltron P520 Series printers | \$178.33 |
| CICGRIB520I | P520I 200 image ribbon - 8000-15-480-YMCKK | \$178.33 |
| CICGRIB350 | 5 panel ribbon with overlay prints up to 350 single sided or 175 dual sided cards | \$245.00 |
| CICGRIB-OVER | Clear overlay ribbon for use with P520 and P600 printers to provide durability lamination. 1 mil thick. Laminates 100 cards. | \$38.00 |

BADGING PRINTERS & ACCESSORIES

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|---|-------------------|
| FARGO DYE SUBLIMATION DIRECT COLOR CARD PRINTERS <i>(A Fargo UBS Printer Cable is Required [see Fargo Printer Options])</i> | | |
| CICGF54100 | Fargo DTC400E High Speed Dye Subimination Color Card Printer (single-sided) | \$3,330.00 |
| CICGF54101 | Fargo DTC400E High Speed Dye Subimination Color Card Printer (single-sided) w/ Magnetic Stripe Encoder | \$4,017.50 |
| CICGF54102 | Fargo DTC400E High Speed Dye Subimination Color Card Printer (dual-sided) w/ E-Card Housing | \$4,480.00 |
| CICGF54103 | Fargo DTC400E High Speed Dye Subimination Color Card Printer (dual-sided) w/ Magnetic Stripe Encoder and E-Card Housing | \$5,167.50 |
| CICGF91800 | Fargo DTC550 High Speed Dye Subimination Color Card Printer (single-sided) | \$3,560.00 |
| CICGF91801 | Fargo DTC550 High Speed Dye Subimination Color Card Printer (single-sided) w/ Magnetic Stripe Encoder | \$4,247.50 |
| CICGF91820 | Fargo DTC550 High Speed Dye Subimination Color Card Printer (dual-sided) | \$5,860.00 |
| CICGF91821 | Fargo DTC550 High Speed Dye Subimination Color Card Printer (dual-sided) w/ Magnetic Stripe Encoder | \$6,547.50 |

* Contact Continental for additional Fargo Printer Options

FARGO PRINTER OPTIONS

| | | |
|--------------|--|----------|
| CICGFCART250 | DTC400 Printer Cartridge with Cleaning Roller (YMCKO) - Full-color ribbon with resin black and clear overlay panel , prints up to 250 single-sided cards or 125 dual-sided cards | \$141.67 |
| CICGFRIB500 | DTC500 Printer Full Color Ribon (YMCKO) - Full-color ribbon with resin black and clear overlay panel , prints up to 500 single-sided cards or 250 dual-sided cards | \$269.50 |
| CICGFUSB15 | USB 15' Printer Cable for use with Fargo DTC300 Printers | \$21.67 |

* Contact Continental for additional Fargo Printer Options

BADGING PRINTERS & ACCESSORIES

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|----------------------------|---|-------------------|
| BADGING ACCESSORIES | | |
| CICGPVC30M | Blank 30 mil/CR80 PVC cards (minimum order 100 pcs.) | \$0.35 |
| CICGPVC30MMS | Blank 30 mil CR80 PVC cards with Magnetic Stripe (minimum order 100 pcs.) | \$1.10 |
| CICGPVC10MAB | Blank 10 mil PVC cards with 3 mil adhesive back (minimum order 100 pcs.) | \$0.68 |
| CICGPVC30MAB | Blank 10 mil PVC cards with 20 mil adhesive back (minimum order 100 pcs.) | \$0.98 |
| CICGFBIB | Flashbus 4MB High Resolution Image Capture Board & Cable | \$2,050.00 |
| CICGCC/T | High Resolution Color Camera & Tripod, provides zoom, crop, hue, and color contrast control with SmartImage Software CICGSIVBS. | \$1,850.00 |
| CICDC | Digital Camera | \$1,166.67 |
| EPICANNON | Cannon Plug-In License for CICDC | \$500.00 |
| CICSCP | Signature Capture Pad (for use with CA495 and CA3000 up to v2.0) | \$730.00 |
| CICE-SIGPAD | Signature Capture Pad with image capture license (for use with CA3000 v2.1 and up) | \$1,458.33 |
| CICGL310 | Print Head Cleaner Replacement Cartridge for P310 Color Card Printer | \$135.00 |
| CICGCL310 | Premier Cleaning Kit (containing 50 pre-moistened swabs and 25 cards) | \$93.33 |
| CICGROLL | Residue pick-up roller for any Eltron Printer (5 pieces per pack) | \$48.33 |

SYSTEM WALL CLOCKS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|--|-------------------|
| Wall Clocks (for use with Superterms only, not Turbo) | | |
| CAC2002 | System Clock Wall Mount with FOUR, four-inch high, bright Red, bar segment, LED digits. Displays time in Hours and Minutes (HH:MM). Wall Mount enclosure is made from black Rigid PVC with acrylic and ABS panels. 24 VAC powered. Dimensions: 12"W x 6.1"H x 3.5"D. | \$778.33 |
| CAC2002W2 | System Clock 2-Sided Wall Mount with FOUR, four-inch high, bright red, bar segment, LED digits. Displays time in Hours and Minutes (HH:MM). 2-Sided, Wall Mount enclosure is made from black Rigid PVC with acrylic and ABS panels. Includes a built-in wall mount plate for mounting to a recessed, single or double gang box. 24 VAC powered. Dimensions: 12"W x 6.1"H x 3.5"D | \$1,275.00 |
| Note: System Clocks can receive time set data from a host device, such as a computer or master clock via its RS232 input. In addition they can accept 59th Minute and Midnight reset correction from conventional master clock systems. | | |
| Color-coded pigtail lead wires provide for external wiring, and exit from the back, side or top panels of the enclosures, depending on the model. On Flush Mount models the pigtail leads are inside. | | |
| Accessories | | |
| CA-AE-455DR6 | Eight Channel RS232 Driver for AE Series RS232 Systems (Opt 354). Used for expanding the distance and number of displays on the system. 12 VAC powered – 120 VAC to 12 VAC, 60 HZ power module is provided. Optional terminal blocks are provided for all power and signal wiring. Enclosure: 12" x 7" x 3" painted steel with hinged door and conduit knockouts. | \$903.33 |
| Note: See the Napco Platinum Power Supply tab for the following models: NP-K5A24V4O - Power Supply, 5 Amp Supply, 24 Volt Output, 4 Output PDB NP-K10A24V8O - Power Supply, 10 Amp Supply, 24 Volt Output, 8 Output PDB | | |
| Clock Software | | |
| CACSW9800-1010 | Digital Clock Software. Includes Software for controlling CC Series N/C Digital Clocks and Displays. Software requires a Windows computer with an available RS232 port. | |
| Cable Options | | |
| Available for connecting these displays to a computer or Superterm controller. Only one cable is required for a system. They are typically 10 feet in length with a 9 Pin D connector at one end and pigtail leads at the other, intended for interfacing the computer or controller to a termination point for a system of one or more displays. Addition cable may be required. | | |
| CAC9110-1115 | Cable Assembly, DB9F – Pigtail, 10 Ft. 3 Wire: 2,3,5 with 4,6,8 jumpered. | \$108.33 |

CA TIMEKEEPER TIME & ATTENDANCE SOFTWARE

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|---|-------------------|
| CA3000 Integration | | |
| | <i>As noted in the CA3000 Software Section: CA TimeKeeper (Que Accounting) Integration</i> | \$1,000.00 |
| Basic Time and Attendance | | |
| CA-QUE300-100 | Basic tracking for up to 100 people | \$3,458.33 |
| CA-QUE300-200 | Basic tracking for up to 200 people | \$5,191.67 |
| CA-QUE300-500 | Basic tracking for up to 500 people | \$6,750.00 |
| CA-QUE300-1000 | Basic tracking for up to 1000 people * | \$9,350.00 |
| CA-QUE300-5000 | Basic tracking for up to 5000 people * | \$20,575.00 |
| CA-QUE300-10000 | Basic tracking for up to 10000 people * | \$25,108.33 |
| CA-QUE300-UNL | Basic tracking for an UNLIMITED number of people* | \$54,166.67 |
| <p>* requires enterprise version using MSDE or SQL Server listed below</p> <p><i>All versions include a set of manuals on CD in Word format , 30 days free telephone support and a free upgrade for general enhancements.</i></p> | | |
| Basic Read Only Time Reporting | | |
| CA-QUERO-500 | Up to 500 | \$4,333.33 |
| CA-QUERO-UNL | Unlimited | \$6,500.00 |
| Additional Modules/Versions | | |
| CA-QUEPAYR | Payroll Interface | \$1,291.67 |
| CA-QUEJOB | Job Costing* | \$1,291.67 |
| CA-QUEMU | Multiuser Seat License | \$641.67 |
| CA-QUEMUS | Multiuser Site License | \$3,241.67 |
| CA-QUETD | Time directive | \$858.33 |
| CA-QUESMP | Self Standing Monitor program | \$1,725.00 |
| CA-QUEESSP | Employee Self Serve program | \$2,808.33 |
| CA-QUESQL | SQL Server Version & MSDE (SQL licenses not included) | \$2,808.33 |

CA TIMEKEEPER TIME & ATTENDANCE SOFTWARE

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|----------------------|---|---------------------------------|
| Support | | |
| CA-QUE-ASUP | Yearly Support Arrangement (Access) | \$1,250.00 |
| CA-QUE-SSUP | Yearly Support Arrangement (Enterprise) | \$2,158.33 |
| Training | | |
| CA-QUE-TRAIN | On-site training | 2,500.00 / day plus expenses |
| Customization | | |
| | Changes may be made to Time and Attendance and/or related programs at 150.00/hr | |

CAVisit VISITOR MANAGEMENT SOFTWARE

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| Stopware PassagePoint Visitor Management Solutions | | |
| PassagePoint Global v10 Software | | |
| CASW-PPG-1 | PassagePoint Global v10 Client License (includes photo capture) | \$2,693.17 |
| * License required for each workstation based on concurrent use; includes installation on server * | | |
| Integration Modules | | |
| CASW-MA-AC | Card Access Integration Module (Activate/de-activate access cards; create temporary access cards, etc.) unlimited users. | \$4,320.00 |
| CASW-A-AC | Card Access Integration Module (Activate/de-activate access cards; create temporary access cards, etc.) single user. | \$542.00 |
| CASW-MA-DL | Directory Link Module MA-DL (Link PassagePoint with ODBC, LDAP or access control directories) unlimited users. | \$4,320.00 |
| CASW-A-DL | Directory Link Module MA-DL (Link PassagePoint with ODBC, LDAP or access control directories) single user. | \$542.00 |
| CASW-MG-CC | Enterprise Control Center Module (Enables individual locations to be managed from a central control center) | \$5,395.00 |
| CASW-M-PR | Web Pre-registration Module (Unlimited number of users--enables pre-registration via a web browser) | \$4,320.00 |
| Annual Software Support Plan | | |
| CASW-SSP-1 | One Year Support Plan | \$433.33 |
| CASW-SSP-3 | Three Year Support Plan | \$1,040.00 |
| *** Includes priority support, new versions & upgrades--pricing based on number of licenses. SSP typically saves 50% of retail upgrade *** | | |
| PassagePoint Mobile | | |
| CASW-PM-G-1 | MC70 Symbol with software (Handheld solution to process visitors wirelessly anywhere) | \$6,890.42 |
| CASW-AH-1029 | QL Blue Tooth Printer (Includes charger and cable) | \$1,619.58 |
| Software/Hardware Bundles | | |
| CASW-B-PPG-DL | Driver License Scanner Bundle (Includes client license, SnapShell Business card & Driver License scanner, & Dymo Turbo 400 printer) | \$4,534.00 |
| CASW-B-PPG-PP | Driver License and Passport Scanner Bundle (Includes client license, ScanShell 1000 for driver licenses and passports, & Dymo Turbo 400 printer) | \$4,534.00 |

CAVisit VISITOR MANAGEMENT SOFTWARE

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|---|-------------------|
| Additional Hardware for Global V.10 | | |
| CASW-AH-1001 | Dymo Turbo 400 Direct Thermal Printer | \$250.00 |
| CASW-AH-1024 | Primera LX 400 Color Label Printer | \$2,310.00 |
| CASW-AH-1022 | Logitech QuickCam Orbit AF | \$232.00 |
| CASW-AH-1015 | ScanShell 1000 - drivers license/ business card/ passport scanner | \$1,245.00 |
| CASW-AH-1023 | SnapShell - drivers license/ business card | \$1,245.00 |
| CASW-AH-1035 | Finger Print Scanner- M2- Hamster Plus | \$750.00 |
| CASW-AH-1092 | Symbol LS2208 Cobra 1D barcode scanner (Handheld) | \$460.00 |

| Badges- (ALL PRICES PER 1000) | | |
|--------------------------------------|---|----------|
| CASW-30857 | Dymo blank badges (2.25" x 4", 250 per roll, adhesive) | \$96.00 |
| CASW-6151 | Tempbadge self-expiring badges (1 15/16" x 2 13/16"; full bleed expiry; 200/roll) | \$275.00 |
| CASW-IJ35 | InkJet badges (3 1/2" x 2 1/2" card stock for plastic card holders) | \$210.00 |
| CASW-IJ40 | InkJet badges (3 " x 4" card stock with hole for clip) | \$210.00 |
| CASW-74708A | Primera LX 400 Badge Stock (glossy 3" x 2.5" adhesive badge) 800 per roll | \$98.00 |

Easy Lobby Visitor Management Solutions

| | |
|--|------------|
| <i>Card Access Integration Module (Activate/de-activate access cards; create temporary access cards, etc.)</i> | \$3,125.00 |
|--|------------|

| Easy Lobby Visitor Management Software | | |
|---|---|-------------|
| CA-ELSVM | Easy Lobby SVM™ Software (per seat - w/ 1 Administrator™ license free)* | \$2,600.00 |
| CA-ELSVM-MOBILE | Easy Lobby SVM™ Mobile (Wireless PDA) | \$11,458.33 |
| CA-ELADM | Additional Easy Lobby Administrator™ License (per seat) | \$525.00 |
| CA-ELADV | Easy Lobby eAdvance™ web pre-registration | \$3,250.00 |
| CA-ELADVHOST | Easy Lobby eAdvance™ Web Hosting (optional) - per month / per site | \$415.00 |

* Please specify English, Spanish, German or French version when ordering SVM software. *

| Support Contracts | | |
|--------------------------|---|----------|
| CA-ELSVM-MAINT | Annual CA-ELSVM software maintenance contract - per copy ** | \$708.33 |
| CA-ELEADV-MAINT | Annual CA-ELADV software maintenance contract - per copy ** | \$883.33 |

** free software updates and upgrades **

CAVisit VISITOR MANAGEMENT SOFTWARE

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------------------------|---|-------------------|
| Hardware & Accessories | | |
| CA-ELR-ICI | ICI DCM License Reader (w/authent.) - magstripe and 2D barcode | \$1,850.00 |
| CA-ELS-CSS-SNAP | CSS SnapShell license/card scanner - OCR with photo capture | \$1,662.00 |
| CA-ELS-CSS8 | CSS 800 combo License/Card Scanner - OCR with photo capture | \$1,300.00 |
| CA-ELS-CSS10 | CSS 1000 Passport/License/Card - OCR with photo capture | \$1,662.00 |
| CA-ELS-CC600 | Corex CardScan 600cx (bus. card only) - OCR | \$500.00 |
| CA-ELP-D400 | Dymo 400 Turbo Thermal Printer (B&W) | \$258.00 |
| CA-ELPAD-TOP | Topaz SignatureGem LCD 1x5 SigPad | \$700.00 |
| CA-ELCAM-WV2 | I/O Networks Watchport/V2 Camera | \$435.00 |
| CA-ELBS-UMS330 | Unitech MS-330 Barcode Scanner | \$450.00 |
| CA-ELBS-USTAND | Hands free stand for Unitech MS-330 | \$60.00 |
| CA-ELWS-UMS860 | Bluetooth Wireless Unitech MS-860 - scan barcodes up to 100 ft. | \$2,165.00 |

Note: All Hardware utilizes a USB interface.

| Badge Stock | | |
|--------------------|--|----------|
| CA-EL-DY30256 | DYMO 30256 adhesive labels (300 per roll) - min purchase is 10 rolls | \$25.00 |
| CA-EL-DY30856 | DYMO 30856 non-adhesive (250 per roll) - in purchase is 10 rolls | \$43.33 |
| CA-EL-DY30910 | DYMO 30910 non-ad. self expiring (250) - min purchase is 10 rolls | \$70.00 |
| CA-EL-DY30911 | DYMO 30911 adhesive self expiring (250) - min purchase is 10 rolls | \$70.00 |
| CA-EL-AV2941 | Avery 2941 adhesive badges (500 per box) - for color inkjet printers | \$186.67 |
| CA-EL-AV2943 | Avery 2943 2 sided inserts (500 per box) - for color inkjet printers | \$208.33 |
| CA-EL-AV2947 | Avery 2947 fold & clip, Landscape (500) - for color inkjet printers | \$183.33 |
| CA-EL-AV2948 | Avery 2948 fold & clip, Portrait (500) - for color inkjet printers | \$183.33 |
| CA-EL-AV2949 | Avery 2949 2 sided fold & clip, Portrait (500) - for color inkjet printers | \$186.67 |

CODEBENCH PIV/TWIC/CAC ENROLLMENT, VALIDATION, and CERTIFICATE SOFTWARE

All major software components in this section requires a yearly upgrade fee, as listed following each item or set of items. The yearly upgrade entitles the user to receive upgraded software, for compliance to new and emerging regulations.

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|---|-------------------|
| PIV/TWIC Enrollment and Validation Software | | |
| Each Enrollment and Validation software station requires the use of USB Reader with keypad and USB Fingerprint Capture Reader accessories and software (see the Accessory section below). | | |
| CA-ENR-PVCP-D/S | PIV Check Software w/ Audit Trail and Access Control Integration with automated desktop enrollment of FASC-N, photo, and printed information. This software checks a PIV; TWIC; NG CAC, Interim or Legacy CAC cardholder's PIN, Fingerprint Biometric and Digital Certificates. Digital Certificates can be verified using an OSCP Responder, Certificate Authority, or TSA Hot List. | \$10,458.33 |
| CA-ENR-PVCP-M | Mobile PIV Check Software w/ Audit Trail and Access Control Integration (as above) running on the <i>Datastrip DSV2+turbo</i> mobile biometric terminal. Suitable for Mobile, Outdoor Venue, and Emergency/First Responder environments. The mobile terminal is available with Prox (125KHz) reader capability. | \$16,308.33 |
| CA-ENR-TWCP-M/S | TWIC Check Mobile Software only w/ Audit Trail and Access Control Integration (as above). | \$10,458.33 |
| CA-ENR-TWCP-M | Mobile TWIC Check Software w/ Audit Trail and Access Control Integration (as above) running on the <i>Datastrip DSV2+turbo</i> mobile biometric terminal. Suitable for Port locations and other mobile requirements. | \$16,308.33 |
| CA-ENR-PVCP-YUP | Yearly upgrade fee for PIV Check Plus Desktop or Mobile Software.or TWIC Check Plus Mobile Software. | \$1,568.33 |

Note: Stand alone (not integrated to CardAccess) PIV-Check Mobile and Desktop software and TWIC-Check Mobile software is available with and without Audit Trail software. Contact Continental for more information and pricing.

CODEBENCH PIV/TWIC/CAC ENROLLMENT, VALIDATION, and CERTIFICATE SOFTWARE

All major software components in this section requires a yearly upgrade fee, as listed following each item or set of items. The yearly upgrade entitles the user to receive upgraded software, for compliance to new and emerging regulations.

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|--|-------------------|
| PIV/TWIC Certificate Manager Software Software | | |
| CA-CERT-PVC-CM | Certificate Check software that re-validates imported cardholder certificates on a user-defined periodic basis. Certificate Manager can be configured to suspend (Disable) a badge in CardAccess associated with a revoked certificate. Only one PIV/TWIC Certificate Manager is needed per CA3000 system. | \$12,566.67 |
| CA-CERT-PVC-YUP | Yearly upgrade fee for PIV/TWIC Certificate Manager Software. | \$1,885.00 |
| Enrollment Accessories | | |
| CACBAC-BTO-500 | Identix BTO-500 USB Fingerprint Reader (requires CA-CBAC-FPRSW) | \$185.00 |
| CACBAC-FPRSW | Identix Bio Engine License Fingerprint Matching software - must be purchased with BTO-500 | \$118.33 |
| CACBAC-OMN-3821 | OmniKey 3821 USB Smart Card Reader with PIN Pad | \$216.67 |
| CACBAC-6081-AKU | RFIdeas pcProx USB Reader for HID compatible cards | \$541.67 |

HID PROXIMITY READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|------------------------------|---|-------------------|
| HID PROXIMITY READERS | | |
| CICR2364P | PROX POINT Proximity Reader with LED and Beeper - 18" Pigtail connectors, 1"-3" range. No separate power supply required. (Gray) | \$0.00 |
| GEM-PXCV | Snap-on replacement cover for PROX POINT Proximity Reader with additional Red LED and Green LED, for use with Napco Integration to indicate Napco Gem Panel status (Gray) | \$0.00 |
| CICR2349P | THINLINE II (HID P/N 5395) - 5VDC, 4" - 5.5" read range, Standard Wallswitch size. No separate power supply required. (Beige) | \$0.00 |
| CICR2361P | MINIPROX (HID P/N 5365) - 5VDC, 2" - 4" read range (Gray), Mullion Size. No separate power supply required. | \$0.00 |
| CICR2362P | PROXPRO (HID P/N 5355) - 12VDC, 7" - 9" read range (Gray) | \$0.00 |
| CICR2362PBC | PROXPRO (HID P/N 5355) - 12VDC, 7" - 9" read range (Gray) Backwards Compatible for use with old style short range ProxCards and CICC2321PBC | \$0.00 |
| CICR2362PK | PROXPRO W/KEYPAD (HID P/N 5355) - 12VDC, 7" - 9" read range (Gray; XY Matrix Keypad output) | \$0.00 |
| CICR2362PKW | PROXPRO W/KEYPAD (HID P/N 5355) - 12VDC, 7" - 9" read range (Gray; Weigand Keypad output) | \$0.00 |
| CICR2362PII | PROXPRO II (HID P/N 5455) - 5VDC, 8"-9" read range (Gray) for glass, mullion mounting or surface mounting – rear connect. | \$0.00 |
| CICR2363P | NT MAXIPROX (HID P/N 5375) - 24VDC, up to 24" read range (Gray) | \$0.00 |
| CICR2460MPC | MultiProx Controller | \$0.00 |
| CICR2461MPRR | MultiProx Reader - Rear mount cable connections | \$0.00 |
| CICR2461MPRS | MultiProx Reader - Side mount cable connections | \$0.00 |
| CICR2462MIM | Interface module required only to replace existing one. | \$0.00 |

Readers: CICR2361P, CICR2362P, CICR2362PBC, and CICR2362PK are also available in Beige.
Readers: CICR2364P and CICR2349P are also available in Beige, Black and White.

Proximity reader prices do not include power supplies. Some proximity readers may not require separate power supplies.
Contact Continental for reader configuration.

HID ENTRYPROX STAND ALONE READER

HID PROXIMITY READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|-------------------|
| CICR2358P | EntryProx provides single-door proximity access control. <ul style="list-style-type: none"> · Stores up to 2,000 users and 1,000 time stamped transactions · 12 position keypad for Pin entry or programming · Optional use with card/Key Fob, Code only or Card plus Pin Code · Wiegand output mode for use with Continental Controllers · Designed for indoor or outdoor use, can be glass mounted | \$0.00 |
| CICR2358 | Prints transactions via IR Link (Optional purchase item) Transaction Information includes time, date, user number and ID. | \$0.00 |
| CICR2358PP | Printer Paper (6 rolls) for ENTRYPROX printer | \$0.00 |
| CICR2358ST | Security Tool for ENTRYPROX | \$0.00 |

HID PROXIMITY READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|--|-------------------|
| HID PROXIMITY CARDS - Min: 100 per order | | |
| CICC2321P | PROXCARD II (with Continental Access' Logo) 36-bit format | \$0.00 |
| CICC2321P26 | PROXCARD II (with Continental Access' Logo) 26-bit format | \$0.00 |
| CICC2321PBC | PROXCARD II, (with Continental Access' Logo) backwards compatible with PROXSENSOR [®] reader, and backwards-compatible Prox Pro reader. 36-bit format | \$0.00 |
| CICC2322P | DUOPROX - Dual technology Magnetic Stripe/ Proximity. Magnetic Stripe encoding is not included. Contact Continental for encoding pricing. 36-bit format | \$0.00 |
| CICC2322P26 | DUOPROX - Dual technology Magnetic Stripe/ Proximity. Magnetic Stripe encoding is not included. Contact Continental for encoding pricing. 26-bit format | \$0.00 |
| CICC2328P | MICROPROX TAG - Small disk shaped transponder. Attaches to any non-metallic card or device, turning it into a proximity card. 36-bit format | \$0.00 |
| CICC2328P26 | MICROPROX TAG - Small disk shaped transponder. Attaches to any non-metallic card or device, turning it into a proximity card. 26-bit format | \$0.00 |
| CICC2326P | ISOPROX II CARD - Thin PVC credit card sized for direct print photo ID. 36-bit format | \$0.00 |
| CICC2326P26 | ISOPROX II CARD - Thin PVC credit card sized for direct print photo ID. 26-bit format | \$0.00 |
| CICC2327P | PROX KEY II KEYFOB, 36-bit format | \$0.00 |
| CICC2327P26 | PROX KEY II KEYFOB, 26-bit format | \$0.00 |
| CICC2323PP | ProxCARD Plus – Combination Proximity and Wiegand technologies Graphics quality surface. 36-bit format | \$0.00 |
| CICC2323PP26 | ProxCARD Plus – Combination Proximity and Wiegand technologies Graphics quality surface. 26-bit format | \$0.00 |
| CICC2331P | ProxPass long range active Proximity Tag for Vehicle Access. Read range up to 8' when used in conjunction with HID's MaxiProx Reader - 36-bit format | \$0.00 |
| CICC2331P26 | ProxPass long range active Proximity Tag for Vehicle Access. Read range up to 8' when used in conjunction with HID's MaxiProx Reader - 26-bit format | \$0.00 |

HID PROXIMITY READERS & CARDS

Part No.

Description

List Price

HID iCLASS READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---------------------------|--|-------------------|
| HID iCLASS READERS | | |
| CICR10 | <i>iClass R10 Reader - Mullion Mount iClass 13.56MHz w/ FIPS201 support (6100) (Gray)</i> | \$115.00 |
| CICR15 | <i>iClass R15 Reader - Mullion Mount iClass 13.56MHz w/FIPS201 support (6140) (Gray)</i> | \$226.67 |
| CICR30 | <i>iClass R30 Reader - US, EU and Asian Back Box Size iClass 13.56MHz w/ FIPS201 support (6110) (Gray)</i> | \$218.33 |
| CICR40 | <i>iClass R40 Reader - US, EU and Asian Back Box Size iClass 13.56MHz w/ FIPS201 support (6120) (Gray)</i> | \$226.67 |
| CICRRK40 | <i>iClass RK40 Reader with Keypad - US, EU and Asian Back Box Size iClass 13.56MHz w/ FIPS201 support (6130) (Gray)</i> | \$420.00 |
| CICRW300 | <i>iClass RW300 Reader/Writer - US, EU and Asian Back Box Size (6111) (Gray)</i> | \$260.00 |
| CICRRW400 | <i>iClass RW400 Reader/Writer - US, EU and Asian Back Box Size (6121) (Gray)</i> | \$268.33 |
| CICRRP15 | <i>iClass RP15 Reader - Combination Technology (iClass 13.56MHz w/ FIPS201 support and Prox 125KHz) - US, EU and Asian Back Box Size (6123) (Gray)</i> | \$261.67 |
| CICRP40 | <i>iClass RP40 Reader - Combination Technology (iClass 13.56MHz w/ FIPS201 support and Prox 125KHz) - US, EU and Asian Back Box Size (6125) (Gray)</i> | \$261.67 |
| CICRPK40 | <i>iClass RPK40 Keypad/Reader - Combination Technology (iClass 13.56MHz w/ FIPS201 support and Prox 125KHz) - US, EU and Asian Back Box Size (6136) (Gray)</i> | \$453.33 |
| CICRRWK400 | <i>iClass RWK400 Reader/Writer with Keypad (6131) (Gray)</i> | \$453.33 |
| CICR90 | <i>iClass R90 Long Range Reader (6150) (Gray)</i> | \$663.33 |
| CICRWKL550 | <i>iClass RWKL550 Reader/Writer with LCD/Keypad - US, EU and Asian Back Box Size (6171) (Gray)</i> | \$671.67 |
| CICRWKLB575 | <i>iClass bioCLASS RWKLB575 Reader/Writer w/LCD, Keypad/Fingerprint (6181) (Gray)</i> | \$1,091.67 |
| CICRBIO500 | <i>iClass bioCLASS fingerprint module for use with CICRWKL550 reader only (6190) (Gray)</i> | \$546.67 |
| CICRIFEKIT | <i>iClass CP575 Fingerprint enrollment kit (6251)</i> | \$1,091.67 |

HID iCLASS READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|---|-------------------|
| HID iCLASS PROXIMITY CARDS - Min: 100 per order | | |
| CICC2000 | HID iClass Card 2K Bits, 2 Application Areas | \$4.75 |
| CICC2001 | HID iClass Card 16K Bits, 2 Application Areas | \$8.75 |
| CICC2002 | HID iClass Card 16K Bits, 16 Application Areas | \$8.75 |
| CICC2010 | HID iClass Embeddable Card 2K Bits, 2 Application Areas | \$5.38 |
| CICC2011 | HID iClass Embeddable Card 16K Bits, 2 Application Areas | \$9.38 |
| CICC2012 | HID iClass Embeddable Card 16K Bits, 16 Application Areas | \$9.38 |
| CICC2020 | HID iClass Prox Card 2K Bits, 2 Application Areas | \$10.45 |
| CICC2021 | HID iClass Prox Card 16K Bits, 2 Application Areas | \$12.38 |
| CICC2022 | HID iClass Prox Card 16K Bits, 16 Application Areas | \$12.38 |
| CICC2030 | HID iClass Embeddable Prox Card 2K Bits, 2 Application Areas | \$11.08 |
| CICC2031 | HID iClass Embeddable Prox Card 16K Bits, 2 Application Areas | \$13.00 |
| CICC2032 | HID iClass Embeddable Prox Card 16K Bits, 16 Application Areas | \$13.00 |
| CICC2040 | HID iClass Weigand Card 2K Bits, 2 Application Areas | \$10.95 |
| CICC2041 | HID iClass Weigand Card 16K Bits, 2 Application Areas | \$13.98 |
| CICC2042 | HID iClass Weigand Card 16K Bits, 16 Application Areas | \$13.98 |
| CICC2050 | HID iClass Keyfob 2K Bits, 2 Application Areas | \$9.38 |
| CICC2051 | HID iClass Keyfob 16K Bits, 2 Application Areas | \$10.50 |
| CICC2052 | HID iClass Keyfob 16K Bits, 16 Application Areas | \$10.50 |
| CICC2060 | HID iClass Tag (<i>adhesive-backed disc</i>) 2K Bits, 2 Application Areas | \$4.13 |
| CICC2061 | HID iClass Tag (<i>adhesive-backed disc</i>) 16K Bits, 2 Application Areas | \$7.25 |
| CICC2062 | HID iClass Tag (<i>adhesive-backed disc</i>) 16K Bits, 16 Application Areas | \$7.25 |
| CICC2080 | HID iClass Clamshell Contactless Smart Card 2K Bits, 2 Application Areas | \$3.10 |
| Custom | Magstripe added to an iClass Card | \$1.38 |

HID GLOBAL SMARTID READERS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|------------------------|--|-------------------|
| SmartID Readers | | |
| CICRS10M | SmartID S10 Reader, Mifare | \$241.67 |
| CICRS10D | SmartID S10 Reader, Desfire | \$241.67 |
| CICRS10P | SmartID S10 Reader, PIVII | \$210.00 |
| CICRSP10M | SmartTrans (dual smart/prox) S10 Reader, Mifare | \$311.67 |
| CICRSP10D | SmartTrans (dual smart/prox) S10 Reader, Desfire | \$311.67 |
| CICRSP10P | SmartTrans (dual smart/prox) S10 Reader, PIVII | \$311.67 |
| CICRSK10M | SmartID with keypad S10 Reader, Mifare | \$311.67 |
| CICRSK10D | SmartID with keypad S10 Reader, Desfire | \$311.67 |
| CICRSK10P | SmartID with keypad S10 Reader, PIVII | \$311.67 |
| CICRSPK10M | SmartTrans with keypad (dual smart/prox) S10 Reader, Mifare | \$468.33 |
| CICRSPK10D | SmartTrans with keypad (dual smart/prox) S10 Reader, Desfire | \$468.33 |
| CICRSPK10P | SmartTrans with keypad (dual smart/prox) S10 Reader, PIVII | \$468.33 |
| CICRSB10M | SmartTouch Biometric S10 Reader, Mifare | \$866.67 |
| CICRSB10D | SmartTouch Biometric S10 Reader, Desfire | \$866.67 |
| CICRSB10P | SmartTouch Biometric S10 Reader, PIVII | \$866.67 |
| CICRSBK10M | SmartTouch Biometric with keypad S10 Reader, Mifare | \$966.67 |
| CICRSBK10D | SmartTouch Biometric with keypad S10 Reader, Desfire | \$966.67 |
| CICRSBK10P | SmartTouch Biometric with keypad S10 Reader, PIVII | \$966.67 |

Note: Use HID Prox and Flexsmart Cards

INDALA (HID GLOBAL) READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|--|-------------------|
| INDALA FLEXPASS READERS | | |
| <i>All Indala Readers listed are Continental 36-bit format. They are also available in 26-bit format. If you would like to order a reader with 26-bit format, please add "26" to to the end of the part number shown on the price list.</i> | | |
| <i>Note: All FlexPass readers and cards are compatable with existing ASP technology readers & ASC technology cards provided they are the same bit format.</i> | | |
| Slim Type - (5" Read Range) | | |
| CICR2235PSLO | LINEAR HOUSING - ONYX (Indala P/N FP4511A) | \$201.67 |
| CICR2235PSLT | LINEAR HOUSING - TAUPE - (Indala P/N FP4517A) | \$201.67 |
| CICR2236PSAO | ARCH HOUSING - ONYX - (Indala P/N FP3511A) | \$201.67 |
| CICR2236PSAG | ARCH HOUSING - GRAPHITE - (Indala P/N FP3515A) | \$201.67 |
| CICR2236PSAS | ARCH HOUSING - SNOW - (Indala P/N FP3516A) | \$201.67 |
| CICR2236PSAT | ARCH HOUSING - TAUPE - (Indala P/N FP3517A) | \$201.67 |
| CICR2237PSCO | CURVE HOUSING - ONYX - (Indala P/N FP2511A) | \$201.67 |
| CICP2238PSWO | WAVE HOUSING - ONYX - (Indala P/N FP1511A) | \$201.67 |
| CICP2238PSWM | WAVE HOUSING - MARINE - (Indala P/N FP1514A) | \$201.67 |
| Classic Type - (5" Read Range) | | |
| CICR2334PCLO | LINEAR HOUSING - ONYX (Indala P/N FP4551A) | \$201.67 |
| CICR2334PCLT | LINEAR HOUSING - TAUPE (Indala P/N FP4557A) | \$201.67 |
| CICR2334PCLW | LINEAR HOUSING - WHITE (Indala P/N FP4556A) | \$201.67 |

INDALA (HID GLOBAL) READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|--|-------------------|
| Wallswitch Readers - (5" Read Range) | | |
| CICR2239WLO | LINEAR HOUSING - ONYX - (Indala P/N FP4521A) | \$201.67 |
| CICR2239WLG | LINEAR HOUSING - GRAPHITE - (Indala P/N FP4525A) | \$201.67 |
| CICR2239WLS | LINEAR HOUSING - SNOW - (Indala P/N FP4526A) | \$201.67 |
| CICR2239WLT | LINEAR HOUSING - TAUPE - (Indala P/N FP4527A) | \$201.67 |
| CICR2240PWAO | ARCH HOUSING - ONYX - (Indala P/N FP3521A) | \$201.67 |
| CICR2240PWAG | ARCH HOUSING - GRAPHITE - (Indala P/N FP3525A) | \$201.67 |
| CICR2240PWAS | ARCH HOUSING - SNOW - (Indala P/N FP3526A) | \$201.67 |
| CICR2240PWAT | ARCH HOUSING - TAUPE - (Indala P/N FP3527A) | \$201.67 |
| CICR2241PWCO | CURVE HOUSING - ONYX - (Indala P/N FP2521A) | \$201.67 |
| CICR2242WWO | WAVE HOUSING - ONYX - (Indala P/N FP1521A) | \$201.67 |
| CICR2242WWM | WAVE HOUSING - MARINE - (Indala P/N FP1524A) | \$201.67 |
| Mid Range Type - (12" Read Range) | | |
| CICR2244MAO | ARCH HOUSING - ONYX - (Indala P/N FP3231A) | \$305.00 |
| CICR2244MAG | ARCH HOUSING - GRAPHITE - (Indala P/N FP3235A) | \$305.00 |
| CICR2244MAS | ARCH HOUSING - SNOW - (Indala P/N FP3236A) | \$305.00 |
| CICR2244MAT | ARCH HOUSING - TAUPE - (Indala P/N FP3237A) | \$305.00 |
| CICR2246MWO | WAVE HOUSING - ONYX - (Indala P/N FP1231A) | \$305.00 |
| CICR2246MWM | WAVE HOUSING - MARINE - - (Indala P/N FP1234A) | \$305.00 |

INDALA (HID GLOBAL) READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|---|-------------------|
| Indala Prox/Keypad Reader | | |
| CICR2348PKP | ARK-501 FLEXPASS PROX READER W/12 Position X-Y Matrix Keypad | \$428.33 |
| CICR2348PKP-W | ARK-501 FLEXPASS PROX READER W/12 Position Weigand Output | \$428.33 |
| Indala Long Range Reader | | |
| CICR2359P | ASR-620 POWER PROX FLEX PASS READER - Up to 28" Read Range. 12 VDC input voltage. | \$540.00 |
| INDALA PROXIMITY CARDS - Min: 100 per order | | |
| <u>THE BIT FORMAT OF CARDS MUST MATCH READER BIT FORMAT</u> | | |
| <i>Standard Leadtime 2 Weeks</i> | | |
| CICC2307P | FLEXPASS 121T LIFETIME CARD W/VERTICAL SLOT PUNCH - 36-bit forn | \$2.95 |
| CICC2307P26 | FLEXPASS 121T LIFETIME CARD W/VERTICAL SLOT PUNCH - 26-bit forn | \$2.95 |
| CICC2309P | FLEXPASS KEY TAG 36-bit format | \$5.03 |
| CICC2309P26 | FLEXPASS KEY TAG 26-bit format | \$5.03 |
| CICC2308P | IMAGE 30 (ISO-30) for direct print. 36-bit format | \$6.17 |
| CICC2308P26 | IMAGE 30 (ISO-30) for direct print. 26-bit format | \$6.17 |
| CICC2308PM | IMAGE 30 (ISO-30) for direct print, with Magstripe. Dual technology Magnetic Stripe/ Proximity. Magnetic Stripe encoding is not included. Contact Continental for encoding pricing. 36-bit format | \$5.97 |
| CICC2308PM26 | IMAGE 30 (ISO-30) for direct print, with Magstripe. Dual technology Magnetic Stripe/ Proximity. Magnetic Stripe encoding is not included. Contact Continental for encoding pricing. 26-bit format | \$5.97 |
| NOTE: THE ABOVE CARDS ARE USED WITH ALL FLEXPASS READERS, PROVIDING THEY ARE THE SAME BIT FORMAT. | | |

XceedID READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|---|-------------------|
| XceedID SINGLE FREQUENCY READERS | | |
| Either 13.56MHz or 125KHz | | |
| CICRXF1050 | Mini-Mullion 125KHz Reader | \$95.00 |
| CICRXF1060 | Mini-Mullion 13.56MHz Reader | \$100.00 |
| CICRXF1060MF | Mini-Mullion 13.56MHz MIFARE Reader | \$100.00 |
| CICRXF1060XX | Mini-Mullion 13.56MHz ISO-X Reader | \$100.00 |
| CICRXF1550 | Wallmount 125KHz Reader | \$176.67 |
| CICRXF1560 | Wallmount 13.56MHz Contactless Reader | \$176.67 |
| CICRXFMP1000 | Mini-Mullion Wallswitch Mounting Plate (XF1050/XF1060/XF1100) | \$16.00 |
| XceedID ISO-X MULTI-FREQUENCY READERS | | |
| Both 13.56MHz and 125KHz | | |
| CICRXF1100 | Multi-Frequency Mullion Reader | \$198.33 |
| CICRXF1500 | Multi-Frequency Wallmount Reader | \$198.33 |
| CICRXF2100 | Multi-Frequency Mid-Range Reader | \$283.33 |
| CICRXF2110 | Multi-Frequency Mid-Range Keypad Reader | \$356.67 |
| XceedID FIPS201/PIV II COMPLIANT MULTI-FREQUENCY READERS | | |
| Both 13.56MHz and 125KHz | | |
| CICRXF1100-PIV | Multi-Frequency Mullion Reader | \$198.33 |
| CICRXF2100-PIV | Multi-Frequency Mid-Range Reader | \$238.33 |
| CICRXF2110-PIV | Multi-Frequency Mid-Range Keypad Reader | \$356.37 |

XceedID READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|----------------------------------|---|-------------------|
| 13.56MHz CARD CREDENTIALS | | |
| CICCX9420 | Clamshell ISO-X Lite, 2.5k bit memory / 14443, w/ security | \$2.97 |
| CICCX9440 | Clamshell ISO-X, 10k bit memory / 15693, w/ security | \$3.33 |
| CICCX9451 | Clamshell MIFARE, 8k bit memory / 14443, w/ security | \$3.33 |
| CICCX9520 | ISO-X Lite Glossy White / 14443, w/ security | \$3.58 |
| CICCX9520MS | ISO-X Lite Glossy White w/ Magstripe / 14443, w/ security | \$3.68 |
| CICCX9540 | ISO ISO-X, 10k bit memory / 15693, w/ security | \$4.18 |
| CICCX9540MS | ISO ISO-X + 3600 OE Magstripe, 10k bit memory / 15693, w/ security | \$4.55 |
| CICCX9551 | ISO MIFARE, 8k bit memory / 14443, w/ security | \$4.35 |
| CICCX9551MS | ISO MIFARE + 3600 OE Magstripe, 8k bit memory / 14443, w/ security | \$4.75 |
| CICCX9558 | ISO MIFARE, 32k bit memory / 14443, w/ security | \$6.15 |
| CICCX9558MS | ISO MIFARE + 3600 OE Magstripe, 32k bit memory / 14443, w/ security | \$6.57 |
| CICCX9574 | ISO (Slot Punch) MIFARE DESFire, 32k bit memory / 14443, w/ security | \$7.53 |
| CICCX9574NP | ISO (Not Punchable) MIFARE DESFire, 32k bit memory / 14443, w/ security | \$7.53 |
| CICCX9640 | Keytag ISO-X, 10k bit - Gray / 15693, w/ security | \$4.75 |
| CICCX9651 | Keytag (Epoxy) MIFARE, 8k bit - memory / 14443, w/ security | \$4.97 |
| CICCX9740 | PVC Patch, 10k bit - memory/15693 w/security | \$4.55 |
| CICCX9751 | PVC Patch, MIFARE 1kbyte/8bit memory/14443 w/security | \$4.55 |
| CICCX9758 | PVC Patch, MIFARE 4kbyte/32k bit memory/14443 w/security | \$6.77 |

XceedID READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| 13.56MHz/125kHz Multi-Tech CARD CREDENTIALS | | |
| CICCX9940 | ISO Combo 13.56MHz/125kHz - HID Prox w/ISO X 10K bit Smart | \$5.97 |
| CICCX9951 | ISO Combo 13.56MHz/125kHz - HID Prox w/MIFARE 1K Smart | \$5.97 |
| CICCX9958 | ISO Combo 13.56MHz/125kHz - HID Prox w/MIFARE 4K Smart | \$7.17 |
| 125kHz CARD CREDENTIALS | | |
| CICCX2321P | Clamshell HID Prox Compatible (7410) | \$2.72 |
| CICCX2326P | ISO Direct Print HID Prox Compatible (7510) | \$4.62 |
| CICCX2326PMS | ISO Direct Print HID Prox Compatible w/Mag Stripe (7510MS) | \$5.17 |
| CICCX2326PC | ISO Composit HID Prox Compatibale - Normal Temp (7510C) | \$5.12 |
| CICCX2326PH | ISO Composit HID Prox Compatble - High Temp (7510H) | \$5.12 |
| CICCX2327P | HID Prox Compatible Keytag (7610) | \$4.77 |
| CICCX2328P | HID Prox Compatible Adhesive Disk - 35m (7710) | \$4.34 |

Farpointe Data Pyramid Series Proximity Readers and Cards

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|---|-------------------|
| Farpointe Proximity Readers | | |
| CICRP-300 | CASCADE PROXIMITY READER | \$92.95 |
| CICRP-300H | CASCADE PROX READER - HID COMPATIBLE | \$128.70 |
| CICRP-400 | GIBRALTAR PROXIMITY READER | \$564.85 |
| CICRP-400H | GIBRALTAR PROX READER - HID COMPATIBLE | \$600.60 |
| CICRP-500 | ALPS PROXIMITY READER | \$107.25 |
| CICRP-500H | ALPS PROX READER - HID COMPATIBLE | \$143.00 |
| CICRP-600 | ROCK PROXIMITY READER & KEYPAD | \$436.15 |
| CICRP-600H | ROCK PROXIMITY READER & KEYPAD - HID COMPATIBLE | \$471.90 |
| CICRP-700 | YUKON PROXIMITY READER | \$207.35 |
| CICRP-700H | YUKON PROXIMITY READER - HID COMPATIBLE | \$243.10 |
| Farpointe Proximity Cards and Tags | | |
| CICCPSC-1 | STANDARD LIGHT PROXIMITY CARD | \$2.57 |
| CICCPSI-4 | IMAGE TECHNOLOGY PROX CARD | \$2.57 |
| CICCPSM-2P | MULTI TECH PROXIMITY CARD | \$4.77 |
| CICCPSM-2S | MULTI TECH PROX CARD 3TRK STRP | \$5.24 |
| CICCPSK-3 | PROXIMITY KEY RING TAG | \$5.60 |
| CICCPDT-1 | ADHESIVE PROXIMITY DISK | \$3.58 |

Farpointe Data Pyramid Series Proximity Readers and Cards

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|---|-------------------|
| Farpointe Ranger Series Long Range Transmitters and Receiver up to 150' | | |
| CICRWRR-42 | Ranger Long Range Receiver - Single Piece, Wall (US or European Single Gang Box) Mount, Two Channel (A or B) with Two Wiegand Outputs per Channel | \$297.92 |
| CICCWRT-1 | Ranger 1-Button Long Range Transmitter with a built in proximity fob which matches the long range data (includes key ring) | \$23.83 |
| CICCWRT-4 | Ranger 4-Button Long Range Transmitter with a built in proximity fob which matches the long range data (includes key ring) | \$23.83 |

BIOMETRIC READERS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|----------------------------------|--|-------------------|
| BIOSCRYPT L1 - 4G READERS | | |
| 4G PIV & TWIC Readers | | |
| CICR-4PTUTG | 4G PIV.TWIC Station (Contactless Reader) | 2,603.96 |
| CICR-4PTUTGGC | 4G PIV.TWIC Station (Contactless & Contact Reader) | 3,242.04 |
| CICR-4PTUTGW | 4G PIV.TWIC Station (Contactless Reader, WiFi) | 2,777.22 |
| CICR-4PTUTGGCW | 4G PIV.TWIC Station (Contactless & Contact Reader, WiFi) | 3,415.30 |
| CICR-EPTVG | 4G PIV-TWIC Station Extreme (Contactless) | 5,401.17 |
| CICR-EPTVGW | 4G PIV-TWIC Station Extreme (Contactless, Wireless) | 5,539.45 |
| CICR-EPTVGGC | 4G PIV-TWIC Station Extreme (Contactless, Contact) | 5,912.63 |
| CICR-EPTVGGCW | 4G PIV-TWIC Station Extreme (Contactless, Contact, Wireless) | 6,050.91 |
| CICR-EPTVGMG | 4G PIV-TWIC Station Extreme (Contactless, Mag-Stripe) | 5,977.61 |
| CICR-EPTVGMGW | 4G PIV-TWIC Station Extreme (Contactless, Mag-Stripe, Wireless) | 6,115.89 |
| CICR-EPTVGGCMG | 4G PIV-TWIC Station Extreme (Contactless, Contact, Mag-Stripe) | 6,487.40 |
| CICR-EPTVGGCMGW | 4G PIV-TWIC Station Extreme (Contactless, Contact, Mag-Stripe, Wireless) | 6,627.35 |
| CICR-ETEC | 4G Extreme / TEC Cooler Module | 957.95 |
| CICR-ETECMG | 4G Extreme / TEC Cooler Module / For Mag-Stripe Models) | 957.95 |
| V-Flex 4G (Base) | | |
| CICR-4GFXS | V-Flex 4G / Secugen Optical | 1,026.81 |
| CICR-4GFXU1 | V-Flex 4G / UPEK TCS1 | 1,117.34 |
| CICR-4GFXU2 | V-Flex 4G / UPEK TCS2 | 1,055.39 |

BIOMETRIC READERS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|--|-------------------|
| V-Flex 4G (Prox) | | |
| CICR-4GFXSP | V-Flex 4G /Secugen Optical / HID Prox | 1,207.87 |
| CICR-4GFXU1P | V-Flex 4G / UPEK TCS1 / HID Prox | 1,298.40 |
| CICR-4GFXU2P | V-Flex 4G / UPEKTCS2 / HID Prox | 1,236.46 |
| V-Flex 4G (iClass) | | |
| CICR-4GFXSH | V-Flex 4G / Secugen Optical / HID iClass | 1,441.34 |
| CICR-4GFXU1H | V-Flex 4G / UPEK TCS1 / HID iClass | 1,536.64 |
| CICR-4GFXU2H | V-Flex 4G UPEK TCS2 / HID iClass | 1,472.31 |
| V-Flex 4G (Mifare & DesFire) | | |
| CICR-4GFXSG | V-Flex 4G / Secugen Optical / Gemalto Mifare & DesFire | 1,441.34 |
| CICR-4GFXU1G | V-Flex 4G / UPEK TCS1 / Gemalto Mifare & DesFire | 1,541.40 |
| CICR-4GFXU2G | V-Flex 4G / UPEK TCS2 / Gemalto Mifare & DesFire | 1,472.31 |
| V-Station 4G (Base) | | |
| CICR-4GSTS | V-Station 4G / Secugen Optical | 2,022.64 |
| CICR-4GSTSM | V-Station 4G / Secugen Optical / 1:50k Matching | 2,270.41 |
| CICR-4GSTSW | V-Station 4G / Secugen Optical / Wireless LAN | 2,215.61 |
| CICR-4GSTSMW | V-Station 4G / Secugen Optical / 1:50k Matching / Wireless LAN | 2,463.38 |
| CICR-4GSTU1 | V-Station 4G / UPEK TCS1 | 2,260.88 |
| CICR-4GSTU1M | V-Station 4G / UPEK TCS1/ 1:50k Matching | 2,518.18 |
| CICR-4GSTU1W | V-Station 4G / UPEK TCS1/ Wireless LAN | 2,458.62 |
| CICR-4GSTU1MW | V-Station 4G / UPEK TCS1/ 1:50k Matching / Wireless LAN | 2,718.30 |
| CICR-4GSTU2 | V-Station 4G / UPEK TCS2 | 2,158.44 |
| CICR-4GSTU2M | V-Station 4G / UPEK TCS2/ 1:50k Matching | 2,415.73 |
| CICR-4GSTU2W | V-Station 4G UPEK TCS2/ Wireless LAN | 2,358.56 |
| CICR-4GSTU2MW | V-Station 4G UPEK TCS2/ 1:50k Matching / Wireless LAN | 2,615.85 |

BIOMETRIC READERS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--------------------------------|--|-------------------|
| V-Station 4G (Prox) | | |
| CICR-4GSRSP | V-Station 4G / Secugen Optical / HID Prox | 2,313.29 |
| CICR-4GSTSPM | V-Station 4G / Secugen Optical / HID Prox / 1:50k Matching | 2,572.97 |
| CICR-4GSTSPW | V-Station 4G / Secugen Optical / HID Prox Wireless LAN | 2,506.26 |
| CICR-4GSTSPMW | V-Station 4G / Secugen Optical / HID Prox /1:50k Matching / Wireless LAN | 2,763.56 |
| CICR-4GSTU1P | V-Station 4G / UPEK TCS1/HID Prox | 2,456.23 |
| CICR-4GSTU1PM | V-Station 4G / UPEK TCS1/HID Prox / 1:50k Matching | 2,713.53 |
| CICR-4GSTU1PW | V-Station 4G / UPEK TCS1/HID Prox / Wireless LAN | 2,649.21 |
| CICR-4GSTU1PMW | V-Station 4G / UPEK TCS1/HID Prox / 1:50k Matching / Wireless LAN | 2,906.50 |
| CICR-4GSTU2P | V-Station 4G / UPEK TCS2/ HID Prox | 2,358.56 |
| CICR-4GSTU2PM | V-Station 4G / UPEK TCS2/ HID Prox / 1:50k Matching | 2,615.85 |
| CICR-4GSTU2PW | V-Station 4G / UPEK TCS2/ HID Prox / Wireless LAN | 2,549.15 |
| CICR-4GSTU2PMW | V-Station 4G / UPEK TCS2/ HID Prox /1:50k Matching / Wireless LAN | 2,808.83 |
| V-Station 4G (iClass) | | |
| CICR-4GSTSH | V-Station 4G / Secugen Optical / HID iClass | 2,615.85 |
| CICR-4GSTSHW | V-Station 4G / Secugen Optical / HID iClass/ Wireless LAN | 2,808.83 |
| CICR-4GSTU1H | V-Station 4G / UPEK TCS1/HID iClass | 2,758.80 |
| CICR-4GSTU1HW | V-Station 4G / UPEK TCS1/HID iClass / Wireless LAN | 2,951.77 |
| 4STU2H | V-Station 4G / UPEK TCS2/ HID iClass | 2,658.74 |
| CICR-4GSTU2HW | V-Station 4G / UPEK TCS2/ HID iClass/ Wireless LAN | 2,854.09 |

BIOMETRIC READERS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| V-Station (Milfare & DesFire) | | |
| CICR-4GSTSG | V-Station 4G / Secugen Optical / Gemalto Mifare & DesFire | 2,615.85 |
| CICR-4GSTSGW | V-Station 4G / Secugen Optical / Gemalto Mifare & DesFire/ Wireless LAN | 2,813.59 |
| CICR-4GSTU1G | V-Station 4G / UPEK TCS1/ Gemalto Mifare & DesFire | 2,763.56 |
| CICR-4GSTU1GW | V-Station 4G / UPEK TCS1/ Gemalto Mifare & DesFire /Wireless LAN | 2,961.30 |
| CICR-4GSTU2G | V-Station 4G / UPEK TCS2/ Gemalto Mifare & DesFire | 2,661.12 |
| CICR-4GSTU2GW | V-Station 4G / UPEK TCS2/ Gemalto Mifare & DesFire / Wireless LAN | 2,861.24 |
| 4G Accessories | | |
| CICR-CNVR | V-Series Converter, RS232 TO RS485 | 526.51 |
| Desktops Stands | | |
| CICR-DSK-4GFX | V-Flex 4G Desktop Stand (Includes Power Supply, Mounting Hardware) | 369.27 |
| CICR-DSK-4GST | V-Station 4G Desktop Stand (Includes Power Supply , Mounting Hardware) | 369.27 |
| Replaceable Sensor Modules | | |
| CICR-4GSMOD | Replacement Sensor - Optical Sensor Module | 285.89 |
| CICR-4GU1MOD | Replacement Sensor - TCS1 Sensor Module | 428.83 |
| CICR-4GU2MOD | Replacement Sensor -TCS2 Sensor Module | 352.59 |
| 4G - Demo Kits | | |
| CICR-G4Demo1 | V-Station 4G Base and V-Flex- 4G Base (All Optical) - Includes Desktop Stands) | 3,787.98 |
| CICR-G4Demo2 | V-Station 4G Mifare and V-Flex 4g Base (All Optical) - Includes Desktop Stands) | 4,378.81 |
| CICR-G4Demo3 | V-Station 4G Base and V-Flex 4G Mifare (All Optical) - Includes Desktop Stands) | 4,204.90 |

BIOMETRIC READERS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|---|-------------------|
| BIOSCRYPT LEGACY READERS | | |
| <i>Note: The listed Biometric Fingerprint Readers are for indoor use. If the reader is to be used outdoors, there is an outdoor</i> | | |
| CICRVBIOPF | V-Prox - I(AR) ntegrated HID proximity reader with fingerprint identification - up to 4,000 users. | \$1,064.00 |
| CICRVBIOFLEX | V-Flex 4G - (PROX) Integrated HID proximity reader; finger and prox, just finger or just prox - up to 10,000 users. | \$1,183.00 |
| CICRVBIOVP | V-Pass-FX - (AR) One touch fingerprint identification - external wiegand reader. (No card, key, or pin required) 500 users only per reader. | \$903.00 |
| CICRVBIOVS | V-SMART - (AR) Combines biometric fingerprint reader and a smartcard reader using standard MIFARE Contactless Smartcard technology. | \$1,283.33 |
| CICRVBIOiC | V-SMART (AH) iClass - Fingerprint Reader with internal HID iClass Smartcard Reader. | \$1,283.33 |
| CICRVSTA | V-Station (AR) - Combination of fingerprint reader and keypad. 1:1 (3,550) OR 1:500 Search options | \$1,782.67 |
| CICRVSTP | V-Station (APR) Prox - Combination of fingerprint and integrated HID proximity readers. Verify 3,550. | \$1,950.67 |
| CICRVSTiC | V-Station (AH) iClass - Combines fingerprint readers with integrated HID iClass Contactless Smartcard readers. | \$2,205.00 |
| CICRVSTM | V-Station (AGR) MIFARE - Combines fingerprint and integrated MIFARE Contactless Smartcard reader. | \$2,291.33 |
| CICRPIV | PIV Station Fingerprintm PIN, Contact SmartCard, CD | \$2,975.00 |
| CICRVCERCOH | Outdoor Enclosure with Heat for Bioscrypt Readers | \$1,178.33 |
| CICRVCERCO | Outdoor Enclosure for Bioscrypt Readers | \$1,073.33 |
| HAND GEOMETRY READERS | | |
| (IR - Recognition Systems) | | |
| CICR3105HG | Hand Geometry Biometric [HK-CR] - up to 512 users. | \$2,101.17 |
| CICR310HK2 | Hand Geometry Biometric [HK-2] - up to 512 users. | \$2,348.50 |
| CICR310HGEXP | HK-2/HK-CR Memory Expansion - up to 9,728 users | \$308.00 |
| CICR310HGEXP2 | HK-2/HK-CR Memory Expansion - up to 35,512 users | \$679.00 |
| CICR310HGENCH | Hurricane Enclosure for CICR3105HG | \$437.50 |

PRIVARIS BIOMETRIC EQUIPMENT

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| Privaris plusID Biometric Wireless/Combination Technology Fingerprint Devices | | |
| CAPRI-PID60 | A multi-function fingerprint based biometric personal identification device compatible with 125KHz Proximity Technology and 13.56MHz Contactless Smart Card technology. This model comes with a mini USB cable for battery charging, enrollment, and logical access. | \$172.50 |
| CAPRI-PID75 | A multi-function fingerprint based biometric personal identification device compatible with 125KHz Proximity Technology and 13.56MHz Contactless Smart Card technology. This model comes with a mini USB cable for battery charging, enrollment, and logical access. Bluetooth. One-time password capability | \$225.00 |
| CAPRI-PID90 | A multi-function fingerprint based biometric personal identification device compatible with 125KHz Proximity Technology and 13.56MHz Contactless Smart Card technology. This model comes with a mini USB cable for battery charging, enrollment, and logical access. IEEE standard 802.15.4 communication interface for long-range connectivity from within moving vehicles. One-time password capability. | \$225.00 |
| plusID Enrollment Station and Accessories | | |
| CAPRI-PIDM-L1 | Administrators plusID enrollment and loading of credentials via USB. A CAPRI-OMKCM1 is needed to read idBank card values. | \$148.50 |
| CAPRI-PIDM-L2 | Administrators plusID enrollment and loading of credentials via USB. Network enabled to support multiple workstations and advanced features. Includes one workstation client. A CAPRI-OMKCM1 is needed to read idBank card values. | \$748.50 |
| CAPRI-PIDM-WC | Additional workstation client for plusID Manager - Level 2 | \$298.50 |
| CAPRI-OMKCM1 | HID desktop smart card reader for HID idBank™ smart cards. | \$45.00 |
| CAPRI-DLKBTV11 | V1.1 Compliant Bluetooth Adapter. USB adaptor provides communications link between plusID 75 devices and Bluetooth equipped PCs | \$73.50 |
| CAPRI-LRT-03 | Long Range Transceiver. IEEE standard 802.15.4 (2.45GHz) compliant gateway between a wired IEEE 802.3 Ethernet network or standard PACS and the plusID 90. Designed for long range use. | \$868.33 |
| CAPRI-EVAL90LRT | Long Range Evaluation Kit - includes one long range transceiver with enclosure and one plusID 90 along with plusID Manager software, serial cable, power | \$1,423.33 |
| CAPRI-EVAL60PR | plusID Evaluation Kit - includes one plusID 60, Administrator plusID Manager, and an HID ProxPoint Plus reader w/ 9v battery power. | \$418.50 |

PRIVARIS BIOMETRIC EQUIPMENT

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|---|-------------------|
| HID idBank™ Credentials | | |
| | Smart card containing HID card formats that can be securely transferred to plusID devices using the plusID Manager. | |
| CAPRI-HP025 | HID idBank with 25 HID Prox cards. | \$97.50 |
| CAPRI-HP050 | HID idBank with 50 HID Prox cards. | \$180.00 |
| CAPRI-HP100 | HID idBank with 100 HID Prox cards. | \$330.00 |
| CAPRI-HP200 | HID idBank with 200 HID Prox cards. | \$630.00 |
| CAPRI-HP300 | HID idBank with 300 HID Prox cards. | \$930.00 |
| * Indala (HID Global) formats are also available | | |
| Biometric Wireless/Prox Fingerprint Devices | | |
| CALFBT1 | A multi-function fingerprint based biometric personal identification device compatible with HID®, Indala®, and Kantech access control reader systems. This model equipped with low frequency RFID/Prox and Bluetooth™ communications capability. | \$179.95 |
| CALFLR1 | A multi-function fingerprint based biometric personal identification device compatible with HID®, Indala®, and Kantech access control reader systems. This model equipped with low frequency RFID/Prox and IEEE 802.15.4 communications capability. | \$179.95 |
| BPID Enrollment Station and Accessories | | |
| CAHFES1 | BPID™ High Frequency Enrollment Station (includes V1.1 compliant Bluetooth™ Adapter) Administers BPID™ enrollment and device IDs for Privaris Security Devices via a Bluetooth™ connection. | \$336.67 |
| CABTV11 | V1.1 Compliant Bluetooth™ Adapter. Replacement Bluetooth™ Transceiver (serial interface). | \$100.00 |
| CACMFS1 | CryptoMetrics FingureSure 7.0 Professional | \$133.33 |
| CALFDEMO1 | Privaris Prox/Wirelss Bio Fob Demo Kit | \$333.33 |

ADDITIONAL READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--------------------------------|---|-------------------|
| Scramble Keypad | | |
| CICRSERIII-WF | Scramble Keypad w/ Flush Mount Kit - LED backlit, weatherized for outdoor use, 8 - 14V (BLACK) | \$1,123.33 |
| CICRSERIII-WS | Scramble Keypad w/ Surface Mount Kit - LED backlit, weatherized for outdoor use, 8 - 14V (BLACK) | \$1,105.00 |
| WEIGAND READERS | | |
| CICR2205W | WIEGAND SWIPE W/ENCAPSULATED CABLE (BLACK) | \$286.67 |
| CICR2205WK | WIEGAND SWIPE WITH 12 POSITION KEYPAD (BLACK) | \$900.00 |
| CICR2220W | WIEGAND INSERTION - Includes faceplate | \$460.00 |
| CICR2225W | WIEGAND KEY INSERTION | \$433.33 |
| CICR2230W | WIEGAND TURNSTILE (BLACK) | \$670.00 |
| CICR2210W | WIEGAND SWIPE WITH TERMINAL STRIP (BLACK) | \$286.67 |
| MAGNETIC STRIPE READERS | | |
| CICR1005MBL | PASS-THROUGH MAGNETIC READER - INDOOR/OUTDOOR - TRACK 2 (default, Track 1 is available by reversing reader head) - BLACK [26, 34, or all bits output] | \$160.00 |
| CICR1005MW | PASS-THROUGH MAGNETIC READER - INDOOR/OUTDOOR - TRACK 2 (default, Track 1 is available by reversing reader head) - BEIGE (Off White) [26, | \$160.00 |
| CICR2115M | STANDARD MAGNETIC READER - INDOOR - TRACK 1 | \$150.00 |
| CICR2120M | STANDARD MAGNETIC READER - OUTDOOR - TRACK 1 | \$190.00 |
| CICR2123MH | METAL HOUSING FOR STANDARD READER | \$84.00 |
| CICR2140MMR | HEAVY DUTY MAGNETIC READER TRACK 2 | \$365.00 |
| CICR2130M | HEAVY DUTY MAGNETIC READER TRACK 1 | \$365.00 |
| CICR2135M | INSERTION MAGNETIC READER TRACK 2 | \$325.00 |

ADDITIONAL READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| MULTI-MAG | | |
| 105-231-PVC-T2 | MM Black PVC Reader Track 2, TTL Interface | \$360.00 |
| MISCELLANEOUS READERS | | |
| CICR2610B | BAR CODE READER - Either 26 bit wiegand or ABA output | \$375.00 |
| KEYPADS | | |
| CICR2906K | KEYPAD - 12 position stainless steel, indoor/outdoor. XY matrix output. May be used in conjunction with a card reader or in a "keypad only" mode with PIN codes higher than 65535. | \$400.00 |
| CICR2907K | KEYPAD - 12 position stainless steel, 26 bit Wiegand output, indoor/outdoor. May be used in a "keypad only" mode with PIN codes less than 65535. | \$400.00 |
| MAGNETIC STRIPE CARDS - Min: 100 per order | | |
| <i>Standard Leadtime: 2 Business Days</i> | | |
| CICC2105M | HIGH COERCIVITY - With Continental printing | \$2.43 |
| CICC2106M | SELF ADHESIVE - May be affixed to existing ID cards. Includes sticker to identify card #. Includes Continental encoding | \$2.50 |
| WIEGAND EFFECT CARDS - Min: 100 per order | | |
| <i>Standard Leadtime: 6-8 Weeks - Deck quantities may vary +/- 10% due to the manufacturing process.</i> | | |
| CICC2205W | WIEGAND ENCODED CARD - 36 bit, Continental format, Continental printing with hot stamp number. | \$7.27 |
| CICC2205W26 | WIEGAND ENCODED CARD - 26 bit, Continental printing with hot stamp number. | \$7.27 |
| CICC2210W | WIEGAND KEY INSERTION CARD - 26 bit | \$11.60 |

ADDITIONAL READERS & CARDS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|--|-------------------|
| WIEGAND DIRECT PRINT CARDS - Min: 100 per order | | |
| <i>Standard Leadtime: 6-8 Weeks - Deck quantities may vary +/- 10% due to the manufacturing process.</i> | | |
| CICC2205WGG | GLOSS FINSH, FRONT & BACK - 36 Bit Continental format | \$7.88 |
| CICC2205WGG26 | GLOSS FINSH, FRONT & BACK - 26 Bit | \$7.88 |
| INFRARED ENCODED CARDS - Min: 100 per order | | |
| <i>Standard Leadtime: 12-16 Weeks</i> | | |
| CICC2700IR | INFRARED ENCODED CARD | \$17.08 |
| CARD OPTIONS | | |
| CUSTOM PRINTING: Minimum of 500 Pcs. required for custom printing ; Customer must supply camera ready artwork; Custom printing charges: | | |
| | Setup Charge - Per Color/Per Side | \$534.00 |
| | Initial Proof Charge | \$534.00 |
| | Per Color/Per Side Recurring charge | \$0.67 |
| SLOT PUNCH | Slot Punch for Weigand, Magnetic Stripe, or Infrared Cards. | \$0.83 |
| MAG ENCODE | Mag Stripe card re-encoding and labeling (minimum 100 pcs.) | \$1.50 |
| CICC2900SC | STRAP CLIPS | \$1.10 |
| CICC3000W | PHOTO FLAP FOR MAGNETIC STRIPE , INFRARED, OR WIEGAND CARDS - This photo flap is factory installed and requires lamination. If used on wiegand cards, specify if it is to be mounted on either the front or the back side of the card. | \$2.00 |
| CICC3000P | PHOTO POUCH FOR PROXIMITY, WIEGAND, OR MAGNETIC STRIPE CARDS -This photo pouch is for field installation and requires lamination. It is available both with and without a slot punch. | \$3.00 |

LONG RANGE VEHICLE ID READERS AND TAGS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| RCS (Remote Control Solutions) | | |
| CICR-RCS433R | 433MHz Weigand Long Range Receiver | \$166.83 |
| CICCR433CTG2 | Two Button Transmitter | \$33.37 |
| CICCRCS-TXVH | Transmitter Holster | \$5.13 |
| Farpointe Ranger Series Long Range Transmitters and Receiver up to 150' | | |
| CICRWRR-42 | Ranger Long Range Receiver - Single Piece, Wall (US or European Single | \$297.92 |
| CICCWRT-1 | Ranger 1-Button Long Range Transmitter with a built in proximity fob which | \$23.83 |
| CICCWRT-4 | Ranger 4-Button Long Range Transmitter with a built in proximity fob which | \$23.83 |
| 1st Choice Security Solutions | | |
| CICR-2000-W | LONG RANGE RDR W/WEIGAND OUT | \$889.00 |
| CICR-4NEM | 4NEM WEATHERPROOF RDR ENCL | \$95.33 |
| CICC-PL-2000 | READ/RANGE TUNING KIT W/SOFTWARE | \$59.58 |
| CICC-T8000 | LONG RANGE VEHICLE/ASSET TAG | \$65.33 |
| CICR-ANT-DAP | ANTENNA KIT W/20' COAX CABLE | \$880.00 |
| CICR-ANT-B | MOUNT BRKT FOR ANT-DVA OR ANT-DAP | \$113.57 |

WYRELESS ACCESS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------------------------|--|-------------------|
| Modular Locks | | |
| CI-WA5696-PXH | WA Series modular lock with mortise lock and prox reader | \$1,263.33 |
| CI-WA5694-PXH | WA Series modular lock with 1" Autobolt mortise lock and prox reader | \$1,280.00 |
| Panel Interface Modules | | |
| CI-PIM-TD2 | Panel interface module for 2 reader/openings | \$501.67 |
| CI-PIM-TD4 | Panel interface module for 4 reader/openings | \$915.00 |
| Wireless Reader Interfaces | | |
| CI-WRI-ODT | Wireless Reader - 12 VDC | \$970.00 |
| CI-WRI-IN | Wireless Reader - 12 VDC | \$555.00 |
| Gate and Elevator Kits | | |
| CI-ECK-200 | Elevator Control Kit | \$1,546.67 |
| CI-GCK-101 | Gate Control Kit | \$1,706.67 |
| Wireless Portable Readers | | |
| CI-WPR2-PROX-H | HID Prox Reader | \$1,048.33 |
| Wireless Status Monitors | | |
| CI-WSM | Wireless Status Monitor | \$586.67 |
| Demo and Test Kits | | |
| CI-TK797 | Pre-installation test kit | \$1,071.67 |

COMMUNICATION DEVICES

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|-------------------|
| CICE1996 | MICRO SERIAL SERVER – LAN adaptor for connecting controllers directly to a network, includes DB25-to-DB9 serial cable (please specify if 220v is needed). | \$240.00 |
| CICE1996-WIBOX | WIRELESS MICRO SERIAL SERVER – LAN adaptor for connecting controllers to a wireless network, includes DB25-to-DB9 serial cable (please specify if 220v is needed). | \$528.33 |
| CICE1996-D-ENC | DUAL PORT MICRO SERIAL SERVER w/ 256 bit AES Encryption– LAN adaptor for connecting controllers directly to a network, includes DB25-to-DB9 serial cable (please specify if 220v is needed). | \$832.83 |
| CICE1947-EV | High performance Dial up Modem 56K. Includes power supply and special cable by Continental Access. | \$580.00 |
| CIPCI-USB | USB to RS232 converter | \$61.00 |
| RFQ0001 | Universal cable for dial up modems. | \$83.33 |
| CICEFODL | Fiber optic data link - handles all major formats- RS422, RS485 and RS232. Used to extend distance between controllers (1 pair required). | \$578.33 |
| XFMR-FODL | Fiber optics Power Supply. This power supply is used for fiber optics data link (1 pair required). | \$81.67 |
| CICE1945 | DATA BROADCAST UNIT-8 PORT - allows up to eight (8) serial lines to connect to one (1) serial port. | \$1,100.00 |
| CICE1932PE32 | Port Expander - 32 port (required when more than two serial devices are needed on the CA3000, CA495, or CA295 products. Contact Continental for system configuration). | \$3,750.00 |
| CICE1942 | POLLING LINE CONVERTER - RS232 - RS422 to extend the distance (up to 4000) between the PC and the first Controller. | \$365.00 |
| CICEH5P | Switch/Hub with 5 ports to allow a network connection for the CA3000 or CA495. | \$250.00 |
| NL-MOD-UL | Napco NL-MOD Internet communications module, used for integration of Napco GEM panels to the CardAccess System. Note: Napco GEM firmware and NL-MOD firmware upgrades are needed, from Continental, to support GEM panel integration. | \$241.82 |
| NL-MOD-SK | Napco NL-MOD Starter Kit: Includes NL-MOD, Crossover Cable and step-by-step start-up instructions. Note: Napco GEM firmware and NL-MOD firmware upgrades are needed, from Continental, to support GEM panel integration. | \$267.00 |

Windy City Smart Wire

Part No.

Description

List Price

Note: Due to typical fluctuations in the cost of wire, please confirm all wire pricing with Continental customer service.

Windy City Smart Wire

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|---|-----------------------|
| Card Access 4 Element Composite Cable | | |
| | Element 1 (Purple Stripe) - Lock Power 4 Conductor 18 AWG, Non-Shielded, Plenum labeled "18 AWG 4C LOCK POWER A B C D E 0 1 2 3 4 5 6 7 8 9" | |
| | Element 2 (Yellow Stripe) - Card Reader 6 Conductor (3 Pairs Overall) 22 AWG, Shielded, Plenum labeled "22 AWG 3PR SHLD CARD READER A B C D E 0 1 2 3 4 5 6 7 8 9" | |
| | Element 3 (Green Stripe) - Door Contact 2 Conductor 22 AWG, Non-Shielded, Plenum labeled "22 AWG 2C DOOR CONTACT A B C D E 0 1 2 3 4 5 6 7 8 9" | |
| | Element 4 (Red Stripe) - REX/Spare 4 Conductor 22 AWG, Non-Shielded, Plenum labeled "22 AWG 4C REX / SPARE A B C D E 0 1 2 3 4 5 6 7 8 9" | |
| CAWCW-4461030-S | 4 Element Composite Cable Plenum - Yellow Outer Jacket | per MFT \$1,657.92 |
| CAWCW-4461140-S | 4 Element Composite Cable PVC - Orange Outer Jacket | \$1,102.08 |

MFT = 1000 FT

Note: Due to typical fluctuations in the cost of wire, please confirm all wire pricing with Continental customer service.

CCTV Video Surveillance Cable

All CCTV Video Surveillance Cable has White Jackets and is labeled:
"CLOSED CIRCUIT VIDEO SURVEILLANCE CABLE CAMERA / ZONE A B C D E 0 1 2 3 4 5 6 7 8 9"

| | | <u>per MFT</u> |
|-----------------------------|--|----------------|
| CCTV Standard Cables | | |
| CAWCW-659111-B | RG59/U 20 AWG 95%BCB PVC - Black Jacket | \$306.67 |
| CAWCW-659211-B | RG59/U 20 AWG 95%BCB Plenum - White Jacket | \$498.33 |
| CCTV Siamese Cables | | |
| CAWCW-659116-S | RG59/U + 18-2 Power Unshielded PVC Siamese - Black Jacket | \$486.83 |
| CAWCW-659216-S | RG59/U + 18-2 Power Unshielded Plenum Siamese - White Jacket | \$757.08 |

MFT = 1000 FT

Note: Due to typical fluctuations in the cost of wire, please confirm all wire pricing with Continental customer service.

CAT5e Cable

Windy City Smart Wire

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| "DATA/PHONE DIST AUDIO/VIDEO DEVICE 0 1 2 3 4 5 6 7 8 9 ROOM A B C D E 0 1 2 3 4 5 6 7 8 9 JACK 1 2 3 4 5 6" | 4 Pairs - White-Blue/Blue, White-Orange/Orange, White-Green/Green, White-Brown/Brown | |
| | | <u>per MFT</u> |
| | CAT5e Cables | |
| CAWCW-8665610 | CAT5e - 4 Pairs PVC - White Jacket | \$172.50 |
| CAWCW-86656130 | CAT5e - 4 Pairs PVC Plenum - Yellow Jacket | \$373.75 |

PELCO / INTEGRAL DS NVS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|--|-------------------|
| DS Desktop | | |
| <p>DigitalSENTRY® (DS) is security software providing IT-focused, scalable solutions that allow users to administer and manage data for multiple locations from a single client workstation. DS NVs is a software-only solution providing users the flexibility to install DigitalSENTRY on the server platform of their choice. DS NVs supports 4, 16, 32 and 64 IP cameras per server. From a central location, the same user interface is used for simultaneously viewing and managing both IP cameras and analog cameras using encoders. This is especially important for customers with existing analog systems who are in the transition to purely digital systems. The DS NVs supports industry standard IP devices and supports MJPEG and MPEG-4 formats.</p> | | |
| DS NVS - Software Only Based Systems | | |
| CI- DS-SW-SAT | DS NVS "Satellite" software only Includes support for up to 4 IP cameras - 1 year warranty Note: does not include cameras nor IP camera licenses | \$275.00 |
| CI- DS-SW-BAS | DS NVS "Base" software only Includes support for up to 16 IP cameras - 1 year warranty Note: does not include cameras nor IP camera licenses | \$825.00 |
| CI- DS-SW-PRO | DS NVS "Pro" software only Includes support for up to 32 IP cameras - 1 year warranty Note: does not include cameras nor IP camera licenses | \$1,100.00 |
| CI- DS-SW-DEL | DS NVS "Delta" software only Includes support for up to 64 IP cameras - 1 year warranty Note: does not include cameras nor IP camera licenses | \$2,200.00 |
| IP Device Integration | | |
| CI- DS-SW-CAM | Camera integration fee per camera - either IP camera or analog connected via an IP converter | \$275.00 |
| CI- DS-SW-CAM-P | Camera integration fee per camera - if purchased with an IP camera or IP server | \$192.50 |
| CI- DS-SW-CAM-P4 | Camera integration fee per Arecont quad camera or 4 port server - If Arecont camera or 4 port server is purchased from Pelco | \$440.00 |
| DSNVS Data Management Software | | |
| CI- DS-SW-DMS | DS NVS Enterprise Data Management Server. Software Only | \$2,200.00 |

PELCO / INTEGRAL DS NVS

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--------------------|-------------------|
| <u>Minimum Server Requirements and Notes:</u> | | |
| <p>DS NVs is a Software Only configuration, whereby the DigitalSENTRY software is installed on a Server PC provided by the end user. DS NVs supports up to 64 IP Camera inputs per Server PC*.</p> <p>The DS NVs 32 & 64 channel configuration (Pro & Delta) must be installed on a PC that meets the following minimum requirements:</p> <ul style="list-style-type: none"> • Industry-Standard, Intel Platform, Server-Grade Motherboard • Dual Xeon Processors • 1GB RAM • Dual Gigabit NICs • Microsoft Windows XPe, XP Pro, 2003 Server Operating System • 7200rpm Hard Drive (minimum of one); can be SCSI or SATA** • Drive Controller Card*** • CD-RW • If standalone NVs configuration, require 20GB partition for OS / Application • If NVs is part of distributed system, requires a minimum of a 160GB drive (20GB partition for OS / Application) and (140GB for video storage). <p>* DS NVs supports 32 IP Camera Inputs at 352 x 240 resolution @ 30ips; 704 x 480 resolution @ 15ips. DS NVs supports 64 IP Camera Inputs at 352 x 240 resolution @ 30ips; 704 x 480 resolution @ 15ips.</p> <p>**If all video storage will reside on the DS NVs server, the user must add the appropriate quantity, speed, and size of drives required to meet the storage requirement. If the video will be stored on an external storage subsystem, the end user must install a suitable SCSI Card.</p> <p>***The transmission I/O rate of the Drive Controller Card is an important factor to consider. For best performance, the customer should select a system that has a robust controller card, especially with a high camera count (20–32 IP cameras) or when using high-throughput cameras (iPIX).</p> <p>The DS NVs 4 (Satellite) and 16 (Base) channel configurations must be installed on a PC that meets the following minimum requirements:</p> <ul style="list-style-type: none"> • Industry-Standard, Intel Platform Motherboard • Intel P4 3.2Ghz Processor • 1GB RAM • Dual Gigabit NICs • Microsoft Windows XPe, XP Pro, 2003 Server Operating System • 7200rpm Hard Drive (minimum of one); can be SCSI or SATA** • Drive Controller Card*** • CD-RW • If standalone NVs configuration, require 20GB partition for OS / Application • If NVs is part of distributed system, requires a minimum of a 160GB drive (20GB partition for OS / Application) and (140GB for video storage). <p>**If all video storage will reside on the DS NVs server, the user must add the appropriate quantity, speed, and size of drives required to meet the storage requirement. If the video will be stored on an external storage subsystem, the end user must install a suitable SCSI Card.</p> | | |

PELCO / INTEGRAL DS NVS

Part No.

Description

List Price

***The transmission I/O rate of the Drive Controller Card is an important factor to consider. For best performance, the customer should select a system that has a robust controller card, especially with a high camera count (16 IP cameras) or when using high-throughput cameras (iPIX).

PELCO / INTEGRAL DS NVR

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| DS NVR | | |
| <p>DS NVR is a turnkey software and hardware solution that manages video from IP cameras and converts exclusively via an Ethernet connection.</p> <p>DS NVR is offered in 4, 16 and 32 channel configurations and provides RAID and non-RAID internal and external storage options. As a fully scalable solution, customers can install several IP cameras at a small, remote site without incurring the cost of installing, managing, and maintaining a DVR at each location or use multiple DS NVRs to support an unlimited number of IP camera counts system-wide.</p> <p>In their network architecture, DS NVR users can place IP cameras in any location with an Ethernet network drop, eliminating the distance limitations associated with analog cable runs between cameras and DVRs. Existing analog cameras are brought into DS NVR using an IP converter, allowing customers to preserve their investments in any existing analog camera infrastructure.</p> <p>The entire DigitalSENTRY product line uses the same DigitalSENTRY software application, providing seamless integration across hardware platforms. When new software features and functionality are available from Integral Technologies, the customer needs only upgrade the software, which extends the product life cycle, saving time and money, and lowering the total cost of ownership.</p> | | |
| NOTE: ALL DS NVR have IP channel licenses included. | | |
| DS NVR - 4 Channel Systems | | |
| CI DSNVR04500 | 4-Channel DS NVR One 500GB Drive for internal video storage; Includes a SCSI Controller Card for use with External RAID Storage Devices. | \$5,500.00 |
| CI DSNVR041500 | 4-Channel DS NVR Three 500GB Drives (1500GB) of internal video storage; Includes a SCSI Controller Card for use with External RAID Storage Devices. | \$7,700.00 |
| DS NVR - 4 Channel Systems configured as a VAU to be used in conjunction with a DS DMS | | |
| CI DSNVR04500V | 4-Channel DS NVR configured as a VAU One 500GB Drive for internal video storage; Includes a SCSI Controller Card for use with External RAID Storage Devices. | \$5,500.00 |
| CI DSNVR041500V | 4-Channel DS NVR configured as a VAU Three 500GB Drives (1500GB) of internal video storage; Includes a SCSI Controller Card for use with External RAID Storage Devices. | \$7,700.00 |
| DS NVR - 16 Channel Systems | | |
| CI DSNVR16500 | 16-Channel DS NVR One 500GB Drive for internal video storage; Includes a SCSI Controller Card for use with External RAID Storage Devices. | \$6,600.00 |
| CI DSNVR161500 | 16-Channel DS NVR Three 500GB Drives (1200GB) of internal video storage; Includes a SCSI Controller Card for use with External RAID Storage Devices. | \$8,800.00 |

PELCO / INTEGRAL DS NVR

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| DS NVR - 16 Channel Systems configured as a VAU to be used in conjunction with a DS DMS | | |
| CI DSNVR16500V | 16-Channel DS NVR configured as a VAU One 500GB Drive for internal video storage; Includes a SCSI Controller Card for use with External RAID Storage Devices. | \$6,600.00 |
| CI DSNVR161500V | 16-Channel DS NVR configured as a VAU Three 500GB Drives (1200GB) of internal video storage; Includes a SCSI Controller Card for use with External RAID Storage Devices. | \$8,800.00 |
| DS NVR - 32 Channel Systems | | |
| CI DSNVR32500 | 32-Channel DS NVR One 500GB Drive for internal video storage; Includes a SCSI Controller Card for use with External RAID Storage Devices. | \$11,000.00 |
| CI DSNVR321500 | 32-Channel DS NVR Three 500GB Drives (1500GB) of internal video storage; Includes a SCSI Controller Card for use with External RAID Storage Devices. | \$13,200.00 |
| DS NVR - 32 Channel Systems configured as a VAU to be used in conjunction with a DS DMS | | |
| CI DSNVR32500V | 32-Channel DS NVR configured as a VAU One 500GB Drive for internal video storage; Includes a SCSI Controller Card for use with External RAID Storage Devices. | \$11,000.00 |
| CI DSNVR321500V | 32-Channel DS NVR configured as a VAU Three 500GB Drives (1500GB) of internal video storage; Includes a SCSI Controller Card for use with External RAID Storage Devices. | \$13,200.00 |
| DS NVR - Raid Systems | | |
| CI DDSNVR048080 | 4-Channel DS NVR Two 80GB Drives in RAID 1 Mirror Configuration; No Internal Video Storage. Includes a SCSI Controller Card for use with External RAID Storage Devices; All video stored on an external RAID storage device sold separately. | \$5,500.00 |
| CI DSNVR168080 | 16-Channel DS NVR Two 80GB Drives in RAID 1 Mirror Configuration; No Internal Video Storage. Includes a SCSI Controller Card for use with External RAID Storage Devices; All video stored on an external RAID storage device sold separately. | \$6,600.00 |
| CI DSNVR328080 | 32-Channel DS NVR Two 80GB Drives in RAID 1 Mirror Configuration; No Internal Video Storage. Includes a SCSI Controller Card for use with External RAID Storage Devices; All video stored on an external RAID storage device sold separately. | \$11,000.00 |
| DS NVR Options | | |
| CI DSNVRUP416 | DS NVR Software Upgrade from a 4-Channel system to a 16 channel system. Note: does not include cameras | \$1,100.00 |
| CI DSNVRUP432 | DS NVR Software Upgrade from a 4-Channel system to a 32 channel system. Note: does not include cameras | \$5,500.00 |
| CI DSNVRUP1632 | DS NVR Software Upgrade from 16-Channel system to a 32 channel system. Note: does not include cameras | \$4,400.00 |

PELCO / INTEGRAL DS NVR

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|----------------------------------|-------------------|
| CI 3390-00290 | DVD-RW Option, Factory Installed | \$183.34 |
| CI 3390-00295 | DVD-RW Option, Field Upgrade | \$183.34 |

PELCO / INTEGRAL DS RealVue

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|--------------------|-------------------|
|-----------------|--------------------|-------------------|

DS RealVue XPress

DS RealVue Digital Video Management Solutions are 32 channel real-time digital video recorders. These systems are single chassis and capable of simultaneously recording 32 cameras at 30 frames per second at full D1 resolution. DS RealVue products are broadcast quality recorders with the DigitalSENTRY feature set, with functional support for high security applications such as gaming, money counting and corrections require. DS RealVue supports IP Camera and Video Analytic options.

The DS RealVue XPress Digital Video Management System is available in 8, 16, and 32 channel configurations and supports up to 16 channels of audio. DS RealVue RAID offers a high level of fault tolerance and redundancy. Both power supplies and hard drives are hot-swappable, so that in the event of a failure, the operating system data and recorded data are safe and intact while the system continues to record. DS RealVue RAID is available in 8, 16, and 32 channel configurations and supports up to 32 channels of audio.

The DS RealVue Desktop Digital Video Management System is available in 4,8, and 16 channel configurations and supports up to 8 Channels of Audio. DS RealVue Desktop is perfect for applications requiring real-time recording at lower frame rates while providing a smaller physical footprint.

All DigitalSENTRY products are able to run in a hybrid mode, supporting up to 16 IP cameras per DVMS.

All DS RealVue Digital Video Management Systems come standard with DVD-RW.

DS RealVue XPress

| | | |
|-----------------|------------------------------|-------------|
| CI- DS-R08-0500 | 8 channel - 500GB - 240ips | \$9,570.00 |
| CI- DS-R08-1000 | 8 channel - 1000GB - 240ips | \$10,175.00 |
| CI- DS-R08-2000 | 8 channel - 2000GB- 240ips | \$11,330.00 |
| CI- DS-R16-0500 | 16 channel - 500GB - 480ips | \$13,090.00 |
| CI- DS-R16-1000 | 16 channel - 1000GB - 480ips | \$15,180.00 |
| CI- DS-R16-2000 | 16 channel - 2000GB - 480ips | \$17,380.00 |
| CI- DS-R32-0500 | 32 channel - 500GB - 960ips | \$20,075.00 |
| CI- DS-R32-1000 | 32 channel - 1000GB - 960ips | \$22,330.00 |
| CI- DS-R32-2000 | 32 channel - 2000GB - 960ips | \$24,475.00 |

DS RealVue Xpress configured as a VAU to be used in conjunction with a DS DMS

| | | |
|------------------|--|-------------|
| CI- DS-R08-0500V | 8 channel - 500GB - 240ips configured as a VAU | \$9,570.00 |
| CI- DS-R08-1000V | 8 channel - 1000GB - 240ips configured as a VAU | \$10,175.00 |
| CI- DS-R08-2000V | 8 channel - 2000GB- 240ips configured as a VAU | \$11,330.00 |
| CI- DS-R16-0500V | 16 channel - 500GB - 480ips configured as a VAU | \$13,090.00 |
| CI- DS-R16-1000V | 16 channel - 1000GB - 480ips configured as a VAU | \$15,180.00 |
| CI- DS-R16-2000V | 16 channel - 2000GB - 480ips configured as a VAU | \$17,380.00 |
| CI- DS-R32-0500V | 32 channel - 500GB - 960ips configured as a VAU | \$20,075.00 |
| CI- DS-R32-1000V | 32 channel - 1000GB - 960ips configured as a VAU | \$22,330.00 |
| CI- DS-R32-2000V | 32 channel - 2000GB - 960ips configured as a VAU | \$24,475.00 |

PELCO / INTEGRAL DS RealVue

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|---|-------------------|
| DS RealVue RAID | | |
| CI- DS-X08-8080 | 8 channel - 80GBx80GB (Mirrored RAID for OS / DS Application Only) - 240ips | \$14,850.00 |
| CI- DS-X08-4500 | 8 channel - 4x500GB RAID 10 (1000GB total) - 240ips | \$17,930.00 |
| CI- DS-X08-45005 | 8 channel - 4x500GB RAID 5 (1500GB total) - 240ips | \$17,930.00 |
| CI- DS-X16-8080 | 16 channel - 80GBx80GB (Mirrored RAID for OS / DS Application Only)- 480ips | \$17,930.00 |
| CI- DS-X16-4500 | 16 channel - 4x500GB RAID 10 (1000GB total) - 480ips | \$20,075.00 |
| CI- DS-X16-45005 | 16 channel - 4x500GB RAID 5 (1500GB total) - 480ips | \$20,075.00 |
| CI- DS-X1616-8080 | 16 channel/16 looping - 80GBx80GB (Mirrored RAID for OS / DS Application Only)- 480ips | \$18,480.00 |
| CI- DS-X1616-4500 | 16 channel/16 looping - 4x500GB RAID 10 (1000GB total)- 480ips | \$21,230.00 |
| CI- DS-X1616-45005 | 16 channel/16 looping - 4x500GB RAID 5 (1500GB total)- 480ips | \$21,230.00 |
| CI- DS-X32-8080 | 32 channel - 80GBx80GB (Mirrored RAID for OS / DS Application Only) - 960ips | \$28,380.00 |
| CI- DS-X32-4500 | 32 channel - 4x500GB RAID 10 (1000GB total) - 960ips | \$31,130.00 |
| CI- DS-X32-45005 | 32 channel - 4x500GB RAID 5 (1500GB total) - 960ips | \$31,130.00 |
| DS RealVue RAID configured as a VAU to be used in conjunction with a DS DMS | | |
| CI DSX08-4500V | 8 channel - 4x500GB RAID 10 (1000GB total) - 240ips configured as a VAU | \$17,930.00 |
| CI DSX08-45005V | 8 channel - 4x500GB RAID 5 (1500GB total) - 240ips configured as a VAU | \$17,930.00 |
| CI DSX16-4500V | 16 channel - 4x500GB RAID 10 (1000GB total) - 480ips configured as a VAU | \$20,075.00 |
| CI DSX16-45005V | 16 channel - 4x500GB RAID 5 (1500GB total) - 480ips configured as a VAU | \$20,075.00 |
| CI DSX1616-4500V | 16 channel/16 looping - 4x500GB RAID 10 (1000GB total)- 480ips configured as a VAU | \$21,230.00 |
| CI DSX1616-45005V | 16 channel/16 looping - 4x500GB RAID 5 (1500GB total)- 480ips configured as a VAU | \$21,230.00 |
| CI DSX32-4500V | 32 channel - 4x500GB RAID 10 (1000GB total) - 960ips configured as a VAU | \$31,130.00 |
| CI DSX32-45005V | 32 channel - 4x500GB RAID 5 (1500GB total) - 960ips configured as a VAU | \$31,130.00 |
| DS RealVue DeskTop | | |
| CI- DS-D04-0500 | DS RV DT 4ch,120ips,500GB | \$4,950.00 |
| CI- DS-D04-1000 | DS RV DT 4ch,120ips,1000GB | \$6,050.00 |
| CI- DS-D08-0500 | DS RV DT 8ch,240ips,500GB | \$7,150.00 |
| CI- DS-D08-1000 | DS RV DT 8ch,240ips,1000GB | \$8,250.00 |
| CI- DS-D16-0500 | DS RVDT 16ch,480ips,500GB | \$9,350.00 |
| CI- DS-D16-1000 | DS RVDT 16ch,480ips,1000GB | \$10,450.00 |

PELCO / INTEGRAL DS Enterprise

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|-------------------------------------|-------------------|
| DS Enterprise | | |
| <p>DS Enterprise is a Digital Video Management System (DVMS) supporting large numbers of cameras and multiple locations. The system is administered and operated over a network from remote locations or the Internet. DS Enterprise has redundant video storage drives, power supplies and operating systems. Each system can support up to 640 cameras, which are managed from a single database.</p> <p>All DigitalSENTRY products are able to run in a hybrid mode, supporting up to 16 IP cameras per DVMS.</p> | | |
| Video Recorders with SCSI Storage Interface | | |
| CI- 3556-10001 | DS SAVR w/16 Input iVEX XMUX2-16 | \$14,405.50 |
| CI- 3556-10002 | DS SAVR w/32 Input iVEX XMUX2-16 | \$19,574.50 |
| CI- 3556-10004 | DS SAVR w/64 Input iVEX XMUX2-16 | \$29,947.50 |
| CI- 3558-10001 | DS SAVR w/32 Input iVEX XMUX2-32 | \$16,032.50 |
| CI- 3558-10002 | DS SAVR w/64 Input iVEX XMUX2-32 | \$23,127.50 |
| CI- 3558-10004 | DS SAVR w/128 Input iVEX XMUX2-32 | \$37,317.50 |
| Video Recorders with Fiber Storage Interface in place of SCSI Storage Interface | | |
| CI- 3556-10001-X | DS SAVR w/16 Input iVEX XMUX2-16 | \$14,405.50 |
| CI- 3556-10002-X | DS SAVR w/32 Input iVEX XMUX2-16 | \$19,574.50 |
| CI- 3556-10004-X | DS SAVR w/64 Input iVEX XMUX2-16 | \$29,947.50 |
| CI- 3558-10001-X | DS SAVR w/32 Input iVEX XMUX2-32 | \$16,032.50 |
| CI- 3558-10002-X | DS SAVR w/64 Input iVEX XMUX2-32 | \$23,127.50 |
| CI- 3558-10004-X | DS SAVR w/128 Input iVEX XMUX2-32 | \$37,317.50 |
| DMS Server - Network Video Recorders | | |
| CI- 3512-10003 | DS Data Management Server (SCSI) | \$9,735.00 |
| CI- 3512-10003-X | DS Data Management Server (Fiber) | \$9,735.00 |
| Video Acquisition Units (VAU) | | |
| CI- 3552-10001 | DS VAU w/16 Input iVEX XMUX2-16 | \$16,087.50 |
| CI- 3552-10002 | DS VAU w/32 Input iVEX XMUX2-16 | \$21,257.50 |
| CI- 3552-10004 | DS VAU w/64 Input iVEX XMUX2-16 | \$31,625.00 |
| CI- 3554-10001 | DS VAU With 32 Input iVEX XMUX2-32 | \$17,704.50 |
| CI- 3554-10002 | DS VAU With 64 Input iVEX XMUX2-32 | \$24,805.00 |
| CI- 3554-10004 | DS VAU With 128 Input iVEX XMUX2-32 | \$38,995.00 |
| VSAN Server | | |
| CI 3530-10005 | DS VSAN Server (20 GB RAID 1) | \$9,707.50 |
| DS Enterprise Spare Kits and Optional Hardware | | |
| CI 3590-00961 | 4U Spare Kit iVEX XMUX2-16 | \$6,096.20 |
| CI 3590-00962 | 4U Spare Kit iVEX XMUX2-32 | \$5,958.70 |
| CI 3390-00290 | DVD-RW Option, Factory Installed | \$183.34 |
| CI 3390-00295 | DVD-RW Option, Field Upgrade | \$183.34 |

PELCO / INTEGRAL DS 1000

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|--------------------|-------------------|
| DS 1000 | | |

DS 1000's channel count, frame rate and compression technology are desinged for today's mainstream applications. DS 1000 is a MPEG-4 based DigitalSENTRY digital video management system offering 16- and 32-channel configurations, capturing five to ten frames per second, with MPEG-4 compression.

Through a single user interface, DS 1000 can seamlessly run with all of the Integral Digital Video Management Systems and supports the Integral IT Software Suite consisting of Network Health Monitoring, Archive Utility and Automatic Online Updates (Q4, 2007). By simultaneously supporting both IP and analog cameras, the DS 1000 provides a flexible hybrid solution.

DS 1000 comes in the same 4U chassis as the DS XPress product line and provides 1,2 or 4 hard drive configurations. DS 1000 features automated service monitoring and recovery through the FlashGUARD device, which also has a relay output for external notification. DS 1000 F16 series supports up to 16 IP cameras in Hybrid configuration. DS 1000 F32 series supports up to 8 IP cameras in Hybrid configuration. IP channel licenses sold separately. DS 1000 comes with a DVD+RW.

| Video Recorders with SCSI Storage Interface | | |
|---|----------------------------|-------------|
| CI- DS-F32-500 | DS 1000 32 channel, 500GB | \$8,580.00 |
| CI- DS-F32-1000 | DS 1000 32 channel, 1000GB | \$9,900.00 |
| CI- DS-F32-2000 | DS 1000 32 channel, 2000GB | \$11,550.00 |
| CI- DS-F16-500 | DS 1000 16 channel, 500GB | \$7,150.00 |
| CI- DS-F16-1000 | DS 1000 16 channel, 1000GB | \$8,030.00 |
| CI- DS-F16-2000 | DS 1000 16 channel, 2000GB | \$9,680.00 |

PELCO / INTEGRAL DS XPress

Integral units are shipped with mouse and keyboard; monitor not included.

| <u>Description</u> | <u>Video Input</u> <u>s</u> | <u>Frame Rate</u> <u>IPS</u> | <u>Alarm Inputs</u> | <u>Part No.</u> | <u>Hard Drive</u> <u>GB</u> | <u>List Price</u> |
|--------------------|--------------------------------|---------------------------------|---------------------|-----------------|--------------------------------|-------------------|
|--------------------|--------------------------------|---------------------------------|---------------------|-----------------|--------------------------------|-------------------|

DS XPress Using XMUX2 with DigitalSENTRY Software

The DS XPress recorder is a combination of a database server and a video acquisition unit that captures up to 480 ips NTSC (400 ips PAL), with up to 128 camera inputs and four audio channels. Image capture rates are adjustable and can be increased during an alarm event to the maximum rate of 480 ips. DS XPress uses the same custom iVEX compression technology found in DS Enterprise and DVX video recorders. iVEX compression allows for much higher compression ratios and improved picture quality. DS XPress features automated service monitoring and recovery through the FlashGUARD device, which also has a relay output for external notification.

All DigitalSENTRY products are able to run in a hybrid mode, supporting up to 16 IP cameras per DVMS.

| | | | | | | |
|---|----|-----|----|----------------------|------|-------------|
| DS XPress with looping video inputs | 16 | 120 | 16 | CI- 3540-1V-1C-1D-0S | 250 | \$10,076.00 |
| Watchdog card with alarm output and RS422 port. 4U rack mount chassis | 16 | 120 | 16 | CI- 3540-1V-1C-2D-0S | 500 | \$11,451.00 |
| with an additional 1U enclosure for each 16 cameras; Includes PTZ support and RemoteView Client software. | 16 | 120 | 16 | CI- 3540-1V-1C-4D-0S | 1000 | \$14,201.00 |
| | 16 | 120 | 16 | CI- 3540-1V-1C-5D-0S | 2000 | \$16,401.00 |
| | 32 | 240 | 32 | CI- 3540-1V-2C-1D-0S | 250 | \$15,427.50 |
| | 32 | 240 | 32 | CI- 3540-1V-2C-2D-0S | 500 | \$16,802.50 |
| | 32 | 240 | 32 | CI- 3540-1V-2C-4D-0S | 1000 | \$19,552.50 |
| | 32 | 240 | 32 | CI- 3540-1V-2C-5D-0S | 2000 | \$21,752.50 |
| | 48 | 360 | 48 | CI- 3540-1V-3C-1D-0S | 250 | \$20,762.50 |
| | 48 | 360 | 48 | CI- 3540-1V-3C-2D-0S | 500 | \$22,137.50 |
| | 48 | 360 | 48 | CI- 3540-1V-3C-4D-0S | 1000 | \$24,887.50 |
| | 48 | 360 | 48 | CI- 3540-1V-3C-5D-0S | 2000 | \$27,087.50 |
| | 64 | 480 | 64 | CI- 3540-1V-4C-1D-0S | 250 | \$26,108.50 |
| | 64 | 480 | 64 | CI- 3540-1V-4C-2D-0S | 500 | \$27,483.50 |
| | 64 | 480 | 64 | CI- 3540-1V-4C-4D-0S | 1000 | \$30,233.50 |
| | 64 | 480 | 64 | CI- 3540-1V-4C-5D-0S | 2000 | \$32,433.50 |

| | | | | | | |
|---|-----|-----|----|----------------------|------|-------------|
| DS XPress with non-looping video inputs Watchdog card with alarm output and RS422 port. 4U rack mount chassis with an additional 1U enclosure for each 32 cameras; Includes PTZ support and RemoteView Client software. | 32 | 120 | 16 | CI- 3540-2V-1C-1D-0S | 250 | \$11,907.50 |
| | 32 | 120 | 16 | CI- 3540-2V-1C-2D-0S | 500 | \$13,282.50 |
| | 32 | 120 | 16 | CI- 3540-2V-1C-4D-0S | 1000 | \$16,032.50 |
| | 32 | 120 | 16 | CI- 3540-2V-1C-5D-0S | 2000 | \$18,232.50 |
| | 64 | 240 | 32 | CI- 3540-2V-2C-1D-0S | 250 | \$18,359.00 |
| | 64 | 240 | 32 | CI- 3540-2V-2C-2D-0S | 500 | \$19,734.00 |
| | 64 | 240 | 32 | CI- 3540-2V-2C-4D-0S | 1000 | \$22,484.00 |
| | 64 | 240 | 32 | CI- 3540-2V-2C-5D-0S | 2000 | \$24,684.00 |
| | 96 | 360 | 48 | CI- 3540-2V-3C-1D-0S | 250 | \$24,816.00 |
| | 96 | 360 | 48 | CI- 3540-2V-3C-2D-0S | 500 | \$26,191.00 |
| | 96 | 360 | 48 | CI- 3540-2V-3C-4D-0S | 1000 | \$28,941.00 |
| | 96 | 360 | 48 | CI- 3540-2V-3C-5D-0S | 2000 | \$31,141.00 |
| | 128 | 480 | 64 | CI- 3540-2V-4C-1D-0S | 250 | \$31,267.50 |
| | 128 | 480 | 64 | CI- 3540-2V-4C-2D-0S | 500 | \$32,642.50 |
| | 128 | 480 | 64 | CI- 3540-2V-4C-4D-0S | 1000 | \$35,392.50 |
| | 128 | 480 | 64 | CI- 3540-2V-4C-5D-0S | 2000 | \$37,592.50 |

PELCO / INTEGRAL DS XPress

Integral units are shipped with mouse and keyboard; monitor not included.

| <u>Description</u> | <u>Video Input</u> <u>s</u> | <u>Frame Rate</u> <u>IPS</u> | <u>Alarm Inputs</u> | <u>Part No.</u> | <u>Hard Drive</u> <u>GB</u> | <u>List Price</u> |
|---|--------------------------------|---------------------------------|---------------------|----------------------|--------------------------------|-------------------|
| DS XPress with 16 non-looping video inputs. Watchdog card with alarm output and RS422 port. 4U rack mount chassis. Includes PTZ support and RemoteView Client software. | 16 | 120 | 16 | CI- 3540-3V-1C-1D-0S | 250 | \$8,789.00 |
| | 16 | 120 | 16 | CI- 3540-3V-1C-2D-0S | 500 | \$10,164.00 |
| | 16 | 120 | 16 | CI- 3540-3V-1C-4D-0S | 1000 | \$12,914.00 |
| | 16 | 120 | 16 | CI- 3540-3V-1C-5D-0S | 2000 | \$15,114.00 |
| | 16 | 240 | 16 | CI- 3540-3V-2C-1D-0S | 250 | \$9,801.00 |
| | 16 | 240 | 16 | CI- 3540-3V-2C-2D-0S | 500 | \$11,176.00 |
| | 16 | 240 | 16 | CI- 3540-3V-2C-4D-0S | 1000 | \$13,926.00 |
| | 16 | 240 | 16 | CI- 3540-3V-2C-5D-0S | 2000 | \$16,126.00 |
| | 16 | 480 | 16 | CI- 3540-3V-4C-1D-0S | 250 | \$10,807.00 |
| | 16 | 480 | 16 | CI- 3540-3V-4C-2D-0S | 500 | \$12,144.00 |
| | 16 | 480 | 16 | CI- 3540-3V-4C-4D-0S | 1000 | \$14,894.00 |
| | 16 | 480 | 16 | CI- 3540-3V-4C-5D-0S | 2000 | \$17,270.00 |
| DS XPress with 32 non-looping video inputs. Watchdog card with alarm output and RS422 port. 4U rack mount chassis. Includes PTZ support and RemoteView Client software. | 32 | 240 | 16 | CI- 3540-4V-2C-1D-0S | 250 | \$11,726.00 |
| | 32 | 240 | 16 | CI- 3540-4V-2C-2D-0S | 500 | \$13,101.00 |
| | 32 | 240 | 16 | CI- 3540-4V-2C-4D-0S | 1000 | \$15,851.00 |
| | 32 | 240 | 16 | CI- 3540-4V-2C-5D-0S | 2000 | \$19,690.00 |
| | 32 | 480 | 16 | CI- 3540-4V-4C-1D-0S | 250 | \$14,476.00 |
| | 32 | 480 | 16 | CI- 3540-4V-4C-2D-0S | 500 | \$15,851.00 |
| | 32 | 480 | 16 | CI- 3540-4V-4C-4D-0S | 1000 | \$18,601.00 |
| | 32 | 480 | 16 | CI- 3540-4V-4C-5D-0S | 2000 | \$20,801.00 |

*Optional SCSI adapter and VSAN Monitoring software may be added to any of the above configurations. To order this option, replace the -0S with -1S

\$918.00

Note: To configure a DS XPress as a VAU change the 3540- to 3550-

Support Equipment Options for DS XPress

| | | |
|-------------------------------|----------------|----------|
| KVM Switch 4 Port with cables | CI- 3590-00805 | \$599.00 |
|-------------------------------|----------------|----------|

External RAID Data Storage Options for DS XPress

| | | |
|---|----------------|-------------|
| JetStor-16 – 1.75 TB of External RAID Storage for DS XPress | CI- 3530-10013 | \$19,176.00 |
| JetStor-16 – 2.5 TB of External RAID Storage for DS XPress | CI- 3530-10014 | \$22,040.00 |
| JetStor-16 – 3.5 TB of External RAID Storage for DS XPress | CI- 3530-10015 | \$25,493.60 |

*NOTE: External data storage options require a DS Xpress system with a SCSI adapter installed, Change last two digits of part number to -1S. Only the storage devices listed above support software monitoring and alarming by DS Xpress systems using extern

PELCO / INTEGRAL DS XPress

Integral units are shipped with mouse and keyboard; monitor not included.

| <u>Description</u> | <u>Video Input</u> <u>s</u> | <u>Frame Rate</u> <u>IPS</u> | <u>Alarm Inputs</u> | <u>Part No.</u> | <u>Hard Drive</u> <u>GB</u> | <u>List Price</u> |
|--------------------|--------------------------------|---------------------------------|---------------------|-----------------|--------------------------------|-------------------|
| | | | | | | |

PELCO / INTEGRAL DS XPress Desktop

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|--|-------------------|
| DS Desktop | | |
| <p>The DS XPress Desktop recorder is a combination of a database server and a video acquisition unit that captures up to 120 ips NTSC (100 ips PAL), with up to 16 camera inputs and four audio channels. Image capture rates are adjustable and can be increased during an alarm event to the maximum rate of 120 ips. DS XPress Desktop uses the same custom iVEX compression technology found in DS Enterprise and DVX video recorders. iVEX compression allows for much higher compression ratios and improved picture quality. DS XPress features automated service monitoring and recovery through the FlashGUARD device, which also has a relay output for external notification.</p> <p>All DigitalSENTRY products are able to run in a hybrid mode, supporting up to 16 IP cameras per DVMS.</p> | | |
| DS Desktop - Available in 4, 9, 16 Cannel Configurations | | |
| CI- 3540-04160 | DS XPress - 4 Channel, 160GB, 20ips | \$3,960.00 |
| CI- 3540-04250 | DS XPress - 4 Channel, 250GB, 20ips | \$4,290.00 |
| CI- 3540-04500 | DS XPress - 4 Channel, 500GB, 20ips | \$4,620.00 |
| CI- 3540-041000 | DS XPress - 4 Channel, 1000GB, 20ips | \$6,050.00 |
| CI- 3540-09250 | DS XPress - 9 Channel, 250GB, 120ips | \$6,490.00 |
| CI- 3540-09500 | DS XPress - 9 Channel, 500GB, 120ips | \$6,820.00 |
| CI- 3540-091000 | DS XPress - 9 Channel, 1000GB, 120ips | \$7,370.00 |
| CI- 3540-16250 | DS XPress - 16 Channel, 250GB, 120ips | \$7,810.00 |
| CI- 3540-16500 | DS XPress - 16 Channel, 500GB, 120ips | \$8,520.00 |
| CI- 3540-161000 | DS XPress - 16 Channel, 1000GB, 120ips | \$8,800.00 |
| CI- 3541-04160 | DS XPress - 4 Channel, 160GB, 120ips | \$4,730.00 |
| CI- 3541-04250 | DS XPress - 4 Channel, 250GB, 120ips | \$5,500.00 |
| CI- 3541-04500 | DS XPress - 4 Channel, 500GB, 120ips | \$5,940.00 |
| CI- 3541-041000 | DS XPress 4 ch 120ips 1000GB, 120ips | \$6,820.00 |
| DS Xpress Desktop Optional Hardware | | |
| CI- 3390-00290 | DVD-RW Option, Factory Installed | \$183.34 |
| CI- 3390-00295 | DVD-RW Option, Field Upgrade | \$183.34 |

PELCO / INTEGRAL DVXi

Integral units are shipped with mouse and keyboard; monitor not included.

| <u>Description</u> | <u>Part No.</u> | <u>Feature String</u> | <u>Hard Drive GB</u> | <u>List Price</u> |
|--------------------|-----------------|-----------------------|----------------------|-------------------|
|--------------------|-----------------|-----------------------|----------------------|-------------------|

Integral DVXi is a powerful, yet easy to use digital video management system that provides feature set and flexibility targeted towards small to medium sized applications. The DVXi comes standard with MasterControl software whose features include 120 images per second recording capability, Easy Evidence exporting, bookmarking event locking, Smart Search, and automatic e-mail notification for instances of lost camera scene, stopped recording, and motion detection.

DVXi XM Professional Digital Recording Systems with XMUX

All XM systems include CD-RW

DVXi XM32 RM

120ips, 4 ch. Audio, video bookmarking, Easy Evidence, Email and alarm notification, 32 video inputs, 16 alarm inputs, 4 switched video outputs (1 is multiplexed), CD/RW, 5U height (4U rack mount chassis + 1U Xmus). Includes RemoteView client software, 3 year warranty.

| | | | |
|----------------|---------------------|------|----------|
| CI- 3985-00160 | DVXi XM32 RM 160GB | 160 | \$7,480 |
| CI- 3985-00250 | DVXi XM32 RM 250GB | 250 | \$7,920 |
| CI- 3985-00500 | DVXi XM32 RM 500GB | 500 | \$8,910 |
| CI- 3985-00750 | DVXi XM32 RM 750GB | 750 | \$9,900 |
| CI- 3985-01280 | DVXi XM32 RM 1.28TB | 1280 | \$10,945 |

DVXi XM16RM

120ips, 4 ch. Audio, video bookmarking, Easy Evidence, Email and alarm notification, 16 video inputs, 16 alarm inputs, 4 switched video outputs (1 is multiplexed), CD/RW, 5U height (4U rack mount chassis + 1U Xmus). Includes RemoteView client software, 3 year warranty.

| | | | |
|----------------|---------------------|------|---------|
| CI- 3980-00080 | DVXi XM16 RM 80GB | 80 | \$6,050 |
| CI- 3980-00160 | DVXi XM16 RM 160GB | 160 | \$6,435 |
| CI- 3980-00250 | DVXi XM16 RM 250GB | 250 | \$6,820 |
| CI- 3980-00500 | DVXi XM16 RM 500GB | 500 | \$7,590 |
| CI- 3980-00750 | DVXi XM16 RM 750GB | 750 | \$8,580 |
| CI- 3980-01280 | DVXi XM16 RM 1.28TB | 1280 | \$9,790 |

PELCO / INTEGRAL DVXi

Integral units are shipped with mouse and keyboard; monitor not included.

| <u>Description</u> | <u>Part No.</u> | <u>Feature String</u> | <u>Hard Drive GB</u> | <u>List Price</u> |
|---|-----------------|-----------------------|----------------------|-------------------|
| DVXi TBX Digital CCTV Management Systems | | | | |
| DVXi TBX16 RM | CI- 3965-00080 | DVXi TBX16 RM 80GB | 80 | \$5,060 |
| 120ips, 16 video inputs, 4 ch.audio, video bookmarking, easy vidence, email and alarm notification, 16 alarm inputs, 1 switched video output (multiplexed), cd/rw, 4U height rack mount chassis. Includes RemoteView client software, 3 year warranty. | CI- 3965-00160 | DVXi TBX16 RM 160GB | 160 | \$5,390 |
| | CI- 3965-00250 | DVXi TBX16 RM 250GB | 250 | \$5,720 |
| | CI- 3965-00500 | DVXi TBX16 RM 500GB | 500 | \$6,710 |
| | CI- 3965-00750 | DVXi TBX16 RM 750GB | 750 | \$7,480 |
| | CI- 3965-01280 | DVXi TBX16 RM 1.28TB | 1280 | \$8,580 |
| DVXi TBX9 RM | | | | |
| 120ips, 4 ch.audio, video bookmarking, easy vidence, email and alarm notification, 9 video inputs, 16 alarm inputs, 1 switched video output (multiplexed), cd/rw, 4U height rack mount chassis. Includes RemoteView client software, 3 year warranty. | CI- 3955-00080 | DVXi TBX9 RM 80GB | 80 | \$4,950 |
| | CI- 3955-00160 | DVXi TBX9 RM 160GB | 160 | \$5,280 |
| | CI- 3955-00250 | DVXi TBX9 RM 250GB | 250 | \$5,610 |
| | CI- 3955-00500 | DVXi TBX9 RM 500GB | 500 | \$6,600 |
| | CI- 3955-00750 | DVXi TBX9 RM 750GB | 750 | \$7,370 |
| | CI- 3955-01280 | DVXi TBX9 RM 1.28TB | 1280 | \$8,470 |
| DVXi TC Digital CCTV Management Systems | | | | |
| DVXi TS16 RM | CI- 3925-00080 | DVXi TS16 RM 80GB | 80 | \$4,070 |
| 20ips, video bookmarking, Easy Evidence, Email and alarm notification, video input, 16 video inputs, 16 alarm inputs, 1 switched video output (multiplexed), CD/RW, 4U height rack mount chassis. Includes RemoteView client software, 3 year warranty. | CI- 3925-00160 | DVXi TS16 RM 160GB | 160 | \$4,400 |
| | CI- 3925-00250 | DVXi TS16 RM 250GB | 250 | \$4,840 |
| | CI- 3925-00500 | DVXi TS16 RM 500GB | 500 | \$5,610 |
| | CI- 3925-00750 | DVXi TS16 RM 750GB | 750 | \$6,490 |
| | CI- 3925-01280 | DVXi TS16 RM 1.28TB | 1280 | \$7,590 |
| DVXi TS9 RM | | | | |
| 20ips, video bookmarking, Easy Evidence, Email and alarm notification, video input, 9 video inputs, 16 alarm inputs, 1 switched video output (multiplexed), CD/RW, 4U height rack mount chassis. Includes RemoteView client software, 3 year warranty. | CI- 3915-00080 | DVXi TS9 RM 80GB | 80 | \$3,960 |
| | CI- 3915-00160 | DVXi TS9 RM 160GB | 160 | \$4,290 |
| | CI- 3915-00250 | DVXi TS9 RM 250GB | 250 | \$4,730 |
| | CI- 3915-00500 | DVXi TS9 RM 500GB | 500 | \$5,500 |
| | CI- 3915-00750 | DVXi TS9 RM 750GB | 750 | \$6,380 |
| | CI- 3915-01280 | DVXi TS9 RM 1.28TB | 1280 | \$7,480 |

PELCO / INTEGRAL DVXi

Integral units are shipped with mouse and keyboard; monitor not included.

| <u>Description</u> | <u>Part No.</u> | <u>Feature String</u> | <u>Hard Drive GB</u> | <u>List Price</u> |
|--|-----------------|-----------------------|----------------------|-------------------|
| DVXi Options | | | | |
| Archive Options - Removable Hard Drive Options | | | | |
| External USB Archive Hard Drive Storage Kit | CI- 3390-10019 | | | \$1,276 |
| Additional 250 GB formatted drive and mobile tray for external USB archive | CI- 3390-10020 | | | \$633 |
| Additional mobile tray for external USB archive (formatted drive not included) | CI- 3390-10021 | | | \$66 |
| DVXi Hardware Options | | | | |
| DVD-RW Option | CI- 3390-00295 | | | \$183 |
| 17" Black VGA Monitor | CI- 3390-00310 | | | \$875 |
| 19" Black VGA Monitor | CI- 3390-00312 | | | \$1,238 |
| External UPS with shutdown software | CI- 3390-00320 | | | \$875 |
| Watchdog Protection for DVXi | CI- 3390-00330 | | | \$248 |
| Integral Technologies Internal V.90 Modem | CI- 3390-00340 | | | \$193 |
| 4-Port KVM Switch | CI- 3590-00805 | | | \$600 |

PELCO / INTEGRAL DVX500

Units are shipped with mouse and keyboard; monitor not included.

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| DVX 500 Professional Digital Video Management Systems | | |
| The DVX 500 digital video management system manufactured by Integral Technologies is designed to provide a cost-effective solution that combines performance and ease of use. DVX 500's powerful feature set provides a recording rate of up to 120 ips NTSC (100 ips PAL), Easy Evidence and bookmarking functionality, watchdog monitoring, iVEX compression, and optional Transactional Data Interface. | | |
| DVX 500 16 Channel, 120 ips, desk top chassis | | |
| CI- 4416-16160 | DVX 500 16D - 16 Channel, 1600GB, 120ips | \$5,280 |
| CI- 4416-16250 | DVX 500 16D - 16 Channel, 250GB, 120ips | \$5,610 |
| CI- 4416-16500 | DVX 500 16D - 16 Channel, 500GB, 120ips | \$5,940 |
| DVX 500 9 Channel, 120 ips, desk top chassis | | |
| CI- 4411-09080 | DVX 500 9D - 9 Channel, 80GB, 120ips | \$4,620 |
| CI- 4411-09160 | DVX 500 9D - 9 Channel, 160GB, 120ips | \$5,060 |
| CI- 4411-09250 | DVX 500 9D - 9 Channel, 250GB, 120ips | \$5,390 |
| DVX 500 4 Channel, 120 ips, desk top chassis | | |
| CI- 4406-04080 | DVX 500 4D - 4 Channel, 80GB, 120ips | \$4,290 |
| CI- 4406-04160 | DVX 500 4D - 4 Channel, 160GB, 120ips | \$4,620 |
| CI- 4406-04250 | DVX 500 4D - 4 Channel, 250GB, 120ips | \$4,950 |
| DVX 500 16 Channel, 80 ips, desk top chassis | | |
| CI- 4415-16250 | DVX 500 16D - 16 Channel, 250 GB, 80 ips | \$4,840 |
| CI- 4415-165000 | DVX 500 16D - 16 Channel, 500 GB, 80 ips | \$5,390 |
| DVX 500 9 Channel, 80 ips, desk top chassis | | |
| CI- 4410-09080 | DVX 500 9D - 9 Channel, 80 GB, 80 ips | \$3,740 |
| CI- 4410-09160 | DVX 500 9D - 9 Channel, 160 GB, 80 ips | \$3,960 |
| CI- 4410-09250 | DVX 500 9D - 9 Channel, 250 GB, 80 ips | \$4,290 |
| CI- 4410-09500 | DVX 500 9D - 9 Channel, 500 GB, 80 ips | \$5,060 |
| DVX 500 4 Channel, 20 ips, desk top chassis | | |
| CI- 4405-04080 | DVX 500 4D - 4 Channel, 80 GB, 20 ips | \$2,860 |
| CI- 4405-04160 | DVX 500 4D - 4 Channel, 160 GB, 20 ips | \$3,410 |

DVX 500 Systems support 4, 9 or 16 channel digital video recorder, up to 120 ips. Features include Easy Evidence, book marking, 4 audio channels, e-mail/alarm notification, all in a desktop configuration. 16 alarm inputs, 1 switched video output (multiplexed), CD/RW, includes RemoteView Client software and 3 year warranty.

PELCO / INTEGRAL DVXe

Integral units are shipped with mouse and keyboard; monitor not included.

| <u>Part #</u> | <u>Description</u> | <u>List Price</u> |
|---|--------------------|-------------------|
| DVXe XM Professional Digital Video Management Systems with XMUX2 | | |

Increased reliability, usability, and security set DVXe apart from other DVRs. It operates on an embedded operating system which has an excellent track record of stability, security, and performance. Available in 4, 9, 16, and 32 channel configurations (32 channel configuration requires XMUX2), DVXe has MasterControl pre-installed so you can use features like Easy Evidence, audio recording, and bookmarking. It's small 2U chassis is packed with the same features Integral customers have come to enjoy including PTZ control, easy exporting of video to a CD-RW drive, system watchdog, and networking interface.

DVXe XM – 32 Channel, 120 ips, 4 switched video outputs (1 is multiplexed), 3U (2U rack mount chassis + 1U XMUX)

| | | |
|----------------|------------------------------|----------|
| CI- 3825-32250 | DVXe XM – 32 Channel, 250 GB | \$9,919 |
| CI- 3825-32500 | DVXe XM – 32 Channel, 500 GB | \$11,216 |
| CI- 3825-32750 | DVXe XM – 32 Channel, 750 GB | \$12,521 |
| CI- 3825-32960 | DVXe XM – 32 Channel, 960 GB | \$13,306 |

DVXe TBX Professional Digital Video Management Systems with XMUX2

DVXe TBX – 16 Channel, 120 ips, 2U rack mount chassis

| | | |
|----------------|-------------------------------|---------|
| CI- 3815-16080 | DVXe TBX – 16 Channel, 80 GB | \$5,280 |
| CI- 3815-16160 | DVXe TBX – 16 Channel, 160 GB | \$5,720 |
| CI- 3815-16250 | DVXe TBX – 16 Channel, 250 GB | \$6,160 |
| CI- 3815-16500 | DVXe TBX – 16 Channel, 500 GB | \$7,370 |
| CI- 3815-16750 | DVXe TBX – 16 Channel, 750 GB | \$8,250 |
| CI- 3815-16960 | DVXe TBX – 16 Channel, 960 GB | \$8,800 |

DVXe TBX – 9 Channel, 120 ips, 2U rack mount chassis

| | | |
|----------------|------------------------------|---------|
| CI- 3810-09080 | DVXe TBX – 9 Channel, 80 GB | \$4,950 |
| CI- 3810-09160 | DVXe TBX – 9 Channel, 160 GB | \$5,280 |
| CI- 3810-09250 | DVXe TBX – 9 Channel, 250 GB | \$5,610 |
| CI- 3810-09500 | DVXe TBX – 9 Channel, 500 GB | \$6,930 |
| CI- 3810-09750 | DVXe TBX – 9 Channel, 750 GB | \$8,030 |
| CI- 3810-09960 | DVXe TBX – 9 Channel, 960 GB | \$8,470 |

DVXe TBX – 4 Channel, 120 ips, 2U rack mount chassis

| | | |
|----------------|------------------------------|---------|
| CI- 3805-04080 | DVXe TBX – 4 Channel, 80 GB | \$4,620 |
| CI- 3805-04160 | DVXe TBX – 4 Channel, 160 GB | \$4,950 |
| CI- 3805-04250 | DVXe TBX – 4 Channel, 250 GB | \$5,280 |
| CI- 3805-04500 | DVXe TBX – 4 Channel, 500 GB | \$6,270 |
| CI- 3805-04750 | DVXe TBX – 4 Channel, 750 GB | \$7,370 |
| CI- 3805-04960 | DVXe TBX – 4 Channel, 960 GB | \$8,030 |

SALIENT COMPLETEVIEW SOFTWARE

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| Salient CompletView Management Software | | |
| <p>CompleteView Management Software may be installed on available enterprise servers meeting proper hardware requirements and supporting Windows Server OS.</p> | | |
| Completeview One | | |
| supports up to 25 cameras with single-server view and administration | | |
| CA-CVSW-ONE-IP | 1 IP camera license | \$183.33 |
| CA-CVSW-ONE-4A | 4 Analog camera license & hardware capture board | \$726.67 |
| Completeview Pro | | |
| supports unlimited cameras | | |
| CA-CVSW-PRO-IP | 1 IP camera license | \$326.67 |
| CA-CVSW-PRO-4A | 4 Analog camera license & hardware capture board | \$1,306.67 |
| Completeview Enterprise | | |
| supports unlimited cameras + additional features such as AD and LDAP | | |
| CA-CVSW-ENT-IP | 1 IP camera license | \$363.33 |
| CA-CVSW-ENT-4A | 4 Analog camera license & hardware capture board | \$1,451.67 |
| Yearly Upgrade Plan | | |
| CA-CVSW-YUP-ONE | CV ONE yearly upgrade plan | \$41.67 |
| CA-CVSW-YUP-PRO | CV Pro yearly upgrade plan | \$58.33 |
| CA-CVSW-YUP-ENT | CV Enterprise yearly upgrade plan | \$66.67 |
| prices are per camera per year | | |

SALIENT RM1000 and RM1100 DVRs/NVRs

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--------------------|-------------------|
| CAView 1000 Series DVRs & NVRs | | |
| <p>Salient RM1000 Series DVRs/NVRs are Pentium Core2 Duo CPU based systems with a DVD-Recordable drive, Gigabit Ethernet interface and 1.0GB of system memory standard on every system. Each system comes in a 19" rack mountable chassis and include a sliding rail kit. Fixed internal storage is available in capacities up to 2TB.</p> | | |
| Note: Add Completeview software and camera licenses. | | |
| CA1000-0250 | RM1000, 250GB | \$2,873.33 |
| CA1000-0500 | RM1000, 500GB | \$3,033.33 |
| CA1000-0750 | RM1000, 750GB | \$3,308.33 |
| CA1000-1000 | RM1000, 1.0TB | \$3,410.00 |
| CA1000-1500 | RM1000, 1.5TB | \$3,961.67 |
| CA1000-2000 | RM1000, 2.0TB | \$4,295.00 |

CAView 1100 Series DVRs & NVRs

Salient RM1100 Series DVRs/NVRs are Pentium Core2 Duo CPU based systems with a DVD-Recordable drive, Gigabit Ethernet interface and 1.0GB of system memory standard on every system. Each system comes in a 19" rack mountable chassis and include a sliding rail kit. Fixed internal storage is available in capacities up to 3TB RAID5.

Note: Add Completeview software and camera licenses.

| | | |
|---------------|---------------------------------------|------------|
| CA1100-1000R5 | RM1100, [OS] 250GB, Video 1.0TB RAID5 | \$6,386.67 |
| CA1100-1500R5 | RM1100, [OS] 250GB, Video 1.5TB RAID5 | \$6,690.00 |
| CA1100-2000R5 | RM1100, [OS] 250GB, Video 2.0TB RAID5 | \$7,546.67 |
| CA1100-3000R5 | RM1100, [OS] 250GB, Video 3.0TB RAID5 | \$8,258.33 |

SALIENT RM2500 and RM2800 DIGITAL VIDEO

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|--------------------|-------------------|
| Salient RM25000 Series DVRs & NVRs | | |

Salient RM2500 Digital and Network Video Recorders are single Quad-core Intel Xeon CPU (Dual capable) systems with a DVD-Recordable drive, Dual Gigabit Ethernet interfaces, redundant power supplies and 2.0GB of system memory standard on every system. Each system comes in a 3U 19" rack mountable chassis and include a sliding rail kit. Hot swap internal video storage is available in capacities up to 5TB RAID5, utilizing enterprise class hard-drives.

Note: Add Completeview software and camera licenses.

| RM2500 Base Unit | | |
|-------------------------|---|-------------|
| CA-RM25-1000R5 | RM2500, [OS] 250GB RAID1, [Video] 1.0TB RAID5 | \$12,125.00 |
| CA-RM25-1500R5 | RM2500, [OS] 250GB RAID1, [Video] 1.5TB RAID5 | \$12,586.67 |
| CA-RM25-2000R5 | RM2500, [OS] 250GB RAID1, [Video] 2.0TB RAID5 | \$13,050.00 |
| CA-RM25-2500R5 | RM2500, [OS] 250GB RAID1, [Video] 2.5TB RAID5 | \$13,513.33 |
| CA-RM25-3000R5 | RM2500, [OS] 250GB RAID1, [Video] 3.0TB RAID5 | \$14,733.33 |
| CA-RM25-4000R5 | RM2500, [OS] 250GB RAID1, [Video] 4.0TB RAID5 | \$15,778.33 |
| CA-RM25-5000R5 | RM2500, [OS] 250GB RAID1, [Video] 5.0TB RAID5 | \$16,795.00 |

| | | |
|---|--|--|
| Salient RM28000 Series DVRs & NVRs | | |
|---|--|--|

Salient RM2800 Digital and Network Video Recorders are single Quad-core Intel Xeon CPU (Dual capable) systems with a DVD-Recordable drive, Dual Gigabit Ethernet interfaces, redundant power supplies and 2.0GB of system memory standard on every system. Each system comes in a 3U 19" rack mountable chassis and include a sliding rail kit. Hot swap internal video storage is available in capacities up to 12TB RAID5, utilizing enterprise class hard-drives.

Note: Add Completeview software and camera licenses.

| RM2800 Base Unit | | |
|-------------------------|--|-------------|
| CA-RM28-01500R5 | RM2800, [OS] 250GB RAID1, [Video] 1.5TB RAID5 | \$14,140.00 |
| CA-RM28-02000R5 | RM2800, [OS] 250GB RAID1, [Video] 2.0TB RAID5 | \$15,066.67 |
| CA-RM28-03000R5 | RM2800, [OS] 250GB RAID1, [Video] 3.0TB RAID5 | \$15,996.67 |
| CA-RM28-04000R5 | RM2800, [OS] 250GB RAID1, [Video] 4.0TB RAID5 | \$16,925.00 |
| CA-RM28-05000R5 | RM2800, [OS] 250GB RAID1, [Video] 5.0TB RAID5 | \$17,853.33 |
| CA-RM28-06000R5 | RM2800, [OS] 250GB RAID1, [Video] 6.0TB RAID5 | \$20,365.00 |
| CA-RM28-07000R5 | RM2800, [OS] 250GB RAID1, [Video] 7.0TB RAID5 | \$21,381.67 |
| CA-RM28-08000R5 | RM2800, [OS] 250GB RAID1, [Video] 8.0TB RAID5 | \$22,383.33 |
| CA-RM28-09000R5 | RM2800, [OS] 250GB RAID1, [Video] 9.0TB RAID5 | \$23,400.00 |
| CA-RM28-10000R5 | RM2800, [OS] 250GB RAID1, [Video] 10.0TB RAID5 | \$24,400.00 |
| CA-RM28-11000R5 | RM2800, [OS] 250GB RAID1, [Video] 11.0TB RAID5 | \$25,416.67 |
| CA-RM28-12000R5 | RM2800, [OS] 250GB RAID1, [Video] 12.0TB RAID5 | \$26,433.33 |

SALIENT RM2500 and RM2800 DIGITAL VIDEO

Part No.

Description

List Price

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|------------------------------|-------------------------------|--|-------------------|
| Fixed Network Cameras | | | |
| CAAX- 0241-004 | AXIS 207W Network Camera | Indoor camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) and wired Ethernet. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame rate. Audio AAC with built-in microphone. Includes Axis Camera Station One, adjustable stand / clamp for easy mounting, and power supply. | \$529,348.00 |
| CAAX- 0241-034 | AXIS 207W 10 Pack | AXIS 207W in 10-pack. Cannot be sold separately. Power supplies included. | \$5,222.19 |
| CAAX- 0264-004 | AXIS 207MW Network Camera | Indoor megapixel high resolution network camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) and wired Ethernet. Resolution up to 1280x1024. Motion JPEG and MPEG-4. Compact design. Audio AAC with built-in microphone. Includes Axis Camera Station One, adjustable stand / clamp for easy mounting, and power supply. | \$706.56 |
| CAAX- 0264-024 | AXIS 207MW 10 Pack | AXIS 207MW in 10-pack. Cannot be sold separately. Power supplies included. | \$6,957.60 |
| CAAX- 0302-004 | AXIS M1011 | Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Video motion detection. Includes stand and clamp for easy mounting, and power supply. | \$316.98 |
| CAAX- 0302-024 | AXIS M1011 10-pack | AXIS M1011 in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included. No clamps. | \$3,097.19 |
| CAAX- 0302-044 | AXIS M1011 Surveillance Kit | Bundle with 4 units of AXIS M1011 and a 4-license AXIS Camera Station surveillance software for video monitoring, recording and event management. Additional cameras and AXIS Camera Station 1 or 5 upgrade licenses can be ordered separately. | \$1,769.06 |
| CAAX- 0301-004 | AXIS M1011-W | Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Video motion detection. Includes stand and clamp for easy mounting, and power supply. | \$352.40 |
| CAAX- 0301-024 | AXIS M1011-W 10-pack | AXIS M1011-W in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included. No clamps. | \$3,451.35 |
| CAAX- 0300-004 | AXIS M1031-W | Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Two-way audio with built-in microphone and speaker. Video motion and audio detection. Passive infrared (PIR) sensor and white LED illuminator integrated. Includes stand and clamp for easy mounting, and power supply. | \$494.06 |
| CAAX- 0300-024 | AXIS M1031-W 10-pack | AXIS M1031-W in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included. No clamps. | \$4,868.02 |
| CAAX- 0300-044 | AXIS M1031-W Surveillance Kit | Bundle with 4 units of AXIS M1031-W and a 4-license AXIS Camera Station surveillance software for video monitoring, recording and event management. Additional cameras and AXIS Camera Station 1 or 5 upgrade licenses can be ordered separately. | \$2,300.31 |
| CAAX- 0197-004 | AXIS 210 | Feature-rich network camera with CCD sensor for superior image quality. Up to VGA 640x480 resolution at full 30 fps frame rate and support for Video Motion Detection, I/O and advanced event handling. Includes fixed iris lens for indoor use, adjustable stand and power supply | \$795.10 |
| CAAX- 0197-084 | AXIS 210 Surveillance Bundle | Bundle containing four AXIS 210 Network Cameras and a 4 camera base license of AXIS Camera Station IP-Surveillance software for video monitoring, recording and event management | \$3,539.90 |
| CAAX- 0197-024 | AXIS 210 10-Pack | AXIS 210 in 10-pack. Cannot be sold separately. Power supplies included. | \$7,880.21 |
| CAAX- 0197-034 | AXIS 210 Barebone 10-Pack | Includes ten AXIS 210 Network Cameras without lens, but other accessories and one Installation Guide, in one box. Please note; NO LENS included. 4 week lead time. Cannot be sold separately. Power supplies included. | \$7,612.81 |
| CAAX- 0233-004 | AXIS 210A Network Camera | Indoor camera, fixed lens. 1/4" progressive scan CCD. Up to VGA 640x480 resolution at 30 fps. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Audio full duplex G.711. Includes adjustable stand and power supply. | \$972.19 |
| CAAX- 0233-064 | AXIS 210A Surveillance Bundle | Bundle with four units of AXIS 210A and a four camera license AXIS Camera Station surveillance software for video monitoring, recording and event management. Telephone(631)842-9400 • Fax (631)842-9135 • www.cicaccess.com | \$4,071.15 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|------------------------------------|---|-------------------|
| CAAX- 0233-024 | AXIS 210A Network Camera - 10 Pack | Includes 10 AXIS 210A Network Cameras with power supplies and stands in one box. Only one manual and CD are included. Cannot be sold separately. | \$9,631.56 |
| CAAX- 0233-054 | AXIS 210A Barebone 10 Pack | Includes 10 AXIS 210A Network Cameras without lenses, but other accessories and one Installation Guide, in one box. Please note; NO LENSES included. Four week lead time. Cannot be sold separately. Power supplies included. | \$9,383.65 |
| CAAX- 0293-004 | AXIS P1311 Network Camera | Fixed, CS-mount lens, 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max VGA 640 x 480 resolution at 30 fps. MPEG-4 Part 2 also supported. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes power supply. | \$1,060.73 |
| CAAX- 0293-021 | AXIS P1311 10 Pack | AXIS P1311 in 10-pack. Cannot be sold separately as single packs. No power supplies. | \$10,446.15 |
| CAAX- 0293-051 | AXIS P1311 Barebone 10 Pack | AXIS P1311 Barebone in 10-pack. Cannot be sold separately as single packs. No power supplies. No lens. | \$9,914.90 |
| CAAX- 0320-001 | AXIS P1343 Network Camera | SVGA, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included. | \$1,326.35 |
| CAAX- 0320-021 | AXIS P1343 10-pack | AXIS P1343 in 10-pack. Cannot be sold separately as single packs. No power supplies. | \$13,013.85 |
| CAAX- 0320-051 | AXIS P1343 Barebone 10-pack | AXIS P1343 Barebone in 10-pack. Cannot be sold separately as single packs. No power supplies. | \$12,394.06 |
| CAAX- 0324-001 | AXIS P1344 Network Camera | HDTV, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included. | \$1,503.44 |
| CAAX- 0324-021 | AXIS P1344 10-pack | AXIS P1344 in 10-pack. Cannot be sold separately as single packs. No power supplies. | \$14,784.69 |
| CAAX- 0324-051 | AXIS P1344 Barebone 10-pack | AXIS P1344 Barebone in 10-pack. Cannot be sold separately as single packs. No power supplies. | \$13,722.19 |
| CAAX- 0328-001 | AXIS P1346 Network Camera | HDTV, day/night, fixed camera with varifocal 4-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included. | \$2,211.77 |
| CAAX- 0198-004 | AXIS 211 Network Camera | Feature-rich network camera with CCD sensor, ideal for professional indoor and outdoor monitoring, has built-in Power over Ethernet, motion detection and delivers superior image quality in simultaneous MPEG-4 and Motion JPEG at up to 30 fps. Includes varifocal DC-iris lens, adjustable stand and power supply. | \$1,060.73 |
| CAAX- 0198-024 | AXIS 211 10 - Pack | Includes 10 AXIS 211 Network Camera with power supplies and stands in one box. Only one manual and CD are included. Cannot be sold separately. Power supplies included. | \$10,446.15 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|-------------------------------------|---|-------------------|
| CAAX- 0198-054 | AXIS 211 Barebone 10 - Pack | AXIS 211 Barebone in 10-pack. Cannot be sold separately. Power supplies included. | \$9,737.81 |
| CAAX- 0223-004 | AXIS 211A Network Camera | Feature-rich network camera with CCD sensor, delivers superior image quality at up to 30 fps in VGA 640x480 resolution. Provides two-way audio, Power over Ethernet (IEEE802.3af) and motion detection. Supports simultaneous MPEG-4 and Motion JPEG streams. Includes varifocal DC-iris lens, adjustable stand and power supply. | \$1,149.27 |
| CAAX- 0223-024 | AXIS 211A 10-Pack | Includes 10 AXIS 211A Network Camera with power supplies and stands in one box. Cannot be sold separately. Power supplies included. | \$11,331.56 |
| CAAX- 0269-004 | AXIS 211M | 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris F1.0 lens. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes adjustable stand and power supply. | \$1,326.35 |
| CAAX- 0269-021 | AXIS 211M 10 Pack | Includes 10 AXIS 211M. Cannot be sold separately. No power supplies. | \$13,013.85 |
| CAAX- 0270-004 | AXIS 211W | Varifocal DC-iris lens. 1/4" progressive scan CMOS. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Exchangeable antenna. Down to 0.75 lux. Up to VGA 640x480 resolution at full 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way, full duplex audio AAC/G.711 with built-in microphone. Power over Ethernet. Includes antenna, adjustable stand and power supply | \$1,237.81 |
| CAAX- 0270-024 | AXIS 211W 10 Pack | AXIS 211W in 10-pack. Cannot be sold separately. Power supplies included | \$12,216.98 |
| CAAX- 0221-004 | AXIS 221 Day & Night Network Camera | High-end Day & Night network camera with Progressive Scan CCD. 640x480 resolution @ 45fps, Power over Ethernet, simultaneous MPEG-4 and Motion JPEG, high-quality Pentax lens. Power adapter and adjustable stand included. Indoor and outdoor camera | \$1,769.06 |
| CAAX- 0221-054 | AXIS 221 Barebone 10 Pack | Includes 10 AXIS 221 Day&Night Network Camera without lenses, but other accessories and one Installation Guide, in one box. Please note: NO LENSES included. Four week lead time. Cannot be sold separately. Power supplies included | \$16,821.15 |
| CAAX- 0221-084 | AXIS 221 10 Pack | Includes 10 AXIS 221 Day&Night Network Camera with lenses, other accessories and one Installation Guide, in one box. LENSES INCLUDED. Cannot be sold separately. Power supplies included | \$17,529.48 |
| CAAX- 0247-004 | AXIS 223M | 2.0 Megapixel 1/2.7" CCD. Varifocal DC-iris Megapixel lens. Auto day/night mode. Up to 1600x1200 resolution. Up to 12 frames per second in 16:9. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. RS-232 & RS-485 for data. Includes power supply. | \$2,211.77 |
| CAAX- 0247-031 | AXIS 223M 10 Pack | Includes 10 AXIS 223M Day&Night Megapixel Network Camera with lenses, other accessories and one Installation Guide, in one box. LENSES INCLUDED. Cannot be sold separately. No power supplies. | \$21,868.02 |
| CAAX- 0247-051 | AXIS 223M Barebone 10 Pack | AXIS 223M in Barebone 10-pack. Cannot be sold separately. No power supplies. No Lens | \$20,097.19 |
| CAAX- 0304-001 | AXIS Q1755 | 2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Power supply not included. | \$2,654.48 |
| CAAX- 0304-034 | AXIS Q1755 60Hz with PoE midspan | 2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Includes one-port Midspan. | \$2,743.02 |
| CAAX- 0304-021 | AXIS Q1755 60Hz 10-pack | AXIS Q1755 60Hz in 10-pack. Cannot be sold separately as single packs. No midspan. | \$26,295.10 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------------------------|---------------------------|--|-------------------|
| Fixed Dome Network Cameras | | | |
| CAAX- 0275-004 | AXIS 209FD-R | Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged RJ-45 network connector. Includes one-port Midspan. | \$1,060.73 |
| CAAX- 0275-021 | AXIS 209FD-R 10 Pack | AXIS 209FD-R in 10-pack excluding 1-port Midspans. Cannot be sold separately | \$9,914.90 |
| CAAX- 0294-001 | AXIS 209FD-R M12 | Fixed dome camera with rugged design, adapted for for mobile video surveillance. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged M12 network connector. NO Midspan | \$1,025.31 |
| CAAX- 0294-021 | AXIS 209FD-R M12 10 Pack | AXIS 209FD-R M12 in 10-pack/bulk. NO Midspans | \$10,091.98 |
| CAAX- 0286-004 | AXIS 209MFD-R | Fixed dome camera with rugged design, adapted for for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged RJ-45 network connector. Includes one-port Midspan. | \$1,237.81 |
| CAAX- 0286-021 | AXIS 209MFD-R 10 Pack | AXIS 209MFD-R in 10-pack excluding one-port Midspans. Cannot be sold separately | \$1,174.27 |
| CAAX- 0295-001 | AXIS 209MFD-R M12 | Fixed dome camera with rugged design, adapted for for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged M12 network connector. NO Midspan. | \$1,202.40 |
| CAAX- 0295-021 | AXIS 209MFD-R M12 10-pack | AXIS 209MFD-R M12 in 10-pack. NO Midspans | \$11,862.81 |
| CAAX- 0281-004 | AXIS 209FD | Non rugged version of AXIS 209FD-R for generic use. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet incl one-port Midspan. | \$883.65 |
| CAAX- 0281-021 | AXIS 209FD 10-Pack | AXIS 209FD in 10-pack, without Midspans. Cannot be sold separately. | \$8,409.69 |
| CAAX- 0283-004 | AXIS 209MFD | Megapixel version of AXIS 209FD. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second, 30 frames per second in partial scan 800x600. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Digital PTZ. Power over Ethernet incl one-port Midspan. | \$1,060.73 |
| CAAX- 0283-021 | AXIS 209MFD 10-Pack | AXIS 209MFD in 10-pack, without Midspans. Cannot be sold separately. | \$10,091.98 |
| CAAX- 0284-004 | AXIS M3011 | Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max VGA 640 x 480 resolution at 30 fps. MPEG-4 Part 2 also supported. Video motion detection. Power over Ethernet only, one-port midspan included. | \$972.19 |
| CAAX- 0284-021 | AXIS M3011 10-pack | AXIS M3011 in 10-pack. Cannot be sold separately as single packs. NO Midspans | \$9,206.56 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|-------------------------|--|-------------------|
| CAAX- 0285-004 | AXIS M3014 | Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens, progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection. Power over Ethernet, one-port midspan included. | \$1,149.27 |
| CAAX- 0285-021 | AXIS M3014 10-pack/bulk | AXIS M3014 in 10-pack. Cannot be sold separately as single packs. No Midspans. | \$10,888.85 |
| CAAX- 0240-004 | AXIS 216FD | Fixed dome with discreet and tamper-resistant casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply. | \$1,113.85 |
| CAAX- 0240-024 | AXIS 216FD - 10 Pack | Includes 10 AXIS 216FD Fixed Dome Network Cameras. Cannot be sold separately. Power supplies included. | \$10,977.40 |
| CAAX- 0268-004 | AXIS 216FD-V | Fixed dome with vandal-resistant and compact indoor casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply. | \$1,184.69 |
| CAAX- 0268-024 | AXIS 216FD-V 10 Pack | Includes 10 AXIS 216FD-V Fixed Dome Network Cameras. Cannot be sold separately. Power supplies included. | \$11,685.73 |
| CAAX- 0278-004 | AXIS 216MFD | 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply. | \$1,290.94 |
| CAAX- 0278-021 | AXIS 216MFD 10-Pack | AXIS 216MFD in 10-pack. Cannot be sold separately. No power supplies. | \$12,659.69 |
| CAAX- 0290-004 | AXIS P3301 | Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply | \$1,202.40 |
| CAAX- 0290-021 | AXIS P3301 10-Pack | AXIS P3301 in 10-pack. Cannot be sold separately as single packs. No power supplies. | \$11,774.27 |
| CAAX- 0292-004 | AXIS P3301-V | Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply. | \$1,273.23 |
| CAAX- 0292-021 | AXIS P3301-V 10-Pack | AXIS P3301-V in 10-pack. Cannot be sold separately as single packs. No power supplies. | \$12,482.60 |
| CAAX- 0279-004 | AXIS 216MFD-V | 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with vandal-resistant and compact indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply. | \$1,361.77 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|---|-------------------|
| CAAX- 0279-021 | AXIS 216MFD-V 10 Pack | AXIS 216MFD-V in 10-pack. Cannot be sold separately. No power supplies. | \$1,368.02 |
| CAAX- 0243-004 | AXIS 225FD Fixed Dome Network Camera | Varifocal 2.8-5.8 mm DC-iris lens. 1/4" progressive scan CCD. Auto day/night mode. Fixed dome with discreet, vandal-resistant out-door proof IP66 casing with built-in heater and fan. Up to VGA 640x480 resolution at 30 fps frame rate. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Power over Ethernet. RS-485 for data. Includes indoor power supply. | \$1,769.06 |
| CAAX- 0243-064 | AXIS 225FD 22mm | 225FD w/V-focal 9-22 mm DC-iris lens | \$1,769.06 |
| CAAX- 0307-031 | AXIS P3343 12mm | SVGA, day/night, fixed dome with discreet, tamper-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. | \$1,414.90 |
| CAAX- 0307-041 | AXIS P3343 12mm 10- pack/bulk CLEAR | AXIS P3343 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$13,899.27 |
| CAAX- 0307-051 | AXIS P3343 12mm 10- pack/bulk SMOKED | AXIS P3343 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only. | \$13,899.27 |
| CAAX- 0307-001 | AXIS P3343 6mm | SVGA, day/night, fixed dome with discreet, tamper-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. | \$1,414.90 |
| CAAX- 0307-021 | AXIS P3343 6mm 10-pack/bulk CLEAR | AXIS P3343 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$13,899.27 |
| CAAX- 0307-061 | AXIS P3343 6mm 10-pack/bulk SMOKED | AXIS P3343 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$13,899.27 |
| CAAX- 0308-031 | AXIS P3343-V 12mm | SVGA, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. | \$1,485.73 |
| CAAX- 0308-041 | AXIS P3343-V 12mm 10- pack/bulk CLEAR | AXIS P3343-V 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$14,607.60 |
| CAAX- 0308-051 | AXIS P3343-V 12mm 10- pack/bulk SMOKED | AXIS P3343-V 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only. | \$14,607.60 |
| CAAX- 0308-001 | AXIS P3343-V 6mm | SVGA, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. | \$1,485.73 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|--|---|-------------------|
| CAAX- 0308-021 | AXIS P3343-V 6mm 10- pack/bulk CLEAR | AXIS P3343-V 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$14,607.60 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|---|-------------------|
| CAAX- 0308-061 | AXIS P3343-V 6mm 10- pack/bulk SMOKED | AXIS P3343-V 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only. | \$14,607.60 |
| CAAX- 0299-031 | AXIS P3343-VE 12mm | SVGA, day/night, fixed dome with discreet vandal-resitant, IP66-rated outdoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. | \$1,769.06 |
| CAAX- 0299-041 | AXIS P3343-VE 12mm 4- pack/bulk CLEAR | AXIS P3343-VE 12mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$6,993.02 |
| CAAX- 0299-051 | AXIS P3343-VE 12mm 4- pack/bulk SMOKED | AXIS P3343-VE 12mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only. | \$6,993.02 |
| CAAX- 0299-001 | AXIS P3343-VE 6mm | SVGA, day/night, fixed dome with discreet vandal-resitant, IP66-rated outdoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket. | \$1,769.06 |
| CAAX- 0299-021 | AXIS P3343-VE 6mm 4-pack/bulk CLEAR | AXIS P3343-VE 6mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$6,993.02 |
| CAAX- 0299-061 | AXIS P3343-VE 6mm 4-pack/bulk SMOKED | AXIS P3343-VE 6mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only. | \$6,993.02 |
| CAAX- 0326-041 | AXIS P3344 12mm | HDTV, day/night, fixed dome with discreet tamper-resitant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. | \$1,591.98 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|---|-------------------|
| CAAX- 0326-051 | AXIS P3344 12mm 10- pack/bulk CLEAR | AXIS P3344 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$15,670.10 |
| CAAX- 0326-061 | AXIS P3344 12mm 10- pack/bulk SMOKED | AXIS P3344 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only. | \$5,670.10 |
| CAAX- 0326-001 | AXIS P3344 6mm | HDTV, day/night, fixed dome with discreet tamper-resitant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. | \$1,591.98 |
| CAAX- 0326-021 | AXIS P3344 6mm 10-pack/bulk CLEAR | AXIS P3344 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$15,670.10 |
| CAAX- 0326-031 | AXIS P3344 6mm 10-pack/bulk SMOKED | AXIS P3344 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only. | \$15,670.10 |
| CAAX- 0327-041 | AXIS P3344-V 12mm | HDTV, day/night, fixed dome with discreet vandal-resitant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. | \$1,662.81 |
| CAAX- 0327-051 | AXIS P3344-V 12mm 10- pack/bulk CLEAR | AXIS P3344-V 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$16,378.44 |
| CAAX- 0327-061 | AXIS P3344-V 12mm 10- pack/bulk SMOKED | AXIS P3344-V 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only. | \$16,378.44 |
| CAAX- 0327-001 | AXIS P3344-V 6mm | HDTV, day/night, fixed dome with discreet vandal-resitant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. | \$1,662.81 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|---|-------------------|
| CAAX- 0327-021 | AXIS P3344-V 6mm 10- pack/bulk CLEAR | AXIS P3344-V 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$16,378.44 |
| CAAX- 0327-031 | AXIS P3344-V 6mm 10- pack/bulk SMOKED | AXIS P3344-V 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only. | \$16,378.44 |
| CAAX- 0325-041 | AXIS P3344-VE 12mm | HDTV, day/night, fixed dome with vandal-resitant, IP66-rated outdoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket. | \$1,946.15 |
| CAAX- 0325-051 | AXIS P3344-VE 12mm 4- pack/bulk CLEAR | AXIS P3344-VE 12mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$7,701.35 |
| CAAX- 0325-061 | AXIS P3344-VE 12mm 4- pack/bulk SMOKED | AXIS P3344-VE 12mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only. | \$7,701.35 |
| CAAX- 0325-001 | AXIS P3344-VE 6mm | HDTV, day/night, fixed dome with vandal-resitant, IP66-rated outdoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket. | \$1,946.15 |
| CAAX- 0325-021 | AXIS P3344-VE 6mm 4-pack/bulk CLEAR | AXIS P3344-VE 6mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only. | \$7,701.35 |
| CAAX- 0325-031 | AXIS P3344-VE 6mm 4-pack/bulk SMOKED | AXIS P3344-VE 6mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only. | \$7,701.35 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|--------------------------------------|-------------------------------|---|-------------------|
| Pan/Tilt/Zoom Network Cameras | | | |
| CAAX- 0257-004 | AXIS 212 PTZ | Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio. Includes wall mount kit and power supply. | \$1,149.27 |
| CAAX- 0257-024 | AXIS 212 PTZ 10-Pack | Includes 10 AXIS 212 PTZ Network Cameras. Cannot be sold separately. Power supplies included. | \$11,331.56 |
| CAAX- 0280-004 | AXIS 212 PTZ-V | Vandal resistant AXIS 212 PTZ | \$1,237.81 |
| CAAX- 0280-024 | AXIS 212 PTZ-V 10-Pack | AXIS 212 PTZ-V in 10 pack. Cannot be sold separately. Power supplies included. | \$12,216.98 |
| CAAX- 0220-004 | AXIS 213 PTZ Network Camera | Pan/tilt/zoom network camera with built-in 26x optical zoom, auto focus lens and IR mode for nighttime conditions (up to 9.8 ft. NM=870). Delivers superior image quality in simultaneous MPEG-4 and Motion JPEG streams. Resolutions up to 704x480 at 30 fps (NTSC). Two way, full duplex audio (when using the optional AXIS 213CM Connection Module). For ceiling mount or desktop use. Power supply included. | \$2,654.48 |
| CAAX- 0246-004 | AXIS 214 PTZ Network Camera | Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling mount kit and power supply. | \$2,300.31 |
| CAAX- 0274-004 | AXIS 215 PTZ Network Camera | Compact Pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O connections for alarm/event handling. Two-way, full duplex audio. Includes power supply, mounting kit for hard and drop ceiling and transparent cover smoked and clear. | \$1,769.06 |
| CAAX- 0306-001 | AXIS 215 PTZ-E Network Camera | Outdoor, IP66-rated pan/tilt/zoom camera including auto-iris, automatic day/night, and autofocus 12x zoom lens. Up to 4CIF resolution at 30/25 fps. Simultaneous MPEG-4 and Motion JPEG. Pre-mounted wall bracket, 5-meter power and Ethernet cables. 100 - 240 V AC power input. Clear dome bubble. | \$2,477.40 |
| CAAX- 0314-004 | AXIS P5534 Network Camera | HDTV 720p compliant PTZ camera with 18x optical zoom for indoor use. HDTV 720p @ 25/30fps (1280x720) in H.264 and Motion JPEG, Day & Night, two-way audio, I/O, IP51. Includes HiPoE midspan, smoked and clear dome covers and mounting kit for hard and drop ceilings | \$4,425.31 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|---|--------------------------------------|---|-------------------|
| Pan/Tilt/Zoom Dome Network Cameras | | | |
| CAAX- 0251-001 | AXIS 231D+ Network Dome Camera | Auto iris auto focus zoom lens. 1/4" CCD. WDR. Down to 0.3 lux. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply. | \$3,539.90 |
| CAAX- 0253-001 | AXIS 232D+ Network Dome Camera | Auto iris auto focus zoom lens. 1/4" CCD. WDR. Down to 0.3 lux in color. Auto day/night mode. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply. | \$3,539.90 |
| CAAX- 0266-004 | AXIS 233D | 35x optical zoom dome camera with WDR and area zoom. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 180° tilt with E-flip. Progressive Scan 4CIF resolution at 30/25fps in MPEG-4 or Motion JPEG. Two-way audio, I/O for alarm/event handling. Includes hard and drop ceiling mount kit, smoked and clear transparent covers and power supply. | \$4,425.31 |
| CAAX- 0318-004 | AXIS Q6032-E PTZ Dome Network Camera | Outdoor-ready, IP66-rated, PTZ dome camera with 35x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan 4CIF resolution at 30/25 fps in H.264 and Motion JPEG. Auto-tracking. Power through High PoE only. Includes smoked and clear transparent bubble and High PoE midspan. No mounting bracket included (several different available as accessories). | \$5,664.90 |
| CAAX- 0318-014 | AXIS Q6032-E 60 Hz Wall | Outdoor-ready, IP66-rated, PTZ dome camera with 35x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan 4CIF resolution at 30/25 fps in H.264 and Motion JPEG. Auto-tracking. Power through High PoE only. Includes AXIS T91A61 Wall Bracket, smoked and clear transparent bubble and High PoE midspan. | \$5,824.27 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|------------------------------|--|--|-------------------|
| 1-port Video Encoders | | | |
| CAAX- 0186-004 | AXIS 241S Video Server | One port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled events. | \$883.65 |
| CAAX- 0186-024 | AXIS 241S Video Server 10 Pack | Includes 10 pcs of AXIS 241S in a bulk pack. No manuals are included. | \$8,586.77 |
| CAAX- 0210-011 | AXIS 241S Blade | The AXIS 241 Video Server Blades offer full frame-rate simultaneously on all channels and have the ability to digitize 1 analog video sources, making this available on the network as streams of real time Motion JPEG video and MPEG-4. | \$706.56 |
| CAAX- 0210-031 | AXIS 241S Blade 10 Pack | Includes 10 pcs of AXIS 241S Blade in a bulk pack. No manuals are included. | \$6,815.94 |
| CAAX- 0256-004 | AXIS 243SA Video Server | One channel, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 as well as Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams. Two-way audio, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption | \$1,237.81 |
| CAAX- 0272-001 | AXIS 247S | 1 channel, high quality video up to 30/25 fps in all resolutions. Simultaneous Motion JPEG and MPEG-4. One-way audio, motion detection and security package including HTTPS encryption. Powered over Ethernet (IEEE 802.3af) with power out for the analog camera. No power supply included. | \$883.65 |
| CAAX- 0272-021 | AXIS 247S 10 Pack | Includes 10 AXIS 247S Video Servers | \$8,586.77 |
| CAAX- 0238-001 | AXIS 282A | Bare board 1 channel video server with duplex audio for built-in purposes. Small footprint unit for flexible integration. Motion JPEG and MPEG-4. Up to 30/25 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ control. | \$972.19 |
| CAAX- 0237-001 | AXIS 282 | Bare board 1 channel video server for built-in purposes. Small footprint unit for flexible integration. Motion JPEG and MPEG-4. Up to 30/25 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ control. | \$883.65 |
| CAAX- 0237-011 | AXIS 282 20 Pack | 20 PCS of Bare board 1 channel video server for built-in purposes. Motion JPEG and MPEG-4. Up to 30 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ control | \$16,998.23 |
| CAAX- 0298-001 | AXIS M7001 | 1-channel video encoder. Dual streaming in H.264 and Motion JPEG; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) only. NO midspan | \$529.48 |
| CAAX- 0298-021 | AXIS M7001 10-pack | AXIS M7001 in 10-pack/bulk. Cannot be sold separately as single packs. NO midspans | \$5,133.65 |
| CAAX- 0298-031 | AXIS M7001 Covert Surveillance Kit | 1-channel video encoder together with a small IP66 covert camera. Dual streaming in H.264 and Motion JPEG; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) only with power out for the covert camera. NO midspan | \$706.56 |
| CAAX- 0298-041 | AXIS M7001 Covert Surveillance Kit 10-pack | AXIS M7001 Covert Surveillance Kit in 10-pack/bulk. Cannot be sold separately as single packs. NO midspans | \$6,815.94 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|------------------------------|--------------------------------|---|-------------------|
| CAAX- 0288-004 | AXIS Q7401 | 1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage. Includes power supply. | \$1,060.73 |
| CAAX- 0321-004 | AXIS P8221 | Network I/O and audio module. Eight digital ports configurable as inputs or outputs. Two-way audio configurable to simplex, half or full duplex. Built-in pre-amp, phantom power and gain control for a balanced microphone. Line and speaker output. Serial port RS-232/422/485. Power over Ethernet enabled. Includes power supply. | \$618.02 |
| CAAX- 0321-021 | AXIS P8221 10-pack | AXIS P8221 in 10-pack/bulk. Cannot be sold separately as single pack. NO midspans. Power supplies included. | \$6,107.60 |
| 4-port Video Encoders | | | |
| CAAX- 0232-004 | AXIS 240Q Video Server | 4 channel NTSC/PAL video encoder. Motion JPEG. Up to 24/20 total fps. I/O for alarm/event handling. RS-232/RS-485 for data and PTZ control. | \$883.65 |
| CAAX- 0232-054 | AXIS 240Q Video Server 10 Pack | Includes 10 pcs of AXIS 240Q in a bulk pack. Power supplies included. No manuals are included. | \$8,586.77 |
| CAAX- 0232-024 | AXIS 240Q Blade | Blade version of 240Q Video Server. Requires the AXIS Video Server Rack for installation. | \$706.56 |
| CAAX- 0232-084 | AXIS 240Q Blade 10 Pack | Includes 10 pcs of AXIS 240Q Blade in a bulk pack. No manuals are included. | \$6,815.94 |
| CAAX- 0185-004 | AXIS 241Q Video Server | Four port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled events. | \$1,414.90 |
| CAAX- 0185-024 | AXIS 241Q Video Server 10 Pack | Includes 10 pcs of AXIS 241Q in a bulk pack. No manuals are included. | \$13,722.19 |
| CAAX- 0209-011 | AXIS 241Q Blade | The AXIS 241Q Video Server Blades offer full frame-rate simultaneously on all channels and have the ability to digitize up to 4 analog video sources, making this available on the network as streams of real time Motion JPEG and MPEG-4 video | \$1,237.81 |
| CAAX- 0209-031 | AXIS 241Q Blade 10 Pack | Includes 10 pcs of AXIS 241Q Blade in a bulk pack. No manuals are included. | \$11,951.35 |
| CAAX- 0230-004 | AXIS 241QA Video Server | High quality video at up to 30 fps per channel on four channels. Simultaneous MPEG-4 and Motion JPEG streams in resolutions up to 704x480. Two-way audio, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption. | \$1,503.44 |
| CAAX- 0261-001 | AXIS 243Q Blade | 4 channel Blade Server, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 or Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption. ONLY COMPATIBLE WITH AXIS 291 1U VIDEO SERVER RACK | \$1,769.06 |
| CAAX- 0261-021 | AXIS 243Q Blade 10 Pack | Includes 10 pcs of AXIS 243Q in a bulk pack. No manuals are included. | \$17,175.31 |
| CAAX- 0291-004 | AXIS Q7404 Video Encoder | Four-channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams per channel;max. D1 resolution at 30/25 (NTSC/PAL) fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection on one channel. PTZ support. Includes power supply. | \$1,946.15 |
| CAAX- 0291-024 | AXIS Q7404 10-pack/bulk | AXIS Q7404 in 10-pack. Cannot be sold separately as single packs | \$18,857.60 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|---------------------------------|--------------------------------------|---|-------------------|
| 6-port Video Encoders | | | |
| CAAX- 0289-001 | AXIS Q7406 | 6 channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Video motion detection. Active tampering alarm. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK. | \$2,654.48 |
| Multiport Video Encoders | | | |
| CAAX- 0277-004 | AXIS 12 Channel Video Server Bundle | 3 x AXIS 243Q Blade mounted in an AXIS 291 1U Rack. | \$5,930.52 |
| CAAX- 0322-004 | AXIS 18 Channel Video Encoder Bundle | 3 x AXIS Q7406 Blade mounted in an AXIS 291 1U Rack. | \$8,586.77 |
| CAAX- 0323-004 | AXIS 84 Channel Video Encoder Bundle | 14 x AXIS Q7406 Blade mounted in an AXIS Q7900 Rack. | 43,826.35 |
| 1-port Video | | | |
| CAAX- 0213-004 | AXIS 292 Network Video Decoder | Video decoder providing one channel analog video and audio from a single AXIS MPEG-2 or Motion JPEG based product. Decode video at full frame rate. Supports both PAL and NTSC devices. | \$1,414.90 |
| Blade Video | | | |
| CAAX- 0192-004 | AXIS Video Server Rack | Video server rack unit. 19". Will hold up to 12 Blade video servers. Comes complete with integrated power supply and blanking panels. (Will NOT hold AXIS 243Q blade) | \$2,300.31 |
| CAAX- 0267-004 | AXIS 291 1U Video Server Rack | 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. | \$706.56 |
| CAAX- 0287-004 | AXIS Q7900 Rack | 4U 19" rack with 14 slots for Axis video encoder blades. Supports up to 84 analog channels. Multiple video streams per channel through four Gigabit Ethernet ports. Two redundant power supply units. Each slot offers six RS-485 connectors for PTZ control and 12 I/O ports for connections to external devices. Compatible with all current Axis video encoder blades. | \$7,081.56 |
| VIDEO ACCESSORY PRODUCTS | | | |
| CAAX- 0248-001 | AXIS 295 Video Surveillance Joystick | Professional joystick for accurate control over network of all Axis pan/tilt/zoom and dome network cameras. Connects to PC workstation over USB. Features a three-axis Hall Effect joystick with X/Y-axis for positioning and turning knob for zoom, and twelve programmable push-buttons. NOTE! The joystick will not be supported in the web interface of 213, 214 and 23xD cameras until the 4.40 FW version released during Q3 2006. | \$618.02 |
| CAAX- 22581 | AXIS 213CM Connection Module | Connection module for the AXIS 213 PTZ Network Camera. Provides two way, full duplex audio functionality, analog video out (for ceiling mounted camera), 2 alarm inputs and 3 outputs for the AXIS 213 PTZ. Cable included. | \$175.31 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|---|--|--|-------------------|
| SOFTWARE | | | |
| CAAX- 0202-004 | AXIS Camera Station 10 Camera Base License | Versatile PC Software for up to ten Axis video sources/cameras. Scheduled, continuous, event or motion based recording. Remote monitoring via Web or Windows client. Includes 1 year of free upgrades. Can not be combined with other Camera Base Licenses. | \$1,769.06 |
| CAAX- 0202-054 | AXIS Camera Station - 4 Camera Base License | AXIS Camera Station contains a license for four video sources/cameras. Additional cameras/channels can be added with the 5 camera add-on license or 1 camera add-on license to a maximum of 50 cameras/channels. Can not be combined with other Camera Base Licenses. | \$1,149.27 |
| CAAX- 0202-264 | AXIS Camera Station 20 License Add On | Additional license to be added to "Axis Camera Station 10" base license, provides recording for additional 20 Axis network video channels; 20 Camera Add-On License. | \$3,504.48 |
| CAAX- 0202-014 | AXIS Camera Station 5 License Add On | Additional license to be added to "Axis Camera Station 10" base license, provides recording for additional 5 Axis network video channels; 5 Camera Add-On License. | \$883.65 |
| CAAX- 0202-034 | AXIS Camera Station 1 License Add On | Additional license to be added to "Axis Camera Station 10" base license, provides recording for additional 1 Axis network video channels; 1 Camera Add-On License. | \$175.31 |
| CAAX- 0202-024 | AXIS Camera Station 1 year support extension | Adds a 1 year free support and software upgrade right to the 1 year period included in the AXIS Camera Station 4 or 10 license base pack. | \$263.85 |
| CAAX- 0160-030 | AXIS MPEG-4 Decoder 50-user license pack | A license document that grants installation of AXIS MPEG-4 decoder onto 50 separate computers. Applicable for all Axis MPEG-4 products that does not support AAC audio encoding. (e.g. models: 210, 211, 210A, 211A, 213, 214, 221, 225FD, 231D+, 232D+, 241S, 241Q, 241SA, 241QA, 242SIV, 243SA, 282, 282A) | \$86.77 |
| CAAX- 0160-040 | AXIS MPEG-4 +AAC decoder 50-user license | A license document that grants installation of AXIS MPEG-4 and AAC decoder onto 50 separate computers. Applicable for all Axis products that supports MPEG-4. Required for models that supports AAC audio encoding (e.g. models: 207, 207W, 207MW, 212PTZ, 216FD, 223M) | \$122.19 |
| CAAX- 0160-050 | AXIS H.264 50-user decoder license pack | A license document that grants installation of AXIS AVC/H.264 decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 but does not have support for audio. | \$86.77 |
| CAAX- 0160-060 | AXIS H.264 +AAC decoder 50-user decoder license pack | A license document that grants installation of AXIS AVC/H.264 and AAC decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 that also have support for audio. | \$104.48 |
| AXIS Camera Application Platform | | | |
| CAAX- 0333-011 | AXIS Cross Line Detection | License code that grants installation of Axis Cross Line Detection application on one camera/encoder. Visit www.axis.com for supported cameras/encoders products and download of the application. | \$51.35 |
| CAAX- 0333-031 | AXIS Cross Line Detection 10-pack | License code that grants installation of Axis Cross Line Detection application on up to 10 cameras/encoders. Visit www.axis.com for supported cameras/encoders products and download of the application. | \$494.06 |
| CAAX- 0333-051 | AXIS Cross Line Detection 50-pack | License code that grants installation of Axis Cross Line Detection application on up to 50 cameras/encoders. Visit www.axis.com for supported cameras/encoders products and download of the application. | \$2,406.56 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-------------------------------|--|--|-------------------|
| PTZ Housing and Mounts | | | |
| CAAX- 25735 | AXIS Pendant Dome Indoor | Indoor, IP66 classified housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (No Electronics) Pendant mount. | \$529.48 |
| CAAX- 25733 | AXIS Pendant Dome Outdoor | Outdoor, IP66 housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome. | \$1,060.73 |
| CAAX- 25734 | AXIS Pendant Vandal Dome | Outdoor, vandal-resistant housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, and AXIS 23xD+ Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome. | \$1,503.44 |
| CAAX- 35540 | Axis Pendant Dome Indoor Smoked | Indoor, IP66 classified housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (No Electronics) Pendant mount. Smoked Dome. | \$529.48 |
| CAAX- 35541 | Axis Pendant Dome Outdoor Smoked | Outdoor, IP66 housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome. Smoked Dome. | \$1,060.73 |
| CAAX- 35542 | Axis Pendant Vandal Dome Smoked | Outdoor, vandal-resistant housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, and AXIS 23xD+ Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome. Smoked Dome. | \$1,503.44 |
| CAAX- 25740 | Smoked Bubble Pendant Dome | Smoked Bubble for AXIS Pendant Domes (Spare Part) | \$122.19 |
| CAAX- 25741 | Clear Bubble Pendant Dome | Clear Bubble for AXIS Pendant Dome (Spare Part) | \$122.19 |
| CAAX- 5700-091 | Electronic kit T95A10 | Electronic boards for replacement in AXIS T95A10 24 VAC. Includes 3 boards. | \$228.44 |
| CAAX- 5700-111 | Heater / Fan kit T95A10 | Replacement kit with 3 heaters and fans for AXIS T95A10 | \$175.31 |
| CAAX- 5700-121 | Bubble kit clear T95A | Replacement clear bubble for AXIS T95A. Includes aluminum ring, rubber gasket and screws. | \$228.44 |
| CAAX- 5700-131 | Bubble kit smoked T95A | Replacement smoked bubble for AXIS T95A. Includes aluminum ring, rubber gasket and screws. | \$228.44 |
| CAAX- 5700-141 | Sunshield kit T95A | Replacement sunshield and lid for AXIS T95A | \$104.48 |
| CAAX- 5700-151 | Screw and gland kit T95A | Replacement cable gland plate, cable glands and screws for AXIS T95A | \$42.50 |
| CAAX- 25736 | Gooseneck Wall Mount | Gooseneck Wall mount for the AXIS Pendant Dome | \$175.31 |
| CAAX- 25738 | Parapet Mount | Parapet Mount for the AXIS Pendant Dome | \$706.56 |
| CAAX- 25742 | 24VAC cold weather kit outdoor Fusion Dome | Cold Weather Kit for the AXIS Pendant Fusion Dome Line | \$104.48 |
| CAAX- 21896 | Pole Mount Adapter | Pole mount adaptor for the AXIS Pendant Indoor, Outdoor and Vandal Dome housings. | \$104.48 |
| CAAX- 22059 | Corner Mount Adapter | Corner mount adaptor for the AXIS Pendant Indoor, Outdoor and Vandal Dome housings. | \$157.60 |
| CAAX- 26349 | Ceiling Mount 12" Extension | The Ceiling mount options are used to secure the AXIS Pendant Dome family of housing to hard ceilings. They ship with either a twelve or twenty-four inch extension pipe that connects to the top of the housing. All cables pass through the extension pipe to the point of fix | \$263.85 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|--------------------------------|--|-------------------|
| CAAX- 26350 | Ceiling Mount 24" Extension | The Ceiling mount options are used to secure the AXIS Pendant Dome family of housing to hard ceilings. They ship with either a twelve or twenty-four inch extension pipe that connects to the top of the housing. All cables pass through the extension pipe to the point of fix | \$299.27 |
| CAAX- 21898 | AXIS Indoor Recessed Enclosure | Indoor, recessed ceiling housing with smoked glass for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Camera. | \$352.40 |
| CAAX- 5010-001 | AXIS T95A00 Dome Housing | 100-240 VAC input. Incl heater/fan. | \$1,149.27 |
| CAAX- 5010-101 | AXIS T95A10 Dome Housing | 24VAC input (Rec power supply PS24) | \$1,060.73 |
| CAAX- 5010-611 | AXIS T95A61 Wall Bracket | Wall bracket for T95A00 and T95A10 | \$175.31 |
| CAAX- 5010-621 | AXIS T95A62 Ceiling Bracket | Ceiling / Parapet bracket for AXIS T95A00 and T95A10 dome housing. Length: 48.5cm | \$352.40 |
| CAAX- 5010-631 | AXIS T95A63 Extension Bracket | Extension bracket for AXIS T95A00 and T95A10 dome housing. Used with AXIS T95A62 Ceiling / Parapet bracket. Length: 27 cm | \$246.15 |
| CAAX- 5010-641 | AXIS T95A64 Corner Bracket | Requires AXIS T95A61 Wall bracket. | \$157.60 |
| CAAX- 5010-661 | AXIS T95A66 Rotation Bracket | Rotation bracket for AXIS T95A00 and T95A10 dome housing.Used with AXIS T95A62 Ceiling / Parapet bracket. | \$157.60 |
| CAAX- 5010-671 | AXIS T95A67 Pole Bracket | Requires AXIS T95A61 Wall bracket. | \$228.44 |
| CAAX- 5502-291 | Corner Mount AXIS 215 PTZ-E | Corner bracket for AXIS 215 PTZ-E. | \$122.19 |
| CAAX- 5502-301 | Pole Mount AXIS 215 PTZ-E | Pole bracket for AXIS 215 PTZ-E. | \$122.19 |
| CAAX- 5017-611 | AXIS T91A61 Wall Bracket | Wall Bracket. For use with AXIS Q6032-E PTZ Dome Network Camera, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. Includes mounting plate. White. | \$175.31 |
| CAAX- 5017-631 | AXIS T91A63 Ceiling Bracket | Ceiling Bracket. 70 cm / 28 inch. For use with AXIS Q6032-E PTZ Dome Network Camera, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. White. | \$210.73 |
| CAAX- 5017-671 | AXIS T91A67 Pole Bracket | Pole Bracket. For use with AXIS Q6032-E PTZ Dome Network Camera, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. Includes steel pole straps. White. Requires mounting tool Part no: 21776 | \$175.31 |
| CAAX- 5017-641 | AXIS T91A64 Corner Bracket | Corner Bracket. Requires AXIS T91A61 Wall Bracket. For use with AXIS Q6032-E PTZ Dome Network Camera, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. White. | \$139.90 |
| CAAX- 5502-431 | AXIS Q6032-E Pendant Kit | With AXIS Q6032-E Pendant Kit it is possible to mount the AXIS Q6032-E PTZ Dome Network Camera on standard '1,5" NPT threaded brackets. White. | \$86.77 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|---|---------------------------------------|---|-------------------|
| Fixed Camera Housings and Mounts | | | |
| CAAX- 26550 | AXIS 206/207 Vandal-resistant Housing | Vandal-resistant indoor housing for AXIS 206/AXIS 207 (not wireless) Network Cameras. Clear Dome. | \$352.40 |
| CAAX- 26549 | AXIS 206/207 Ceiling Mount Housing | Indoor recessed ceiling housing for AXIS 206/ AXIS 207 (not wireless) Network Cameras. Bronze Smoked Dome. | \$263.85 |
| CAAX- 21899 | AXIS Indoor Fixed Housing | Indoor, IP65 classified housing for AXIS 210, AXIS 211, AXIS 221 AXIS 223M Network Cameras. | \$263.85 |
| CAAX- 29892 | AXIS Fixed Wireless Housing | Outdoor, IP65 classified housing for the AXIS 211W network camera. Removable antennae included. | \$883.65 |
| CAAX- 24889 | AXIS Outdoor Fixed Housing | Outdoor, IP65 classified housing with heater and blower for AXIS 211, AXIS 221and AXIS 223M Network Cameras. Can be pole mounted. | \$529.48 |
| CAAX- 5015-101 | AXIS T92A10 Housing | Outdoor IP66 rated housing for AXIS 210/210A, 211/211A/211M/211W, 221 and 223M. Made of die-cast aluminium, the sunshield of ABS material. Includes UL certified 110VAC power supply, heater and wall bracket with internal cable channel. Built in 12VDC camera power supply | \$529.48 |
| CAAX- 5015-204 | AXIS T92A20 Housing | Outdoor High PoE powered IP66 rated housing for AXIS 210/210A, 211/211A/211M/211W, 221 and 223M. Made of die-cast aluminum, the sunshield of ABS material. Also includes heater, wall bracket with internal cable channel and AXIS T8121 single port High PoE midspan. | \$795.10 |
| CAAX- 22870 | AXIS Indoor Fixed Camera Dome | Indoor, recessed ceiling housing for AXIS 210, AXIS 211, AXIS 221, and AXIS 223M Network Cameras. | \$352.40 |
| CAAX- 24886 | AXIS Indoor Fixed Wall Housing | Vandal-resistant, wall mount, indoor housing for AXIS 210, AXIS 211, AXIS 221and AXIS 223M Network Cameras. | \$529.48 |
| CAAX- 24887 | AXIS Indoor Fixed Corner Housing | Vandal-resistant, corner mount, indoor housing for AXIS 210, AXIS 211, AXIS 221and AXIS 223M Network Cameras. | \$529.48 |
| CAAX- 24888 | AXIS Indoor Fixed Ceiling Housing | Vandal-resistant, corner mount, indoor housing for AXIS 210, AXIS 211, AXIS 221and AXIS 223M Network Cameras. | \$352.40 |
| Mounts and Accessories | | | |
| CAAX- 5500-311 | ACC Outdoor Antenna Kit for AXIS 211W | External antenna for AXIS 211W. Includes 3 m cable. | \$228.44 |
| CAAX- 5500-321 | ACC Lightning Protector for AXIS 211W | Lightning protector for AXIS 211W when used outdoors with external antenna | \$157.60 |
| CAAX- 5500-591 | Dry bags for AXIS 209FD-R, 100 pcs | Dry bags for AXIS 209FD-R, 100 pcs | \$70.83 |
| CAAX- 5500-301 | Cover AXIS 209FD-R 10 pcs | Replaceable cover for AXIS 209FD-R, 10 pcs. Includes drybags | \$440.94 |
| CAAX- 5500-971 | Cover for AXIS 209FD | Replaceable cover for AXIS 209FD/209MFD | \$46.04 |
| CAAX- 5500-961 | Cover for AXIS 209FD, 10 pcs | Replaceable cover for AXIS 209FD/209MFD, 10 pcs | \$440.94 |
| CAAX- 5502-061 | MALE RJ45 for AXIS 209FD-R | Vibration resist connector for 209 | \$26.56 |
| CAAX- 5502-051 | MALE RJ45 for AXIS 209FD-R 10 pack | 10-pack of MALE RJ45 Connector | \$263.85 |
| CAAX- 5502-141 | Connector M12 Female 10PCS | Rugged, female D-coded M12 connector compatible with AXIS 209FD-R M12 /209MFD-R M12. Field installable with screw-in contacts. 10 pcs | \$263.85 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|---|-------------------|
| CAAX- 5502-131 | Connector M12 Male 10PCS | Rugged, male D-coded M12 connector compatible with 5502-141. Field installable with screw-in contacts. 10 pcs | \$263.85 |
| CAAX- 5700-221 | Power Supply PS-V | Power supply PS-V for AXIS M10 series. White | \$69.06 |
| CAAX- 5502-181 | Cover for AXIS M30 Series, Black 10pcs | Black cover with clear bubble for AXIS M30 Series. 10 pack | \$263.85 |
| CAAX- 5502-191 | Cover for AXIS M30 Series, Silver 10pcs | Silver cover with clear bubble for AXIS M30 Series. 10 pack | \$263.85 |
| CAAX- 5502-201 | Cover for AXIS M30 Series, Gold 10pcs | Gold cover with clear bubble for AXIS M30 Series. 10 pack | \$263.85 |
| CAAX- 5502-341 | Cover for AXIS M30 Series, Mix 10pcs | Mixed covers with clear bubble for AXIS M30 Series. Includes 3 black, 3 silver, 3 gold and 1 white cover. | \$263.85 |
| CAAX- 5502-171 | Cover for AXIS M30 Series, White 10pcs | White cover with clear bubble for AXIS M30 Series as spare part. 10 pack. | \$263.85 |
| CAAX- 5502-391 | Mount Clamp for AXIS M10 Series 10 Pack | Clamp to mount AXIS M10 series. 10 pack. | \$51.35 |
| CAAX- 5502-481 | Top Cover AXIS 209FD Blk 10PCS | Replaceable black cover for AXIS 209FD/209MFD. 10 pcs | \$440.94 |
| CAAX- 30337 | Camera Mount Adapter Plate | Adapter plate for mounting AXIS 212, 216, and 225FD Network Camera to either a single or double gang electrical box. | \$175.31 |
| CAAX- 5500-271 | AXIS 212 Wall Bracket | AXIS 212 plastic wall bracket as spare part | \$33.65 |
| CAAX- 5500-071 | AXIS 213 Wall Bracket | Allows you to mount the AXIS 213 PTZ Network Camera on a wall, or other vertical surface. | \$86.77 |
| CAAX- 5005-031 | Drop ceiling mount for AXIS 216FD/216MFD/P3301, clear | Drop ceiling mount kit for AXIS 216FD/216MFD/P3301 including clear transparent cover | \$104.48 |
| CAAX- 5005-041 | Drop ceiling mount for AXIS 216FD/216MFD/P3301, smoked | Drop ceiling mount kit for AXIS 216FD/216MFD/P3301 including smoked transparent cover | \$104.48 |
| CAAX- 5005-051 | Vandal-resistant casing for AXIS 216FD-V/216MFD-V/P3301-V, clear | Vandal-resistant casing with clear transparent cover. Can also upgrade an AXIS 216FD/216MFD to an AXIS 216FD-V/216MFD-V/P3301-V | \$193.02 |
| CAAX- 5005-061 | Vandal-resistant casing for AXIS 216FD-V/216MFD-V, P3301-V smoked | Vandal-resistant casing with smoked transparent cover. Can also upgrade an AXIS 216FD/216MFD/P3301 to an AXIS 216FD-V/216MFD-V/P3301-V | \$193.02 |
| CAAX- 5005-021 | Screw kit for AXIS 216FD/216FD-V/216MFD/216MFD-V/P3301/P3301-V | Spare set of tamper-proof screws for AXIS 216FD/216FD-V/216MFD/216MFD-V/P3301/P3301-V, with Torx screw driver. Mounting screws also included. | \$10.63 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|---|-------------------|
| CAAX- 5005-011 | Casing for AXIS 216FD/216MFD/P3301, clear | Casing with clear transparent cover for AXIS 216FD/216MFD/P3301 | \$51.35 |
| CAAX- 5005-001 | Casing for AXIS 216FD/216MFD/P3301, smoked | Casing with smoked transparent cover for AXIS 216FD/216MFD/P3301 | \$51.35 |
| CAAX- 5500-821 | Casing for AXIS 216FD/216MFD/P3301 black, clear | Interchangeable black casing for AXIS 216FD/216MFD/P3301 with transparent cover. | \$51.35 |
| CAAX- 5500-771 | Casing for AXIS 216FD/216MFD/P3301 black, clear 10-pack | Interchangeable black casing for AXIS 216FD/216MFD/P3301 with transparent cover. 10-pack. | \$494.06 |
| CAAX- 0217-021 | VT Wall bracket Ball joint WBJA | Wall bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT | \$42.50 |
| CAAX- 0217-031 | VT Wall bracket Internal Cable WBOVA1 | Wall bracket with internal cable channel. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT | \$69.06 |
| CAAX- 0217-041 | VT Ceiling Bracket Ball Joint WCM3A | Simple square tubing ceiling bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT | \$139.90 |
| CAAX- 0217-051 | VT Ceiling Bracket Internal Cable WCM4A | Stylish round tubing ceiling bracket with internal cable channel. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT | \$193.02 |
| CAAX- 0217-061 | VT Ceiling Bracket Ball Joint WCM5A | Stylish round tubing ceiling bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT | \$210.73 |
| CAAX- 0217-071 | VT Column Mount Ball Joint WFWCA | Column mount with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT | \$175.31 |
| CAAX- 0217-081 | VT Pole Mount Adapter WSFPA | Pole mount adapter for AXIS T92A Housing. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT | \$122.19 |
| CAAX- 0217-091 | Vt Wall Bracket Adapter Plate WCPA | Wall bracket adapter plate. For use with AXIS T92A00/T92A10/T92A20, VT VERSO and AXIS HOV HOUSING VT | \$69.06 |
| CAAX- 0217-101 | VT Corner Mount WCWA | Corner mount. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT | \$104.48 |
| CAAX- 5502-441 | 1.5 inch to M30 Male adapter | Adapter to convert M30 to 1.5" thread. Used to convert VT Dome mounts to 1.5" NPT thread. Black color. | \$33.65 |
| CAAX- 5502-351 | AXIS P33 Series Pendant Kit | With AXIS P33 Series PENDANT KIT it is possible to mount the AXIS P3343, AXIS P3343-V, AXIS P3344 and AXIS P3344-V Fixed Dome Network Camera on AXIS T91A Brackets or on standard 1.5" NPT threaded brackets. White | \$69.06 |
| CAAX- 5502-321 | AXIS P33-VE Series Pendant Kit | With AXIS P33-VE Series Pendant Kit it is possible to mount the AXIS P3343-VE and AXIS P3344-VE Fixed Dome Network Camera on AXIS T91A Brackets or on standard 1.5" NPT threaded brackets. White | \$86.77 |
| CAAX- 5502-361 | Drop Ceiling Mount for AXIS P33 Series Clear | Drop ceiling mount for AXIS P3343 and AXIS P3344 including clear transparent bubble. For indoor use | \$122.19 |
| CAAX- 5502-371 | Drop Ceiling Mount for AXIS P33 Series Smoked | Drop ceiling mount for AXIS P3343 and AXIS P3344 including smoked transparent bubble. For indoor use | \$122.19 |
| CAAX- 5502-401 | Mounting Plate for AXIS P33 Series | Mounting plate for AXIS P3343, AXIS P3343-V, AXIS P3344 and AXIS P3344-V. Used when mounted on a single or double gang box. | \$51.35 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|---|-------------------|
| CAAX- 5500-381 | AXIS 225FD Pendant Kit | With AXIS 225FD Pendant Kit it is possible to mount the AXIS 225FD Network Camera on AXIS T91A Brackets, VT Dome mounts and on 1,5"NPT threaded brackets. Includes 1.5 inch to M30 Male adapter. Black | \$139.90 |
| CAAX- 5502-001 | AXIS 225FD Pendant Kit Black 1,5"NPT | With AXIS 225FD Pendant Kit 1,5"NPT it is possible to mount the AXIS 225FD Network Camera on AXIS T91A Brackets and on 1,5" NPT threaded brackets. Black | \$122.19 |
| CAAX- 5500-881 | AXIS 216FD/216MFD/ P3301 (-V) Pendant Kit, black | With AXIS 216FD Pendant Kit it is possible to mount AXIS 212PTZ, 216FD and P3301 Network Cameras on AXIS T91A Brackets, VT Dome Brackets and on 1,5"NPT threaded brackets. Includes 1.5 inch to M30 Male adapter. Black | \$86.77 |
| CAAX- 5502-011 | AXIS 216FD/216MFD/ P3301 (-V) Pendant Kit black 1,5"NPT | With AXIS 216FD Pendant Kit it is possible to mount the AXIS 216FD and AXIS P3301 Network Cameras in the same way as our dome enclosure. Used with 1,5"NPT threaded brackets only from Videolarm (US). Black color | \$69.06 |
| CAAX- 5500-891 | AXIS 216FD/216MFD/ P3301 (-V) Pendant Kit, white | With AXIS 216FD Pendant Kit it is possible to mount AXIS 212PTZ, 216FD and P3301 Network Cameras on AXIS T91A Brackets, VT Dome Brackets and on 1,5"NPT threaded brackets. Includes 1.5 inch to M30 Male adapter. White | \$86.77 |
| CAAX- 5502-021 | AXIS 216FD/216MFD/ P3301 (-V) Pendant Kit white 1,5"NPT | With AXIS 216FD Pendant Kit it is possible to mount AXIS 212PTZ, 216FD and AXIS P3301 Network Cameras on AXIS T91A Brackets and on 1,5"NPT threaded brackets. White | \$69.06 |
| CAAX- 5003-011 | Smoked dome glass for AXIS 225FD | Smoked glass bubble for AXIS 225FD Network Camera. | \$104.48 |
| CAAX- 5003-021 | Clear dome glass for AXIS 225FD | Clear glass bubble for AXIS 225FD Network Camera. | \$104.48 |
| CAAX- 5003-001 | Drop ceiling mount for AXIS 225FD | Drop ceiling mount for AXIS 225FD Network Camera. | \$175.31 |
| CAAX- 5003-031 | Screw Kit for AXIS 225FD | Spare set of tamper-proof screws for AXIS 225FD Network Camera, with key. Mounting screws also included. | \$8.85 |
| CAAX- 5500-241 | Cable gland kit for AXIS 225FD | Cable gland kit for AXIS 225FD as a spare part. | \$46.04 |
| CAAX- 5500-191 | AXIS 231D+/232D+ Clear Cover | Clear plastic dome for AXIS 231D+/232D+ Network Dome Camera. | \$49.58 |
| CAAX- 5500-201 | AXIS 231D+/232D+ Smoked Cover | Smoked plastic dome for AXIS 231D+/232D+ Network Dome Camera. | \$49.58 |
| CAAX- 21774 | Smoke colored dome, indoor for 231D/232D | Smoked dome, indoor for AXIS 231/232D. | \$49.58 |
| CAAX- 21779 | MOUNT KIT FOR AXIS 231D+/232D+ T-bar | Mounting kit for AXIS 231D+/232D+ Network Dome Camera. | \$99.17 |
| CAAX- 21781 | JUNCTION BOX FOR AXIS 23xD | Junction box for AXIS 231D+/232D+ Network Dome Camera. | \$159.38 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|--|-------------------|
| CAAX- 21782 | CABLE FOR AXIS 231D+/232D+ I/O 1M | Accessory for AXIS 231D+/232D+ Outdoor housing: 1 meter power cable for outdoor power box | \$21.25 |
| CAAX- 21783 | CABLE FOR AXIS 231D+/232D+ I/O 2M | Accessory for AXIS 231D+/232D+ Outdoor housing: 2 meter power cable for outdoor power box | \$24.79 |
| CAAX- 21784 | CABLE FOR AXIS 231D+/232D+ I/O 5M | Accessory for AXIS 231D+/232D+ Outdoor housing: 5 meter power cable for outdoor power box | \$40.73 |
| CAAX- 21785 | CABLE FOR AXIS 231D+/232D+ I/O 10M | Accessory for AXIS 231D+/232D+ Outdoor housing: 10 meter power cable for outdoor power box | \$70.83 |
| CAAX- 21786 | JUNCTION CABLE FOR AXIS 23xD 1M | Accessory for AXIS 23xD+ Outdoor housing: 1 meter junction cable | \$31.88 |
| CAAX- 21787 | JUNCTION CABLE FOR AXIS 23xD 2M | Accessory for AXIS 23xD+ Outdoor housing: 2 meter junction cable | \$37.19 |
| CAAX- 21788 | JUNCTION CABLE FOR AXIS 23xD 5M | Accessory for AXIS 23xD+ Outdoor housing: 5 meter junction cable | \$54.90 |
| CAAX- 21789 | JUNCTION CABLE FOR AXIS 23xD 10M | Accessory for AXIS 23xD+ Outdoor housing: 10 meter junction cable | \$93.85 |
| CAAX- 21790 | MAINS CABLE AXIS 23xD | Accessory for AXIS 23xD+ Indoor housing: mains cable | \$5.31 |
| CAAX- 21795 | MAINS ADAPTOR AXIS 23xD | Indoor 110V power supply unit for AXIS 23xD+ indoor housing (outdoor version is included in AXIS 23xD) | \$74.38 |
| CAAX- 5500-601 | ACC DOME AXIS 233D CLEAR & SMOKED COVER | Clear and Smoked plastic dome for AXIS 233D dome cameras | \$122.19 |
| CAAX- 5500-471 | BRACKET OUTDOOR AXIS 233D | AXIS 233D mounting bracket for Video Alarm and Video Techs outdoor housing that are designed for AXIS 231/232D | \$69.06 |
| CAAX- 28256 | CABLE FOR AXIS 233D I/O | Cable to connect 233D to PS24 power supply. | \$42.50 |
| CAAX- 5500-671 | ACC Smoked and clear dome kit for AXIS 215 PTZ | Smoked and clear dome kit for AXIS 215 PTZ as spare part | \$122.19 |
| CAAX- 5500-681 | ACC Drop ceiling mount kit for AXIS 215 PTZ | Drop ceiling mount kit for AXIS 215 PTZ as spare part | \$53.13 |
| CAAX- 5500-691 | ACC Screw kit for AXIS 215 PTZ | Screw kit for AXIS 215 PTZ as spare part | \$17.71 |
| CAAX- 21776 | MOUNTING TOOL | Tool for steel strap tensioning. For use with 21764 and AXIS T91A67 | \$256.77 |
| CAAX- 5500-791 | AXIS 212PTZ-V vertical tilt bracket | Vertical tilt 37.7 degree downward | \$86.77 |
| CAAX- 5502-041 | AXIS 212 PTZ-V wall bracket Aluminum | Aluminum side wall bracket as spare | \$104.48 |
| CAAX- 5502-091 | Casing for AXIS 212PTZ-V Clear | Vandal-resistant casing with clear transparent cover as a spare part for AXIS 212PTZ-V. | \$122.19 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------------------------|--|--|-------------------|
| AXIS Network Camera Stands | | | |
| CAAX- 5700-481 | Stand for AXIS M10 | Plastic stand for AXIS M10 series as spare part. 7cm. White. | \$24.79 |
| CAAX- 22473 | Camera stand | Gray plastic stand for AXIS 20x series Network Cameras | \$24.79 |
| CAAX- 23452 | Camera stand | Plastic stand for AXIS 210 and AXIS 211 Network Cameras | \$24.79 |
| CAAX- 18618 | Camera stand | Metal stand for AXIS 221, AXIS 230 | \$35.42 |
| CAAX- 5500-131 | Camera stand for AXIS 20X, plastic (BLACK) | Black plastic stand for AXIS 210 and AXIS 211 Network Cameras | \$24.79 |
| CAAX- 18616 | Camera stand | Plastic stand for 2100 | \$21.25 |
| CAAX- 5004-001 | AXIS 206/207 Mount Clamp | Clamp to mount AXIS 206 series and AXIS 207 series. | \$15.94 |
| Lenses | | | |
| CAAX- 5500-501 | Lens Converter 0.5X for Q1755 | Super wide angle conversion lens for AXIS Q1755. Converts AXIS Q1755PTZ lens to 2.55 -25.5mm. | \$0.00 |
| CAAX- 5500-511 | Lens Converter 2.2X for Q1755 | Super telephoto conversion lens for AXIS Q1755. 2.2X. Converts AXIS Q1755 lens to 102mm. For use in full focal length. | \$440.94 |
| CAAX- 18614 | Lens | CS mount Varifocal 3.5-8 mm DC-iris, for 2120 and 2420 | \$263.85 |
| CAAX- 5500-161 | Lens 4mm F=1.2 | CS mount 4mm for 210/210A, new lens. RoHS Compatible | \$86.77 |
| CAAX- 5500-051 | Lens | CS mount Varifocal 3-8 mm DC-Iris, for AXIS 211 | \$175.31 |
| CAAX- 5500-061 | Lens | CS mount Varifocal 3-8mm DC-Iris, for AXIS 221 | \$221.35 |
| CAAX- 5500-291 | Pentax Varifocal Lens 5-50mm | CS mount Variofocal 5-50mm DC-Iris for AXIS 211 and 221 | \$299.27 |
| CAAX- 5500-941 | Pentax Varifocal Lens 5-50mm 10-pack | CS mount Varifocal 5-50 mm DC-Iris for 211 and 221 in 10-pack | \$2,831.56 |
| CAAX- 5502-121 | Tamron Varifocal 10-40mm DC-iris lens | C mount Varifocal Lens 10-40mm DC Iris day and night corrected for AXIS 221. Includes C mount ring for AXIS 221. | \$352.40 |
| CAAX- 5500-871 | Varifocal MegaPixel Lens 2.4-6mm | CS mount Varifocal Megapixel Lens 2.4-6mm DC Iris for 211M and 223M. Includes CS mount ring for AXIS 223M. | \$352.40 |
| CAAX- 5500-951 | Varifocal MegaPixel Lens 4-8mm | Original lens for AXIS 223M as spare | \$529.48 |
| CAAX- 5700-001 | Lens 3-8mm M13VG308 | Original lens for AXIS 211M as spare part | \$352.40 |
| CAAX- 18593 | Lock Ring | Lock Ring, for Axis 2120 | \$24.79 |
| CAAX- 5502-221 | Varifocal MegaPixel Lens 5-50mm | CS mount Varifocal Megapixel Lens 5-50mm DC Iris for 211M. | \$440.94 |
| CAAX- 5502-451 | Theia Fixedfocal Megapixel 1.7MM | CS mount Fixedfocal Lens 1.7 mm DC-Iris for 211M and 223M. Includes CS mount ring for AXIS 223M. Wideangle lens without barrel distortion. | \$476.35 |
| M12 Lenses | | | |
| CAAX- 5502-101 | Lens M12 Megapixel 2.8mm 10pcs | Megapixel lens 2.8mm with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter. 10pcs | \$352.40 |
| CAAX- 5502-151 | Lens M12 Megapixel 3.6mm 10pcs | Megapixel lens 3.6mm with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter 10pcs | \$263.85 |
| CAAX- 5502-111 | Lens M12 Megapixel 6mm 10pcs | Megapixel lens 6mm lens with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter 10pcs | \$263.85 |
| CAAX- 5502-411 | Lens M12 Megapixel 8mm 10 pcs | Megapixel lens 8mm with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter. 10pcs | \$263.85 |
| CAAX- 5502-161 | Lens M12 Megapixel 16mm 10pcs | Megapixel lens 16mm with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter. 10pcs | \$263.85 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|----------------------------------|--------------------------------------|--|-------------------|
| POWER SUPPLIES AND CABLES | | | |
| CAAX- 18604 | Power Supply | Power supply PS-D for AXIS 2100, 2110, 2120, 2420, 2400/2401, 2400+/2401+, and 2490 | \$61.98 |
| CAAX- 20191 | Power Supply | Power supply for Axis 213/2130/2130R including power cable | \$106.25 |
| CAAX- 22512 | Power Supply | Power supply for the Axis Video Encoder Rack | \$883.65 |
| CAAX- 5500-721 | Power Supply | Power supply PS-P for AXIS 215 PTZ | \$69.06 |
| CAAX- 5700-271 | Spare Power Supply AXIS 215 PTZ-E | Spare Power supply for AXIS 215PTZ-E. Not for Japan | \$69.06 |
| CAAX- 5700-281 | Spare fan/heater ring AXIS 215 PTZ-E | Spare fan and heater ring for AXIS 215-PTZ-E. Includes 2 fans and 2 heaters. | \$210.73 |
| CAAX- 5700-291 | Spare dome clear E | Spare clear dome for AXIS 215-PTZ-E. Includes mounting ring, clear bubble, rubber gasket and 4 screws. | \$175.31 |
| CAAX- 5700-361 | Spare power supply AXIS 215 PTZ-E | Spare Power supply for AXIS 215PTZ-E. All regions incl. Japan. | \$69.06 |
| CAAX- 5500-211 | Power Supply | Main adapter, AXIS 214, spare-part | \$69.06 |
| CAAX- 5500-221 | Power Supply PS-K for 225FD | Power supply PS-K for AXIS 225FD. No plug. Multi-country version for US/JP, AUS, KOR, ARG, EUR and UK | \$86.77 |
| CAAX- 5500-231 | Power Supply PS-K | Power supply PS-K for AXIS 211/A, 241Q/S/SA/QA, 243SA. Multi-country version for US/JP, AUS, KOR, ARG, EUR and UK | \$69.06 |
| CAAX- 5500-331 | Power Supply PS-H | Power supply PS-H for 207W and AXIS 207MW, AXIS 212 PTZ and AXIS 216FD series. Multi-country version for US/JP, AUS, KOR, EUR and UK | \$69.06 |
| CAAX- 5500-901 | Power Supply PS-R | Indoor P/S for AXIS 233D | \$122.19 |
| CAAX- 5500-914 | Power supply PS-R US | Indoor power supply for AXIS 233D. Input 100-240VAC. Output 24VDC, 1.5 A US only. Can also be used for AXIS 231D+/232D+. | \$122.19 |
| CAAX- 5502-261 | Power supply PS-P T-C | Power supply PS-P T-C for AXIS Q1755 | \$69.06 |
| CAAX- 5500-921 | Power supply PS-T | Power supply PS-T for AXIS P1311 and AXIS Q7401 as spare part. | \$69.06 |
| CAAX- 5500-931 | Power supply PS-T 10-pack | Power supply PS-T for AXIS P1311 and AXIS Q7401 as spare part. 10 pack | \$529.48 |
| CAAX- 5700-371 | Spare Conn Push Pull Plug IDC-8 IP67 | Spare RJ45 connector plug for AXIS Q6032-E. IP 67 rated. | \$86.77 |
| CAAX- 5700-401 | AXIS T8124 High PoE Midspan | Spare AXIS T8124 High PoE midspan 60W AXIS Q6032-E. | \$263.85 |
| CAAX- 5700-491 | Dome Kit for AXIS Q6032-E | Dome kit for AXIS Q6032-E as spare part. Includes a clear bubble mounted on dome ring and a separate smoked bubble. | \$157.60 |
| CAAX- 5700-301 | Screw Kit for AXIS P33 Series | Screw kit for AXIS P3343, P3343-V, P3344 and P3344-V as spare part. Includes mounting screws, plugs and I/O connector. | \$7.08 |
| CAAX- 5700-311 | Dome Kit for AXIS P33-V Series | Dome kit for AXIS P3343-V and P3344-V as spare part. Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked bubble. | \$122.19 |
| CAAX- 5700-321 | Dome Kit for AXIS P33 Series | Dome Kit for AXIS P3343 and P3344 as spare part. Includes a clear bubble, mounted on o plastic dome cover and a separate smoked bubble. | \$51.35 |
| CAAX- 5700-341 | Dome Kit for AXIS P33-VE Series | Dome Kit for AXIS P3343-VE and P3344-VE as spare part. Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked bubble. | \$122.19 |
| CAAX- 5700-351 | Screw Kit for AXIS P33-VE Series | Screw Kit for AXIS P3343-VE and P3344-VE as spare part. Includes mounting screws, plugs and I/O connector. | \$8.85 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|--|---|-------------------|
| CAAX- 5000-001 | ACC MAINS ADAPTER AXIS PS24 | 24V AC power adapter for Axis 23xD. AC Input: 100-120VAC / 220-240VAC, max 800mA / 400mA, 80VA. AC Output: 24VAC, max 63VA. Requires part # 21764 or similar. | \$263.85 |
| CAAX- 30334 | ACC Mains Adapter PB24 | Rugged cast aluminum power box. 220/115VAC input, 24VAC output at 96VA, Fused, UL and CE approved. Includes pole mounting clips. | \$618.02 |
| CAAX- 30335 | ACC Mains Adapter PB24-S | Rugged cast aluminum power box. 220/115VAC input, 24VAC output at 96VA, Fused, UL and CE approved. Ethernet Surge protector / POE. Includes pole mounting clips. | \$883.65 |
| CAAX- 30336 | ACC Mains Adapter PB24-F | Rugged cast aluminum power box. 220/115VAC input, 24VAC output at 96VA, Fused, UL and CE approved. Multimode media converter. Includes pole mounting clips. | \$1,591.98 |
| CAAX- 5000-021 | AXIS PS12 ACC Mains Adaptor | 12V outdoor/indoor power supply. 5 meter (16.4 ft) input and output cable. Supplied without power plug. | \$316.98 |
| CAAX- 5500-251 | ACC MAINS ADAPTOR PS-S | Mains adapter for IR-illuminators, spare part. (PS-S) | \$69.06 |
| CAAX- 21764 | MOUNT KIT FOR AXIS 231D+/232D+ WIDE POLE | Required housing for 24V AC outside power supply unit (#5000-001) Wall and pole mount included. Pole mount requires use of mounting tool (part #21776 or similar) | \$70.83 |
| CAAX- 5000-011 | Wall Mount AXIS PS24 | Metal box used to mount AXIS PS24 Outdoor Power Supply. (5000-001) | \$86.77 |
| CAAX- 18599 | Terminal Connector | 4 pin terminal connector 3.81 mm for 210, 211, 207W, 216FD, 250S | \$7.08 |
| CAAX- 18601 | Terminal Connector | 8 pin terminal connector 3.81 mm for 2400/2401, 2400+/2401+, 2490 | \$14.17 |
| CAAX- 20242 | Terminal Connector | 12 pin terminal connector 3.81 mm | \$17.71 |
| CAAX- 5700-471 | Covert Camera for M7001 | Covert Camera for AXIS M7001 as spare part. | \$228.44 |
| CAAX- 5500-141 | Extension cable PS-H 1.8M | 1.8M extension Cable for PS-H and PS-L products | \$12.40 |
| CAAX- 5500-081 | ACC Extension Cable for PS-K | ACC Extension Cable for PS-K products. 210, 211, 241S/Q. | \$19.48 |
| CAAX- 18610 | Cable NULL | Serial NULL Modem cable for 2100, 2110, 2120, 2420 | \$24.79 |
| CAAX- 5502-331 | Audio I/O Cable for AXIS P33 Series 5m | Audio and I/O extension cable for AXIS P33 series. Includes 4 pin terminal connector 2.5mm Female to Male, 2 x stereo plug 3.5mm Male to Femal. 5 meter. | \$69.06 |
| CAAX- 18608 | Cable extension | Extension cable for Power Supply, 3.3 meters, for PS-D | \$19.48 |
| CAAX- 21832 | Cable adapter - Y/C to BNC | Cable adapter to connect a Y/C (S-Video) cable to the Axis 241S Video Server. Same as 21833 but for US | \$30.10 |
| CAAX- 18620 | Cable - Visca to Server | Cable to connect PTZ control of Sony EVI VISCA to Video server, 3 meters | \$26.56 |
| CAAX- 5500-351 | Camera Cable AXIS 247S | 10m extension multi-cable between AXIS 247S and the analog camera and microphone. 6-pin mini-DIN to RCA (video in), RCA (audio in) and Mini DC Jack (power out). Includes RCA to BNC adapter. | \$104.48 |
| CAAX- 18622 | Cable - Visca to Visca | Extension cable for PTZ control of Sony EVI VISCA, 3 meters | \$26.56 |
| CAAX- 21242 | Power Splitter 2400+/2401+ | The 8 to 1 Power Splitter for 2400/01+. Feeds up to eight Axis 2400+/2401+. One 6.5 feet input cord and eight 2.9 feet output cords. Snap-mount for 35mm DIN rails. NOTE; No power supply included. | \$263.85 |
| CAAX- 5500-441 | BNC to RCA adaptor | 4 pack of BNC to RCA adaptors. Replaces 19403 and 19404. | \$33.65 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|---|--|--|-------------------|
| POWER OVER LAN/POWER OVER ETHERNET | | | |
| CAAX- 0170-004-01 | POWER OVER LAN ACTIVE SPLITTER | Use with Power Over LAN Midspans to enable Power Over LAN for AXIS 213 and AXIS 230. Output 12 VDC. The Power over LAN Active Splitter is not IEEE 802.3af compliant. It works only with the AXIS POE MIDSPAN 1-PORT. | \$157.60 |
| CAAX- 0227-001 | AXIS POWER OVER ETHERNET ACTIVE SPLITTER | The 802.3af compliant AXIS Power Over Ethernet Active Splitter adds PoE capabilities to AXIS 2100, 2110, 210, 2120, 2420, 2400, 2401 and 2490. Output 12 VDC. | \$157.60 |
| CAAX- 5014-004 | T8121 High PoE Midspan 1-Port | High PoE 1-port midspan (802.3.at pre-standard). Compliant with PoE 802.3af. A High PoE 802.3at pre-standard splitter (AXIS T8126/T8128) is required. | \$157.60 |
| CAAX- 5014-501 | T8126 High PoE Splitter 12V | 12V DC High PoE splitter (802.3.at pre-standard). Requires either a AXIS T8121 midspan (max 24W output) or a 802.3af PoE midspan (max 12W output) | \$157.60 |
| CAAX- 5014-511 | T8128 High PoE Splitter 24V | 24V DC High PoE splitter (802.3.at pre-standard). Requires High PoE midspan (AXIS T8121). | \$157.60 |
| CAAX- 5008-001 | AXIS PoE Active Splitter - 5V | Power over Ethernet (802.3af) compatible. Use with Power over Ethernet-midspans or PoE-enabled switches to enable Power over Ethernet for AXIS 206, 207, 207W and 207MW. | \$157.60 |
| CAAX- 5012-004 | AXIS PoE Midspan 8-port | 802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to eight Axis Network cameras/video servers. Metal casing. | \$1,060.73 |
| CAAX- 5012-014 | AXIS PoE Midspan 16-port | 802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to sixteen Axis Network cameras/video servers. Metal casing. | \$1,414.90 |
| CAAX- 0226-004 | AXIS POWER OVER ETHERNET MIDSPAN 1-PORT | Axis branded. Secure injection of power into a single standard Cat 5 network cable. Maximum cable length 328ft/100m/ Supports single Axis Network Camera/Video Server. Plastic casing | \$122.19 |
| IR ILLUMINATORS | | | |
| CAAX- 5013-011 | AXIS T90A01 IR-LED 50 DEG POE | 850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Fixed angle 50 degrees. Range 14 meters. Input: Power over Ethernet(PoE). Consumption : 10 W | \$795.10 |
| CAAX- 5013-111 | AXIS T90A11 IR-LED 50 DEG | 850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Fixed angle 50 degrees. Range 14 meters. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 10 W Cable length 2.5m | \$795.10 |
| CAAX- 5013-201 | AXIS T90A20 IR-LED 120-180 DEG | 850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Adjustable angle between 120 to 180 degrees. Range 16 meters in 120 degrees and 11 meters in 180 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 20 W Cable length 2.5m | \$883.65 |
| CAAX- 5013-211 | AXIS T90A21 IR-LED 50-100 DEG | 850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Adjustable angle between 50 to 100 degrees. Range 28 meters in 50 degrees and 18 meters in 100 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 20 W Cable length 2.5m | \$883.65 |
| CAAX- 5013-331 | AXIS T90A33 IR-LED 10-20 DEG | 850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Adjustable angle between 10 to 20 degrees. Range 150 meters in 10 degrees and 100 meters in 20 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 50 W Cable length 2.5m | \$2,123.23 |

AXIS IP Cameras and Accessories

| <u>Part No.</u> | <u>Name</u> | <u>Description</u> | <u>List Price</u> |
|-------------------------------|----------------------------------|--|-------------------|
| CAAX- 5013-321 | AXIS T90A32 IR-LED 30-60 DEG | 850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Adjustable angle between 30 to 60 degrees. Range 80 meters in 30 degrees and 53 meters in 60 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 50 W Cable length 2.5m | \$2,123.23 |
| CAAX- 5013-401 | AXIS T90A40 IR-LED 120-180 DEG | 850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Adjustable angle between 120 to 180 degrees. Range 64 meters in 120 degrees and 42 meters in 180 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 80 W Cable length 2.5m | \$3,008.65 |
| CAAX- 5013-421 | AXIS T90A42 IR-LED 30-60 DEG | 850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Adjustable angle between 30 to 60 degrees. Range 160 meters in 30 degrees and 106 meters in 60 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 80 W Cable length 2.5m | \$3,008.65 |
| CAAX- 5013-661 | AXIS T90A66 Pole Bracket | Pole bracket for AXIS T90A illuminators. | \$157.60 |
| WHITE LED ILLUMINATORS | | | |
| CAAX- 5013-061 | AXIS T90A06 W-LED 50-100 DEG POE | White LED Illuminator for use with the Axis network cameras. Fixed angle 50 degrees. Range 13 meters. Input: Power over Ethernet (PoE). Consumption : 10 W | \$795.10 |
| CAAX- 5013-161 | AXIS T90A16 W-LED 50 | White LED Illuminator for use with the Axis network cameras. Fixed angle 50 degrees. Range 13 meters. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 10 W Cable length 2.5m | \$795.10 |
| CAAX- 5013-261 | AXIS T90A26 W-LED 50-100 DEG | White LED Illuminator for use with the Axis network cameras. Adjustable angle between 50 to 100 degrees. Range 20 meters in 50 degrees and 13 meters in 100 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 25 W Cable length 2.5m | \$1,060.73 |
| CAAX- 5013-371 | AXIS T90A37 W-LED 30-60 DEG | White LED Illuminator for use with the Axis network cameras. Adjustable angle between 30 to 60 degrees. Range 42 meters in 30 degrees and 28 meters in 60 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 50 W Cable length 2.5m | \$2,123.23 |
| OTHER | | | |
| CAAX- 31119 | SERVICE CHARGE | Add to purchase orders with a total order value of less than \$5,000 | \$500.00 |

Sony IP Cameras and Accessories

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-------------------------------------|---|-------------------|
| Sony Cameras and Accessories | | |
| CASNIMZ-RS401 | RSM V4 1 Additional Camera License | \$585.00 |
| CASNIMZ-RS404 | RSM V4 4 Camera License | \$1,287.00 |
| CASNIMZ-RS409 | RSM V4 9 Camera License | \$2,340.00 |
| CASNIMZ-RS416 | RSM V4 16 Camera License | \$3,640.00 |
| CASNIMZ-RS432 | RSM V4 32 Camera License | \$5,850.00 |
| CASNLM-D1410SC | 14" Professional Lcd Monitor | \$1,144.00 |
| CASNNSB-K250 | 250Gb HDD add on for NSR25/NSR50 | \$715.00 |
| CASNNSR-25 | Network Video Recorder, 250GB 120fps | \$7,150.00 |
| CASNNSR25/500 | Network Video Recorder, 2-250GB HDD's 120fps | \$7,735.00 |
| CASNNSR-50 | Network Video Recorder, 500GB 240fps SPAN | \$9,750.00 |
| CASNNSR-100 | Network Video Recorder 1TB 480fps RAID5 | \$15,600.00 |
| CASNNSR-RM1 | Rack Slide Rail Kit for NSR Series Recorders | \$390.00 |
| CASNPD-3000/MBK | 19" Mounting Brackets For PD3000 Series Midspan | \$40.30 |
| CASNPD-3001/AC | 1 Port Cost Effective PoE Midspan | \$81.90 |
| CASNPD-3006/AC | 6 Port Cost Effective PoE Midspan | \$445.90 |
| CASNPD-3012/AC | 12 Port Cost Effect PoE Midspan | \$725.40 |
| CASNPD-8001/AC | 1-Port High Power Midspan, Ac | \$152.10 |
| CASNPD-8006/AC | High Power Midspan | \$986.70 |
| CASNPD-8012/AC | 12-Port High Power Midspan, Ac | \$1,118.00 |
| CASNPD-AS401/12 | 12V Splitter | \$81.90 |
| CASNPD-AS801/12 | High Power Splitter | \$123.50 |
| CASNRM-MV704 | Single/Dual Fixed Rackmnt 1RU | \$143.00 |
| CASNRM-NS10 | Joystick USB Remote controller for NSR25/50/100 | \$1,300.00 |
| CASNC-AAN1 | External Antenna For SNCA-FW1 | \$455.00 |
| CASNC-ACFW1 | CF Type 802.11b Wireless Lan C | \$208.00 |
| CASNC-ACFW5 | CF Type 802.11b/g Wireless LAN Card | \$247.00 |
| CASNC-AHP5 | Housing For SNC-P5 | \$325.00 |
| CASNC-CS10 | CS Mount JPEG/MPEG progressive scan camera w/o lens | \$565.50 |
| CASNC-CS11 | CS Mount JPEG/MPEG progressive scan camera with PoE | \$708.50 |
| CASNC-CS50N | Multi Codec Fixed Network Camera | \$1,462.50 |
| CASNC-DF40N | Network Indoor Minidome Video | \$942.50 |
| CASNC-DF50N | Network Indoor Minidome Video w/ wide dynamic -CS lens | \$1,267.50 |
| CASNC-DF70N | Rugged Minidome Network Camera | \$1,267.50 |
| CASNC-DF80N | Rugged Minidome Network Camera w/ optional heater - YT-HU75 | \$1,397.50 |
| CASNC-ID7T1 | 7" Ceiling Mount Tinted Dome Housing for SNC-RZ30N | \$260.00 |
| CASNC-P1 | Mpeg 4/Jpeg Network Color Came | \$474.50 |
| CASNC-P5 | Mpeg 4/Jpeg Network Pan/Tilt/Z | \$845.00 |
| CASNC-RDW7 | Rugged Dome W/Wall Mount -Sncr | \$475.80 |
| CASNC-RDW7C2 | Rugged Dome W/Wall Mount -Sncr | \$826.80 |
| CASNC-RPDC | Clear Replacement Dome | \$156.00 |
| CASNC-RPDT | Tinted Replacement Dome | \$156.00 |
| CASNC-RX530N | Multi Codec 360 PTZ Network Camera w/18x | \$3,120.00 |
| CASNC-RX550N/B | Multi Codec 360 PTZ Network Camera (Black) | \$3,328.00 |

Sony IP Cameras and Accessories

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|--|-------------------|
| CASNC-RX550N/W | Multi Codec 360 PTZ Network Camera (White) | \$3,328.00 |
| CASNC-RX570N | Multi Codec 360 PTZ Network Camera w/36x + Dynaview Wide Dynamic | \$3,770.00 |
| CASNC-RZ25N | Mpeg4/Jpeg P/T/Zoom Network Camera | \$1,313.00 |
| CASNC-RZ30N | PTZ JPEG Network Camera | \$2,073.50 |
| CASNC-RZ50N | Multi Codec PTZ Network Camera | \$1,963.00 |
| CASNC-UNI | Indoor Housing For SNC-Z20N and SNC-CS3N Network Cameras | \$195.00 |
| CASNC-UNIH/B1 | Outdoor Housing For SNC-Z20N and SNC-CS3N | \$299.00 |
| CASNC-Z20N | Fixed Network Color Camera | \$1,625.00 |
| CASNT-V704 | Network Video Server | \$1,050.40 |
| CASNSS-CCD73V | Ruggedized, Day/Night Fixed Color Mini Dome Camera | \$598.00 |
| CASNSS-CCD45 | Compact Discreet minidome 540TVL | \$351.00 |
| CASNSS-CCD49 | Indoor Minidome with Dynaview for wide dynamic range | \$598.00 |
| CASNSS-CCD75 | Ruggedized minidome w/540TVL | \$546.00 |
| CASNSS-CCD77 | Indoor Minidome Day/Night w/1/3CCD Exwave for low light applications | \$663.00 |
| CASNSS-CCD79 | Ruggedized Minidome with Dynaview for WIDE DYNAMIC RANGE | \$777.40 |
| CASNSS-CDC174 | 1/3" Superhad Ccd Color Camera | \$214.50 |
| CASNSS-CDC374 | High Resolution Color CCD Camera | \$234.00 |
| CASNSS-CDC590 | Day/Night Color Camera W/ Dyna | \$852.80 |
| CASNSS-CDC593 | Day/Night Color CCD Camera | \$656.50 |
| CASNSS-CDC80 | 1/2" Ccd Analog Color Camera | \$1,097.20 |
| CASNSS-CDC83 | 1/2" Ccd Analog Color Camera | \$1,097.20 |
| CASNSS-CE453 | 1/3" Superexwave Color Video Camera | \$286.00 |
| CASNSS-CE473 | 1/3" Superexwave Color Video Camera | \$364.00 |
| CASNSS-CM183 | B&W Video Camera | \$143.00 |
| CASNSS-CM383 | B&W Video Camera | \$273.00 |
| CASNUNI-CMA1 | Corner Mount Adaptor | \$91.00 |
| CASNUNI-IFF7C3 | Recessed housing for Fixed cameras clear lower dome | \$260.00 |
| CASNUNI-IFF7T3 | Recessed housing for Fixed cameras tinted lower dome | \$260.00 |
| CASNUNI-INL7C2 | Indoor Clear Housing For SNC-RZ25N / SNC-RX550N | \$325.00 |
| CASNUNI-INL7T2 | Indoor Tinted Housing For SNC-RZ25N / SNC-RX550N | \$325.00 |
| CASNUNI-INS7C1 | Indoor Clear Housing For SNC-RZ30N / SNC-RZ50N. | \$585.00 |
| CASNUNI-INS7C3 | Indoor Clear Domes For SNC-RZ30N / SNC-RZ50N. | \$338.00 |
| CASNUNI-INS7T1 | Indoor 7" Pendant mount housing, Tinted lower dome for SNC-RZ30N / SNC-RZ50N | \$585.00 |
| CASNUNI-INS7T3 | Indoor Tinted Domes For SNC-RZ30N / SNC-RZ50N. | \$338.00 |
| CASNUNI-IRL7C2 | Rugged Clear Dome Rx550/Rz25 N | \$520.00 |
| CASNUNI-IRL7T2 | Rugged Tinted Dome for the SNCRX550N and SNCRZ25N | \$520.00 |
| CASNUNI-IRS7C3 | Rugged Clear Dome Rz50/Rz30 No | \$520.00 |
| CASNUNI-IRS7T3 | Rugged Tinted Dome Rz50/Rz30 N | \$520.00 |
| CASNUNI-MDB1 | Pendant Adaptor Mount for SNC-DF70N and SSC-CD73V | \$162.50 |
| CASNUNI-MDB2 | Pendant Adaptor Mount for SNC-DF80N, SSC-CD75/77 models | \$162.50 |

Sony IP Cameras and Accessories

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|--|-------------------|
| CASNUNI-ONL7C2 | Outdoor Clear Housing For SNCRZ25/SNCRX550N | \$617.50 |
| CASNUNI-ONL7C2W | Outdoor Tinted Housing For SNC-RZ25N / SNC-RX550N | \$877.50 |
| CASNUNI-ONL7T2 | Outdoor Tinted Housing For SNC-RZ25N / SNC-RX550N | \$617.50 |
| CASNUNI-ONL7T2W | Outdoor Tinted Housing For SNC-RZ25N / SNC-RX550N | \$877.50 |
| CASNUNI-ONS7C1 | Outdoor Clear Housing For SNC-RZ30N / SNC-RZ50N | \$715.00 |
| CASNUNI-ONS7C1W | Outdoor Clear Housing For SNC-RZ30N / SNC-RZ50N. | \$975.00 |
| CASNUNI-ONS7T1 | Outdoor Tinted Housing For SNC-RZ30N / SNC-RZ50N | \$715.00 |
| CASNUNI-ONS7T1W | Outdoor Tinted Housing For SNC-RZ30N / SNC-RZ50N. | \$975.00 |
| CASNUNI-OPL7C2 | Pressurized Clear Dome Rx550/R | \$1,430.00 |
| CASNUNI-OPL7T2 | Pressurized Tinted Dome Rx550/ | \$1,430.00 |
| CASNUNI-OPS7C1 | Pressurized Clear Dome Rz50/Rz | \$1,495.00 |
| CASNUNI-OPS7T1 | Pressurized Tinted Dome Rz50/R | \$1,495.00 |
| CASNUNI-ORL7C2 | Vandal Resistant dome w/ H&B for SNC-RX550N and SNC-RZ25N | \$806.00 |
| CASNUNI-ORL7C2W | 7" Vandal resistant wireless ready dome housing for SNC-RX550N and SNC-RZ25N | \$1,040.00 |
| CASNUNI-ORL7T2 | Vandal Resistant Tinted Dome for SNC-RX550N and SNC-RZ25N | \$806.00 |
| CASNUNI-ORL7T2W | Rugged Tinted 11b Ready Dome R | \$1,040.00 |
| CASNUNI-ORS7C1 | Rugged Clear Dome Rz50/Rz30 | \$910.00 |
| CASNUNI-ORS7C1W | Rugged Clear 11b Ready Dome Rz | \$1,131.00 |
| CASNUNI-ORS7T1 | Rugged Tinted Dome Rz50/Rz30 | \$910.00 |
| CASNUNI-ORS7T1W | Rugged Tinted 11b Ready Dome R | \$1,131.00 |
| CASNUNI-PBU1 | Power unit | \$390.00 |
| CASNUNI-PMA1 | Pole Mount Adaptor In White. | \$58.50 |
| CASNUNI-RD7C | Clear Replacement Capsule | \$84.50 |
| CASNUNI-RD7T | Tinted Replacement Capsule | \$84.50 |
| CASNUNI-RMB1 | Parapet Mount Bracket | \$520.00 |
| CASNUNI-WMB1 | Gooseneck Wall Mount Bracket | \$130.00 |
| CASNYT-HU75 | Heater Unit for SNCDF80, SSCCD75, SNCCD77 -40deg Farenheit | \$110.50 |
| CASNYT-ICB40 | Flush Mount Kit For SNC-DF40N | \$153.40 |
| CASNYT-ICB43V | Flush Mount Kit (Non-ruggedized mini domes) | \$65.00 |
| CASNYT-ICB45 | Flush Mount Kit -SNCDF50,SNCDF70,SSCCD75, SSCCD77 | \$84.50 |
| CASNYT-ICB70 | In Ceiling Kit for SNCDF70N | \$153.40 |
| CASNYT-ICB73V | Flush Mount Kit (Ruggedized mini domes) | \$84.50 |

Vitek Cameras, DVRs and Accessories

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| Vitek DVRs | | |
| VT-E SERIES DIGITAL RECORDERS | | |
| CAVT-E4/250 | 4 Channel DVR w/250GB HDD | \$886.67 |
| CAVT-E4/500 | 4 Channel DVR w/500GB HDD | \$1,033.33 |
| CAVT-E4/750 | 4 Channel DVR w/750GB HDD | \$1,166.67 |
| CAVT-E4/1T | 4 Channel DVR w/1T HDD | \$1,266.67 |
| CAVT-E4/1.5T | 4 Channel DVR w/1.5T HDD | \$1,433.33 |
| CAVT-E8/250 | 8 Channel DVR w/250GB HDD | \$1,200.00 |
| CAVT-E8/500 | 8 Channel DVR w/500GB HDD | \$1,333.33 |
| CAVT-E8/750 | 8 Channel DVR w/750GB HDD | \$1,433.33 |
| CAVT-E8/1T | 8 Channel DVR w/1T HDD | \$1,600.00 |
| CAVT-E8/1.5T | 8 Channel DVR w/1.5T HDD | \$1,733.33 |
| CAVT-E16/250 | 16 Channel DVR w/250GB HDD | \$1,466.67 |
| CAVT-E16/500 | 16 Channel DVR w/500GB HDD | \$1,600.00 |
| CAVT-E16/750 | 16 Channel DVR w/750GB HDD | \$1,733.33 |
| CAVT-E16/1T | 16 Channel DVR w/1T HDD | \$1,900.00 |
| CAVT-E16/1.5T | 16 Channel DVR w/1.5T HDD | \$2,066.67 |
| SAGA "ST" PLUS DIGITAL RECORDERS (MPEG4 240PPS RECORDING W/JOG SHUTTLE) | | |
| CAVT-ST440/250 | 4 Channel DVR 250GB w/DVD-RW 120/120fps | \$1,700.00 |
| CAVT-ST440/500 | 4 Channel DVR 500GB w/DVD-RW 120/120fps | \$1,866.67 |
| CAVT-ST440/750 | 4 Channel DVR 750GB w/DVD-RW 120/120fps | \$2,000.00 |
| CAVT-ST440/1T | 4 Channel DVR 1TB w/DVD-RW 120/120fps | \$2,333.33 |
| CAVT-ST440/1.5T | 4 Channel DVR 1.5TB w/DVD-RW 120/120fps | \$2,600.00 |
| CAVT-ST440/2T | 4 Channel DVR 2TB w/DVD-RW 120/120fps | \$2,866.67 |
| CAVT-ST840/250 | 8 Channel DVR 250GB w/DVD-RW 240/120fps | \$2,100.00 |
| CAVT-ST840/500 | 8 Channel DVR 500GB w/DVD-RW 240/120fps | \$2,300.00 |
| CAVT-ST840/750 | 8 Channel DVR 750GB w/DVD-RW 240/120fps | \$2,440.00 |
| CAVT-ST840/1T | 8 Channel DVR 1TB w/DVD-RW 240/120fps | \$2,600.00 |
| CAVT-ST840/1.5T | 8 Channel DVR 1.5TB w/DVD-RW 240/120fps | \$2,933.33 |
| CAVT-ST840/2T | 8 Channel DVR 2TB w/DVD-RW 240/120fps | \$3,266.67 |
| CAVT-ST1640/250 | 16 Channel DVR 250GB w/DVD-RW 480/120fps | \$2,433.33 |
| CAVT-ST1640/500 | 16 Channel DVR 500GB w/DVD-RW 480/120fps | \$2,600.00 |
| CAVT-ST1640/750 | 16 Channel DVR 750GB w/DVD-RW 480/120fps | \$2,800.00 |
| CAVT-ST1640/1T | 16 Channel DVR 1TB w/DVD-RW 480/120fps | \$3,033.33 |
| CAVT-ST1640/1.5T | 16 Channel DVR 1.5TB w/DVD-RW 480/120fps | \$3,266.67 |
| CAVT-ST1640/2T | 16 Channel DVR 2TB w/DVD-RW 480/120fps | \$3,666.67 |

Vitek Cameras, DVRs and Accessories

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|--|-------------------|
| SAGA "XL" DIGITAL RECORDERS (MPEG4 REAL TIME RECORDING W/JOG SHUTTLE) | | |
| CAVT-XL1680/250 | 16 Channel DVR 250GB w/DVD-RW 480/480fps | #REF! |
| CAVT-XL1680/500 | 16 Channel DVR 500GB w/DVD-RW 480/480fps | #REF! |
| CAVT-XL1680/750 | 16 Channel DVR 750GB w/DVD-RW 480/480fps | #REF! |
| CAVT-XL1680/1T | 16 Channel DVR 1TB w/DVD-RW 480/480fps | #REF! |
| CAVT-XL1680/1.5T | 16 Channel DVR 1.5TB w/DVD-RW 480/480fps | #REF! |
| CAVT-XL1680/2T | 16 Channel DVR 2TB w/DVD-RW 480/480fps | #REF! |
| CAVT-XL1680/3T | 16 Channel DVR 3TB w/DVD-RW 480/480fps | #REF! |
| CAVT-XL1680/4T | 16 Channel DVR 4TB w/DVD-RW 480/480fps | #REF! |
| HDD EXPANSION BAYS | | |
| CAVT-XHD10U/750 | SAGA Series USB 2.0 HDD Expansion Bay w/750GB Storage | #REF! |
| CAVT-XHD10U/1.5T | SAGA Series USB 2.0 HDD Expansion Bay w/1.5TB Storage | #REF! |
| CAVT-XHD10U/2.25T | SAGA Series USB 2.0 HDD Expansion Bay w/2.25TB Storage | #REF! |
| CAVT-XHD10U/3T | SAGA Series USB 2.0 HDD Expansion Bay w/3TB Storage | #REF! |
| CAVT-XHD10U/3.75T | SAGA Series USB 2.0 HDD Expansion Bay w/3.75TB Storage | #REF! |
| CAVT-XHD10U/4.5T | SAGA Series USB 2.0 HDD Expansion Bay w/4.25TB Storage | #REF! |
| CAVT-XHD10U/5.25T | SAGA Series USB 2.0 HDD Expansion Bay w/5.25TB Storage | #REF! |
| CAVT-XHD10U/6T | SAGA Series USB 2.0 HDD Expansion Bay w/6TB Storage | #REF! |
| CAVT-XHD10U/6.75T | SAGA Series USB 2.0 HDD Expansion Bay w/6.75TB Storage | #REF! |
| CAVT-XHD10U/7.5T | SAGA Series USB 2.0 HDD Expansion Bay w/7.5TB Storage | #REF! |
| CAVT-XHD10U/10T | SAGA Series USB 2.0 HDD Expansion Bay w/10TB Storage | #REF! |
| ALPHA SERIES H.264 DIGITAL RECORDERS | | |
| CAVT-H40/250 | Alpha Series 4 channel 250GB H.264 Digital Video Recorder | \$553.33 |
| CAVT-H40/500 | Alpha Series 4 channel 500GB H.264 Digital Video Recorder | \$666.67 |
| CAVT-H41/250 | Alpha Series 4 channel 250GB H.264 DVR w/ PTZ, Audio and F/ P Controls | \$666.67 |
| CAVT-H10/500 | Alpha Series 4 channel 500GB H.264 DVR w/ PTZ, Audio and F/ P Controls | \$780.00 |

Vitek Cameras and Accessories

INDOOR FIXED DOME CAMERAS

| | | |
|-----------|---|----------|
| CA-D-C410 | HS DOME CAMERA - High Resolution Color Indoor Dome Camera w/480 TVL 12VDC/24VAC | \$195.00 |
|-----------|---|----------|

OUTDOOR VANDAL PROOF 480TVL MIGHTY DOMES

| | | |
|----------------|---|----------|
| CA-D-MVH2910 | VP DOME CAMERA - Vandal Proof Color Dome Camera w/2.9-10mm Varifocal Lens, 480TVL | \$357.00 |
| CA-DMVH2910L35 | VP DOME CAMERA - Vandal Proof Color Dome Camera w/2.9-10mm Varifocal Lens, 480TVL & 35 IR LED's | \$494.00 |

Vitek Cameras, DVRs and Accessories

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|---|-------------------|
| OUTDOOR VANDAL PROOF 550TVL MIGHTY DOMES | | |
| CA-D-MVX2910 | MIGHTY DOME 2.9-10 MM - Vandal Proof Color Dome Camera w/2.9-10mm Varifocal Lens & 550TVL | \$429.00 |
| CA-D-MVX922 | MIGHTY DOME 9-22 MM - Vandal Proof Color Dome Camera w/9-22mm Varifocal Lens & 550TVL | \$448.50 |
| CA-D-MVX2910DN | D/N VP CAM 2.9-10MM - True Day/Night Vandal Proof Color Dome Camera w/2.9-10mm Varifocal Lens & 550TVL | \$468.00 |
| CA-D-MVX922DN | D/N VP CAM 9-22 MM - True Day/Night Vandal Proof Color Dome Camera w/9-22mm Varifocal Lens & 550TVL | \$487.50 |
| CA-DMVX2910/L35 | MIGHTY DOME IR LED - Vandal Proof Color Dome Camera w/2.9-10mm Varifocal Lens, 550TVL & 35 IR LED's | \$539.50 |
| CA-DMVX2910WDW | MIGHTY DOME Wide Dynamic Range Vandal Proof Color Dome Camera - 2.9-10mm Varifocal Lens - 550TVL | \$604.26 |
| CA-DMVX2616/L35 | MIGHTY DOME IR LED - Vandal Proof Color High Resolution Dome Camera w/2.9-10mm Varifocal Lens, 550TVL & 35 IR LED's | \$572.00 |
| CA-DMVX922/L35 | MIGHTY DOME Vandal Proof Color Dome Camera w/9-22mm Varifocal Lens, 550 TVL & 35 LED's | \$572.00 |
| CA-DMVX922/L35H | MIGHTY DOME Vandal Proof Color Dome Camera w/9-22mm Varifocal Lens, 550 TVL & 35 LED's with Heater/Blower | \$654.07 |
| INFRARED CAMERAS | | |
| CA-C-IRLED24 | BULLET CAM 24 IR LED - Alpha Series Bullet Camera w/24 IR LEDs | \$117.00 |
| CA-C-IRLED30A | LR D/N BULLET CAM - Long Range Infrared Day/Night Bullet Camera w/480 TVL 24VAC | \$312.00 |
| CA-IRX36/3895 | LR D/N BULLET 120' 550 - Long Range 120' Day/Night IR Bullet Camera w/550TVL 12/24V 3.8-9.5mm | \$487.50 |

Vitek Cameras, DVRs and Accessories

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|---|-------------------|
| PTZ CAMERAS & KITS | | |
| CA-PTZ18 | PTZ DOME 18X - Xpress Dome PTZ with 18x Optical Zoom | \$1,787.50 |
| CA-PTZ26 | PTZ DOME D/N 26X - Xpress Dome PTZ Day/Night w/Stabilization & 26x Optical Zoom | \$2,470.00 |
| PTZ CONTROLS | | |
| CA-VT-KBD1 | PTZ KEYBOARD - Xpress 3-Axis Keyboard Controller for SAGA DVR & Xpress PTZs | \$812.50 |
| PTZ MOUNTS / HOUSINGS & ACCESSORIES | | |
| CA-MD/CMT | MIGHTY D CEILING MOUNT - Mighty Dome / VT-PTZ10 Pedestal Ceiling Mount | \$84.50 |
| CA-MD/WMT | MIGHTY D WALL MOUNT - Mighty Dome / VT-PTZ10 Wall Mount | \$71.50 |
| CA-PTFMK/C | PTZ FLUSH MT CLEAR - PTZ Flush Mount Kit w/Clear Bubble | \$123.50 |
| CA-PTFMK/S | PTZ FLUSH MT SMOKED - PTZ Flush Mount Kit w/Smoked Bubble | \$123.50 |
| CA-PTHSG/C | PTZ I/O HOUSING CLEAR - PTZ Indoor/Outdoor Housing w/Clear Bubble | \$214.50 |
| CA-PTHSG/S | PTZ I/O HOUSING SMOKED - PTZ Indoor/Outdoor Housing w/Smoked Bubble | \$214.50 |
| CA-PTIBMT | PTZ I-BEAM MOUNT - PTZ I-Beam Mount | \$110.50 |
| CA-PTWMT | PTZ WALL MOUNT - PTZ Wall Mount | \$110.50 |
| CA-PTPDMT | PTZ PED/CEILING MOUNT - PTZ Pedestal / Ceiling Mount | \$84.50 |
| CA-PTCNMT | PTZ CORNER MOUNT ADPTR - PTZ Corner Mount Adapter | \$58.50 |
| CA-PTPLMT | PTZ POLE MOUNT ADPTR - PTZ Pole Mount Adapter | \$58.50 |
| CA-PTPPMT | PTZ PARAPET MOUNT - PTZ Parapet Mount | \$305.50 |
| CA-PTODKIT | PTZ OUTDOOR KIT - PTZ Outdoor Kit w/Alarm, Heater, Blower, & Sun Shield | \$162.50 |
| CA-MD-2VOC | CABLE 2ND VIDEO OUTPUT - Cable for Secondary Video Output | \$3.25 |
| MOUNTS & HOUSINGS | | |
| CA-EH10 | INDOOR/OUTDOOR CAM ENCL - Indoor/Outdoor Camera Enclosure | \$27.63 |

Power Magnetic Locks and Exit Switches

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-------------------|---|-------------------|
| Power Mags | | |
| CICPM600BI | Electromagnetic lock 600 lbs field selectable 12/24VDC, L 9 7/8" H 1 11/16" W 1" US28 | \$158.13 |
| CICPM600L | Electromagnetic lock 600 lbs field selectable 12/24VDC, L 9 7/8" H 11/16" W 1" L.E.D. Indicator door bond sensor for remote monitoring US28 | \$183.53 |
| CICPM1200 | Electromagnetic lock 1200 lbs field selectable 12/24VDC. L 10 1/2" H 2 5/8" W 19/16" US28 | \$166.78 |
| CICPM1200SL | Electromagnetic lock 1200 lbs field selectable 12/24VDC. L.E.D. indicator door bond sensor for Remote monitoring US28 | \$190.00 |
| CICPM1200SLBI | Electromagnetic lock 1200 lbs field selectable 12/24vDC. L 10 1/2" H 2 5/8" W 19/16". L 21" H 2 5/8" W 19/16" L.E.D. indicator door bond sensor for remote monitoring use on double doors. US28 | \$383.22 |
| CICPM120040 | Electromagnetic lock 1200 lbs field selectable 12/24VDC. L 10 1/2" H 2 5/8" W 19/16". US40 | \$166.78 |
| CICPM1200SLBI40 | Electromagnetic lock 1200 lbs field selectable 12/24VDC. L 21" H 2 5/8" W 19/16" L.E.D. indicator door bond sensor for remote monitoring use on double doors. US40 | \$383.33 |

Note: All electromagnetic locks include lock, armature plate, mounting plate, screw pack & hex drive. Current draw on field selectable models is 200 – 400 mA

REMOTE ACCESS PowerMag Lock

| | | |
|------------------|---|----------|
| CIC-RR-PM1200PAK | REMOTE ACCESS - Remote Released Electromagnetic lock 1200 lbs field selectable 12/24VDC with Remote Release. Complete with One (1) Remote Control and One (1) plug-in AC transformer. Supports up to 100 individual remote controls (AL- Remote) | \$305.88 |
| CIC-AL-REMOTE | REMOTE ACCESS - Remote Control Single Button used with CC-RR-PM1200 | \$41.58 |

Note: All electromagnetic locks include lock, armature plate, mounting plate, screw pack & hex drive. Current draw on field selectable models is 200 – 400 mA

Request-To-Exit (REX) PIRs

| | | |
|------------|--|---------|
| CA-PS520-W | Passive Infrared Sensor with adjustable sensitivity, 12 or 24 VAC or VDC, adjustable hold time from 0.25 to 60 seconds, selectable single or double door pattern with adjustable 35 degree vertical wall mount range to 20 degrees vertical on overhead mount - Off White Housing. | \$91.00 |
| CA-PS520-S | Passive Infrared Sensor with adjustable sensitivity, 12 or 24 VAC or VDC, adjustable hold time from 0.25 to 60 seconds, selectable single or double door pattern with adjustable 35 degree vertical wall mount range to 20 degrees vertical on overhead mount - Silver Housing. | \$91.00 |

Power Magnetic Locks and Exit Switches

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|---|--|-------------------|
| CONTINENTAL ACCESS EXIT SWITCHES | | |
| <u>Double Pole Double Throw Switches</u> | | |
| <i>Illuminated Switches</i> | | |
| CA-SID2 | DPDT illuminated (12/24 volt AC/DC replaceable bulb - 25,000 hour) 2" square pushbutton switch, labeled "PUSH TO EXIT", mounted on single gang wall plate, rated 10 amp @ 35VDC or 120VAC. | \$58.40 |
| CA-SID7 | DPDT illuminated (12/24 volt AC/DC high brightness led) .675" x ...875" pushbutton switch, labeled "PUSH TO EXIT", mounted on single gang wall plate, rated 3 amp @ 35VDC or 120VAC. | \$60.66 |
| CA-SID9N | DPDT illuminated (12/24 volt AC/DC high brightness led) .675" x ...875" pushbutton switch, labeled "PUSH TO EXIT", mounted on 1.75" narrow wall plate, rated 3 amp @ 35VDC or 120VAC | \$60.66 |
| <i>Time Delay Switches</i> | | |
| CA-ST2 | DPDT CA-SID2 (as above) with 30 second built-in timer (subsequent depressions of the switch before 30 seconds will restart timer). | \$130.86 |
| <i>Vandal Resistant Switches</i> | | |
| CA-SV12 | DPDT vandal resistant.750" DIA. pushbutton, mounted on single gang wall plate, labeled "PUSH TO EXIT", rated 4 amp @ 25VDC or 125VAC, (IP65 rated). | \$93.50 |
| CA-SV13N | DPDT vandal resistant.750" DIA. pushbutton, mounted on 1.75" narrow wall plate, labeled "PUSH TO EXIT", rated 4 amp @ 25VDC or 125VAC, (IP65 rated). | \$93.50 |
| CA-SV111 | DPDT vandal resistant single gang push plate, labeled "PUSH TO EXIT", rated 4 amp @ 28VDC | \$108.66 |
| <u>Single Pole Switches</u> | | |
| <i>Illuminated Switches</i> | | |
| CA-SIS2 | SPDT illuminated (12/24 volt AC/DC replaceable bulb - 25,000 hour) 2" square pushbutton switch, labeled "PUSH TO EXIT", mounted on single gang wall plate, rated 10 amp @ 35VDC or 120VAC | \$44.54 |
| <i>Mushroom Button Switches</i> | | |
| CA-SBS1 | 1.5" red mushroom button switch, one N/O and one N/C contact, mounted on single gang wall plate, labeled "EXIT", rated 10 amp @ 35VDC or 120VAC | \$74.53 |
| CA-SBS27N | 1.5" green mushroom button switch, one N/O and one N/C contact, screw terminals, mounted on 1.75" narrow wall plate, labeled "PUSH TO EXIT", rated 10 amp @ 35VDC or 120VAC | \$66.08 |
| <i>Pneumatic Time Delay Switches</i> | | |
| CA-SP14 | Pneumatic time delay switch, requires no external power, one N/O and one N/C contact, mounted on single gang wall plate, labeled " PUSH TO EXIT", rated 10 amp @ 120/240 Volts | \$282.22 |

Power Magnetic Locks and Exit Switches

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|-------------------|
| CA-SP14N | Pneumatic time delay switch, requires no external power, one N/O and one N/C contact, mounted on 1.75" narrow wall plate, labeled " PUSH TO EXIT", rated 10 amp @ 120/240 Volts | \$282.22 |

Power Magnetic Locks and Exit Switches

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--------------------|---|-------------------|
| POWEREXIT® | | |
| CICP1 | Exit button round normally open. L 3" H 4 3/4" W 1/4". Back depth 1 7/8" button diameter 1 9/16" non illuminate. | \$60.60 |
| CICPE2 | Exit button square normally open/normally closed illuminated. L 3" H 4 3/4" W 1/4" Back depth 1 1/4" | \$60.60 |
| CICPE2S | Exit button square normally open/normally closed illuminated narrow plate. L 1 5/8" H 4 3/4" W 1/4" back depth 1 1/4" | \$58.28 |
| ACCESSORIES | | |
| CICPMA-ARMH1 | Armature plate size 7 1/4" X 1 1/2" X 19/32 | \$85.42 |
| CICPMA-ARMH2 | Armature plate size 7 1/2" X 2 7/16" X 19/32 Note: All armature plates include aluminum housing, mounting screws, steel washers & rubber washers. | \$93.50 |
| CICPMA-FILL1 | Filler plate size 10 1/2" x 3/4" x 5/8" | \$20.78 |
| CICPMA-FILL2 | Filler plate size 10 1/2" x 3/4" x 1/2" Note: All filler plates include aluminum plate & mounting screws. | \$20.78 |
| CICPMA-Z1 | Z bracket, adjustable, use with CICPM600I & CICPM600BI. | \$87.72 |
| CICPMA-Z2 | Z bracket, adjustable, use with CICPM1200, CICPM1200SLBI, CICPM120040 & CICPM1200SLBI40. Note: All Z brackets include aluminum bracket, aluminum L bracket, steel screws, steel washers & rubber washers. | \$141.40 |
| CICPMA-ANGL1 | Angle bracket, 1 1/2" x 10 1/2" | \$24.82 |
| CICPMA-ANGL2 | Angle bracket, adjustable, 1 1/2" x 2 3/8" x 10 1/2" | \$43.87 |
| CICPMA-ANGL3 | Angle bracket, adjustable, 1 3/8" x 2 3/8" x 10 1/2" Note: All angle brackets include aluminum angle bracket, mounting | \$43.87 |

GOLD SERIES MAGNETIC CONTACTS

Gold Series Magnetic Contacts are Professional Grade contacts with precision gold reeds (gold hardened and stabilized with alloying elements) to ensure unparalleled catch. These contacts are UV Stabilized, anti-aging and have impact-resistant construction for long-life dependability and Double burn-in quality screening for consistent reliability.

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-------------------------------|---|-------------------|
| Surface Mount Contacts | | |
| NC-ST100 | Surface Mount, Terminals, 1" Gap, Pack of 10 | \$14.92 |
| NC-ST100-A | Surface Mount, Self-Adhesive, Terminals, 1" Gap, Pack of 10 | \$17.55 |
| NC-ST100-CV | Surface Mount, Covered Terminals, 1" Gap, Spacer, Pack of 10 | \$13.15 |
| NC-SL050-UMCL | Surface Mount, Center Leads, 1/2 " Gap, Ultra-Mini, Nails, Pack of 10 | \$14.92 |
| NC- SL075-MCL | Surface Mount, End Leads, 3/4 " Gap, Mini, Nails, Pack of 10 | \$17.55 |
| NC-SL100 | Surface Mount, Flanged, Center Leads, 1" Gap, Pack of 10 | \$14.92 |
| NC-SL100-CLA | Surface Mount, Self-Adhesive, Center Leads, 1" Gap, Pack of 10 | \$11.40 |
| NC-SL150-EL | Surface Mount, Flanged, End Leads, 1.5" Gap, Pack of 10 | \$15.78 |
| NC-SL200-I | Industrial Surface Mount, Armored Cable (End), 2" Gap, Pack of 1 | \$11.85 |

GOLD SERIES MAGNETIC CONTACTS

Gold Series Magnetic Contacts are Professional Grade contacts with precision gold reeds (gold hardened and stabilized with alloying elements) to ensure unparalleled catch. These contacts are UV Stabilized, anti-aging and have impact-resistant construction for long-life dependability and Double burn-in quality screening for consistent reliability.

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-------------------------------|---|-------------------|
| Recessed Contacts | | |
| NC-RT075 | 3/8" Recessed, Terminals, 3/4" Gap, Pack of 10 | \$15.78 |
| NC-RT100 | 3/4" Recessed, Terminals, 1" Gap, Steel Door, Pack of 5 | \$15.78 |
| NC-RL075-S | 3/8" Recessed, Stubby, Leads, 3/4" Gap, Pack of 10 | \$18.42 |
| NC-RL075-UM | 1/4" Recessed, Leads, 3/4" Gap, Ultr-Mini, Pack of 10 | \$12.28 |
| NC-RL100 | 3/8" Recessed, Leads, 1" Gap, Pack of 10 | \$9.65 |
| NC-RL100-I | Industrial, 1" Recessed, Leads, 1" Gap, Steel Door, Pack of 5 | \$14.47 |
| NC-RBL | 3/4" Recessed, Roller Ball, Leads, Pack of 10 | \$20.17 |
| Overhead Door Contacts | | |
| NC-OL200 | Overhead Door, Armored Cable (End), 2" Gap, Pack of 1 | \$7.90 |

Platinum Power Supplies

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--|---|-------------------|
| Complete Power Supplies | | |
| Consists of Power Supply, Transformer, Cabinet and optional Power Distribution Board (PDB) | | |
| NP-K3A12V | 3 Amp Supply, 12 Volt Output | \$171.72 |
| NP-K3A12V4O | 3 Amp Supply, 12 Volt Output, 4 Output PDB | \$198.84 |
| NP-K3A12V8O | 3 Amp Supply, 12 Volt Output, 8 Output PDB | \$204.49 |
| NP-K3A24V | 3 Amp Supply, 24 Volt Output | \$179.79 |
| NP-K3A24V4O | 3 Amp Supply, 24 Volt Output, 4 Output PDB | \$206.91 |
| NP-K3A24V8O | 3 Amp Supply, 24 Volt Output, 8 Output PDB | \$212.56 |
| NP-K3AS12V | 3 Amp Supervised Supply, 12 Volt Output | \$193.30 |
| NP-K3AS12V4O | 3 Amp Supervised Supply, 12 Volt Output, 4 Output PDB | \$220.42 |
| NP-K3AS12V8O | 3 Amp Supervised Supply, 12 Volt Output, 8 Output PDB | \$226.07 |
| NP-K3AS24V | 3 Amp Supervised Supply, 24 Volt Output | \$201.36 |
| NP-K3AS24V4O | 3 Amp Supervised Supply, 24 Volt Output, 4 Output PDB | \$228.49 |
| NP-K3AS24V8O | 3 Amp Supervised Supply, 24 Volt Output, 8 Output PDB | \$234.14 |
| NP-K5A12V | 5 Amp Supply, 12 Volt Output | \$200.96 |
| NP-K5A12V4O | 5 Amp Supply, 12 Volt Output, 4 Output PDB | \$228.09 |
| NP-K5A12V8O | 5 Amp Supply, 12 Volt Output, 8 Output PDB | \$233.73 |
| NP-K5A24V | 5 Amp Supply, 24 Volt Output | \$211.04 |
| NP-K5A24V4O | 5 Amp Supply, 24 Volt Output, 4 Output PDB | \$238.17 |
| NP-K5A24V8O | 5 Amp Supply, 24 Volt Output, 8 Output PDB | \$243.82 |
| NP-K5AS12V | 5 Amp Supervised Supply, 12 Volt Output | \$228.19 |
| NP-K5AS12V4O | 5 Amp Supervised Supply, 12 Volt Output, 4 Output PDB | \$255.31 |
| NP-K5AS12V8O | 5 Amp Supervised Supply, 12 Volt Output, 8 Output PDB | \$260.96 |
| NP-K5AS24V | 5 Amp Supervised Supply, 24 Volt Output | \$238.27 |
| NP-K5AS24V4O | 5 Amp Supervised Supply, 24 Volt Output, 4 Output PDB | \$265.39 |

Platinum Power Supplies

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|---|-------------------|
| NP-K5AS24V80 | 5 Amp Supervised Supply, 24 Volt Output, 8 Output PDB | \$271.04 |

Platinum Power Supplies

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|--|-------------------|
| NP-K7AS12V | 7 Amp Supervised Supply, 12 Volt Output | \$278.00 |
| NP-K7AS12V4O | 7 Amp Supervised Supply, 12 Volt Output, 4 Output PDB | \$305.12 |
| NP-K7AS12V8O | 7 Amp Supervised Supply, 12 Volt Output, 8 Output PDB | \$310.77 |
| NP-K7AS24V | 7 Amp Supervised Supply, 24 Volt Output | \$358.66 |
| NP-K7AS24V4O | 7 Amp Supervised Supply, 24 Volt Output, 4 Output PDB | \$385.79 |
| NP-K7AS24V8O | 7 Amp Supervised Supply, 24 Volt Output, 8 Output PDB | \$391.44 |
| NP-K10A12V | 10 Amp Supply, 12 Volt Output | \$312.28 |
| NP-K10A12V4O | 10 Amp Supply, 12 Volt Output, 4 Output PDB | \$339.41 |
| NP-K10A12V8O | 10 Amp Supply, 12 Volt Output, 8 Output PDB | \$345.05 |
| NP-K10A24V | 10 Amp Supply, 24 Volt Output | \$392.95 |
| NP-K10A24V4O | 10 Amp Supply, 24 Volt Output, 4 Output PDB | \$420.07 |
| NP-K10A24V8O | 10 Amp Supply, 24 Volt Output, 8 Output PDB | \$425.72 |
| NP-K10AS12V | 10 Amp Supervised Supply, 12 Volt Output | \$336.48 |
| NP-K10AS12V4O | 10 Amp Supervised Supply, 12 Volt Output, 4 Output PDB | \$363.61 |
| NP-K10AS12V8O | 10 Amp Supervised Supply, 12 Volt Output, 8 Output PDB | \$369.25 |
| NP-K10AS24V | 10 Amp Supervised Supply, 24 Volt Output | \$417.15 |
| NP-K10AS24V4O | 10 Amp Supervised Supply, 24 Volt Output, 4 Output PDB | \$444.27 |
| NP-K10AS24V8O | 10 Amp Supervised Supply, 24 Volt Output, 8 Output PDB | \$449.92 |

Platinum Power Supplies

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|--------------------------------|---|-------------------|
| Power Supply Components | | |
| NP-LPS6-24VDC | 1.5 Amp Linear Power supply | \$14.58 |
| NP-P3A | 3 Amp Power supply | \$38.96 |
| NP-P5A | 5 Amp Power supply | \$58.21 |
| NP-P10A | 10 Amp Power supply | \$150.24 |
| NP-AMOD8 | Access Power Controller | \$100.74 |
| NP-RB6-24VDC | Relay Module | \$11.28 |
| NP-RB1224VDC/6 | Break-a-way Relay 6 pack | \$32.91 |
| NP-4CC615DCUL | 4 Camera 6 to 15V CCTV DC Power Supply in Enclosure | \$80.21 |
| NP-8CC615DCUL | 8 Camera 6 to 15V CCTV DC Power Supply in Enclosure | \$157.21 |
| NP-CC24AC4UL | 4 camera CCTV AC Power Supply in Enclosure | \$67.74 |
| NP-CC24AC8UL | 8 camera CCTV AC Power Supply in Enclosure | \$86.08 |
| NP-CC24AC16UL | 16 camera CCTV AC Power Supply in Enclosure | \$146.58 |
| NP-DMOD-4OUT | 4 out Power distribution board | \$24.66 |
| NP-DMOD-8OUT | 8 out Power distribution board | \$29.79 |
| NP-P3ASUP | 3 Amp Supervised Power Supply | \$58.58 |
| NP-P5ASUP | 5 Amp Supervised Power Supply | \$82.96 |
| NP-P7ASUP | 7 Amp Supervised Power Supply | \$119.08 |
| NP-P10ASUP | 10 Amp Supervised Power Supply | \$172.24 |
| NP-PTM | 12/24 Volt 1 second to 60 minute Timer | \$21.91 |
| NP-DTM7D24H | Single Channel Annual Timer | \$88.83 |
| NP-DTM7D24H-D | Dual Channel Annual Timer | \$131.91 |
| NP-PSC500 | Universal Power Supply Cabinet | \$82.41 |

Platinum Power Supplies

| <u>Part No.</u> | <u>Description</u> | <u>List Price</u> |
|-----------------|----------------------------|-------------------|
| NP-TRF1650 | 16VAC 50VA Plug-In XFORMER | \$10.73 |
| NP-TRF2450 | 24VAC 50VA Plug-In XFORMER | \$11.46 |
| NP-TRF24100 | 24VAC 100VA XFORMER | \$34.74 |
| NP-TRF28100 | 28VAC 100VA XFORMER | \$42.08 |
| NP-TRF28175 | 28VAC 175VA XFORMER | \$51.24 |
| NP-TRF28300 | 28VAC 300VA XFORMER | \$124.58 |

WARRANTY TERMS & CONDITIONS

Standard Terms of Sale

Ordering

Faxing a purchase order to Order Entry at 631-842-9135 may place orders for Continental products.

Sales Assistance

Continental will furnish to customers, reasonable quantities of product related catalogs and other sales and promotional literature. Continental will provide customer training, both technical and sales at Continental's facilities in New York and regionally by schedule. Contact the factory for costs and requirements.

Payment Terms

Sales terms are Cash in Advance unless prior credit arrangements are established. If credit arrangements are established with Continental, terms of sale are net 30 days. Interest charges shall accrue on all past due accounts at a rate of 1.5% per month (18% APR). Continental reserves the right to place a customer on a cash-in-advance status in the event that customer's account becomes delinquent or Continental becomes unsure about customer's financial capabilities. Continental will charge a Service Fee of \$50.00 for any returned check. If customer believes an invoice to be in error, customer shall notify Continental of the error within thirty (30) days. Continental reserves a security interest in all products sold hereunder, together with all proceeds thereof to secure the performance of the customer's obligations hereunder. All orders unless otherwise requested are shipped F.O.B. Amityville, NY.

Cancelled Orders

Special or custom order items that cannot be cancelled with our suppliers are subject to a 100% cancellation charge. No unauthorized, returned merchandise will be accepted for credit. Orders returned or canceled are subject to a 25% restocking charge.

Return Material Authorizations

No products will be accepted for return to Continental without prior written authorization (RMA). Unauthorized returns will not be accepted from the carrier by the receiving department. The customer may request a return material authorization (RMA), whether for credit or repair of the product. Continental will either issue an RMA or provide the customer with a written explanation for not issuing the RMA. Except for warranty claims, no returns will be accepted more than 60 days after shipment from Continental. Orders that are accepted for return are subject to a 25% restocking charge. No product will be accepted for return that has been special ordered or is custom in nature.

WARRANTY TERMS & CONDITIONS

Standard Terms of Sale

Limited Warranty

Return Material Authorization (RMA) numbers are required to be issued by Continental prior to returning any Product for service, repair, credit or exchange. Continental warrants that its' Products shall be free from defects in materials and workmanship for a period of three years from date of shipment of the product to purchaser. The warranty on 3rd party equipment such as terminals, printers, and communications devices shall be 1 year (or less if specified by the manufacturer) from date of shipment. Remediation of this warranty shall be limited to the repair or replacement of those products, which are defective or become defective under normal use. Continental's warranty shall not extend to any product, which is found after examination to be defective as a result of misuse, improper storage, incorrect installation, operation or maintenance, alteration, modification or accident.

This warranty is in lieu of all other warranties whether express, implied or statutory, including implied warranties of merchantability or fitness for any particular purpose. No representation or warranty of the distributor shall extend the liability or responsibility of the manufacturer beyond the terms of this provision. In no event shall Continental be liable for any costs, loss of profits, loss of use, incidental, consequential or special damages to any person resulting from the use of Continental's products.

The above limited warranty is the only warranty provided by Continental. Continental makes no other warranties or guarantees, whether expressed or implied, including, but not limited to, warranties and/or guarantees of merchantability or fitness for a particular purpose. In no event shall Continental be liable for any indirect, consequential or incidental damages, including those to person and those for lost wages, or other economic loss.

CA3000 Software - Extended Warranty and Upgrade

The Continental software is warranted to perform as noted in product specifications for one year after shipment by Continental if installed by a Continental trained dealer who has attended Continental training within the last two years. The software must be installed on a PC specified by Continental. The standard software support is provided via phone and email for 12 months after shipment of the software by Continental.

Extended warranty is available from Continental that will not only provide technical support from Continental via phone and email, but will also provide one software upgrade package each year with additional capabilities and support for the latest Microsoft operating system.

If the extended warranty and software support package is purchased with the purchase order, the extended warranty for months 13-24 after shipment by Continental will be 20% of the Continental software list price. This warranty and upgrade price will be maintained for a minimum of five years (months 13-72 after shipment of software by Continental) if the warranty is renewed by the dealer before the end of each extended warranty period.

If the extended warranty and software support package is purchased within six months after the shipment of the software by Continental, the extended warranty for months 13-24 after shipment by Continental will be 25% of the Continental software list price. This warranty and upgrade price will be maintained for a minimum of five years (months 13-72 after shipment of software by Continental) if the warranty is renewed by the dealer before the end of each extended warranty period.

If the extended warranty and software support package is purchased after six months but before one year after the shipment of the software by Continental, the extended warranty for months 13-24 after shipment by Continental will be 30% of the Continental software list price. This warranty and upgrade price will be maintained for a minimum of five years (months 13-72 after shipment of software by Continental) if the warranty is renewed by the dealer before the end of each extended warranty period.

Continental Extended Warranty Controllers

Extended warranty is available on Continental Controllers and options for these controllers. Standard warranty terms apply to the extended warranty. Continental's extended warranty shall not extend to any product, which is found, after examination, to be defective as a result of misuse, improper storage, incorrect installation, operation or maintenance, alteration, modification or accident.

The extended warranty must be purchased within six months of the original shipment date from Continental. The price of the extended warranty is 6% of the list price of the product if purchased annually for warranty beyond the standard one-year warranty. This warranty price will be maintained for a minimum of four years (months 13-60 after shipment of software by Continental) if the dealer renews the warranty before the end of each extended warranty period.

If the warranty is purchased for multiple years and paid for in advance, the following extended warranty prices are shown below:

Two-year extended warranty (years 2 and 3 after shipment by Continental) - 10% of list price

Three-year extended warranty (years 2, 3 and 4 after shipment by Continental) - 14% of list price

Four-year extended warranty (years 2, 3, 4 and 5 after shipment by Continental) - 18% of list price